

International Journal of Innovative Research in Science, Engineering and Technology

(An ISO 3297: 2007 Certified Organization)

Vol. 4, Special Issue 6, May 2015

Global Quality Work Software System and Internet Link Banking

Shyamala¹, Divya Bharathi²

P.G. Student, Department of IT, Bannari Amman Institute of Technology, Sathyamangalam, Erode, India^{1,2}

ABSTRACT: Search engines among web site enable you to look data solely there on website, filtering out data from alternative internet sources and giving additional exactness in an exceedingly user is rummage around for data. Internet computer program may be a system that is designed on the globe Wide internet. Everybody prefers to get precise data among less time. We tend to don't prefer to browse plenty to urge relevant knowledge. For this purpose we have got to avoid ambiguity by reducing code redundancy and to filter irrelevant links displayed throughout internet search. Search engines facilitate to prepare the net and individual websites. Search engines aid in organizing the quantity of knowledge which will typically be scattered in varied places on an equivalent online page into an organized list which will be used additional simply. Search engines do have the power to supply refined or additional precise results

I.INTRODUCTION

Search engine optimization entails hiking up the chances of the user logging in the particular sites when they search with the help of the related keywords on any of the search engines. This kind of a company works in a close coordination with the clients, to work out the best possible package for the client, to help build its client base. It includes starting from the very basics and working up the ladder from there. Since most of the time the user is unlikely to have good or complete knowledge of the sites that is able to satisfy his query, he or she generally resort to the results of search engine. It is also true that when searching for the sites via a search engine, a user generally clicks on the first few sites that are sprung up in the results. Rarely would a person visit beyond the first few of the results. It ensures that the client site is indeed in the top of results when the user search for the results via the search engines.

The search engine application system is developed using the .net as per the BRS(Business requirement specification). The development is mainly focused to provide the all business requirement and user friendly application. The management team expects this expects as accurate and high performance application. The second important is security. Form based authentication is implemented to have secure access to all the pages. Some important user related data are maintained in session. To provide the reusability of the coding we planned to develop all necessary of the functionalities as small methods and classes in various projects. The connectivity to the database is totally different. The LINQ(Language integrated query) is used to access the database.

The LINQ is used to complete the application quickly. It helps the developer to access and update the database. Using LINQ bulk data can be updated at time. The retrieval of the data from the database is also very simple. This is developed to complete the BRS (business requirement specification) and use the advanced technique for security and performance. It also provides the user friendly access to the end user.

II.DESCRPTION

By using Windows Embedding Concept, if developers log the error in the event log, it will be used to solve the issued without time delay. But no developer basically logs the error in the event viewer. Because to log the error in the event viewer, there are lot of coding is required. It will take lot of time. The technical managers decide to develop the common framework to solve this issue. The global error login framework will helps the software to log the error to the log viewer. This project has many module to log the error in the event viewer. It event framework using the server complex os method.

The important method of this project are follows

International Journal of Innovative Research in Science, Engineering and Technology

(An ISO 3297: 2007 Certified Organization)

Vol. 4, Special Issue 6, May 2015

Method Enter

It helps the developer to store the information in the event log. The source of the entry is event engine. The information are stored in the format of entry information. It helps the developer or test to know called method and other details.

Method Warning

It helps the developer to store the warning type of data in the eventlog. It basically gives warning notification icon in the event viewer. When error occurs we need to view all the warning messages first to solve the issues. Because warning information will give you the root cause of the issue. Basically the event log viewer will help the production to fix a production issues. Because all productions issue are very critical and it should be fixed with no time.

Method Error

It helps the developer to store the errors details with severity in the eventlog. It basically gives original error information to the developer and tester. When error occurs we need to view all the error and severity details and messages first to solve the issues. Because error information will give you the technical information of the issue. The technical code, message of the error will help you to fix the problem. If you have used the error logging mechanism in your application, you no need to worry about the error. Because all issues can be solved using technical information logged in the event log viewer.

Method Exit

The basic standard of development is it should use all the modules like enter, warning, and error and exit log module. Because each module will give you the separate information about the problem. But if the exit log is found to the method then there are no problems in the method. So it helps the developer and tester to confirm the particular method does not have any problems. Each method should use the exit module to confirm no error found in the particular method.

The institute application is developed using global error framework. So let us the see the institute application as follows .

Event varieties

There are essentially 5 sorts of events that may be logged. every selected sort event , and application indicates the sort of event once it reports one. The Event Viewer uses this kind, to work out the icon to show within the list read of the log.

Event Description	Type
Information	This indicates a big, fortunate operation. for instance, an incident indicating that a service has started.
Warning	Warning events indicate issues that don't seem to be forthwith important, however people who might cause issues within the future. Resource consumption could be a exemplar for a warning event.
Error	Error events indicate important issues that the user ought to realize. Error events typically indicate a loss of practicality or knowledge.

III.EXISTING SYSTEM

In existing system, in each computer program we tend to have gotten each a relevant and impertinent info concerning our searches. Everybody can consume heap of your time to differentiate the precise link that contain careful info. This can consume heap of your time to lowerclassman to be told info relevant to their project. Attributable to perennial links, the beginner can get confused. Most web's search engines consult databases of the foremost oft used words in documents, like words drawn from documents title and 1st few sentences thus they will not retrieve documents during which the keywords that square measurelooking out are buried somewhere among document. Several page authors send computer program varied sites containing varied tricks like impertinent title tag or continuation sure words in 1st few levels that square measure impertinent to actual contents of the page, to spice up the ratings. although this looks to be

International Journal of Innovative Research in Science, Engineering and Technology

(An ISO 3297: 2007 Certified Organization)

Vol. 4, Special Issue 6, May 2015

matter of less concern however once tried by several persons ends up in terribly significant issue, it would cause state of affairs wherever in not even one among the highest 10 sites listed would be of subject you'd expect.

Disadvantage:

- Regardless of the growing sophistication, several well thought-out search phrases turn out list once list of impertinent sites. The everyday search still needs separation through dirt to search out the gems.
- Using search engines will involve a learning curve. Several starting net users, owing to these disadvantages, become discouraged and annoyed.


IV.PROPOSED SYSTEM

In the planned system, older person in a company can collect the net page link that is likely employed by the organization and displayed in an single online page. Here we tend to area unit exploitation world quality work computer code to login in to official websites to retrieve data supported their nature of search. By exploitation windows embedding technique we tend to area unit storing error messages within the dB engine that is beneficial to feature new links within the net search and conjointly exploitation motor vehicle complete technique so as to collect links associated with current search. The rating given by the older candidates the links are going to be prioritized among a specific organization. Work services that assist you to search out the particular downside within the net application.

Advantage:

- Reduce the search time and supply relevant data.
- Search Engines alter to fast search to large quantity of data from one search box Search on a selected kind or piece of data is feasible differing types of search engines alter to seem for specific varieties of documents.
- Search engines aid in organizing the large quantity of data which will typically be scattered in numerous places on an equivalent online page into AN organized list which will be used additional simply.

V.INTERNAL SYSTEM ARCHITECTURE



Web User Interface

The interface method is intended to abstract the management flow and state management out of the interface layer into a interface method layer. this allows you to write down generic code for the management flow and state management of

International Journal of Innovative Research in Science, Engineering and Technology

(An ISO 3297: 2007 Certified Organization)

Vol. 4, Special Issue 6, May 2015

various sorts of applications (for example, net applications and Windows-based applications) and helps you write applications that manage users' tasks in advanced eventualities This results in easier development and maintenance of advanced applications. The interface method Application Block will simply be used as a building block in your own .NET application.

Server Controls

Controls area unit little building blocks of the graphical computer programme, which has list boxes, labels, text boxes, buttons, check boxes and various different tools, victimization that users will enter knowledge, create picks and indicate their preferences. The Web Control category itself and a few different server controls that don't seem to be visually rendered.

Ajax Controls

AJAX stands for Asynchronous JavaScript and XML. This is a platform technology that accelerates time interval. The Ajax server controls add script to the page that is dead and processed by the browser. Like alternative ASP.Net server controls, these Ajax server controls can also have strategies and event handlers related to them, that are processed on the server aspect.

Linq

LINQ or Language-Integrated query is such a tool. LINQ is ready of extensions to the .Net Framework three.5 associate degree its managed languages that sets the query as an object. It defines a typical syntax and a programming model to query differing types of knowledge employing a common language. The relative operators are area unit enforced in LINQ and therefore the C# and VB compilers within the .Net framework three.5, that support the LINQ makes it attainable to figure with a designed knowledge store while not resorting to .Net.

Sql Server Database Engine

The information Engine is that the core service for storing, processing, and securing knowledge. The information Engine provides controlled access and fast dealings process to satisfy the necessities of the foremost tight knowledge overwhelming applications at intervals your enterprise.

Use the information Engine to make relative knowledge bases for on-line dealings process or on-line analytical process data. This includes making tables for storing knowledge, and information objects like indexes, views, and keep procedures for viewing, managing, and securing knowledge. The use of SQL Server Management Studio is to manage the information objects, and SQL Server Profiler to capture server events.

V. IMPLEMENTATION

Implementation is the stage of the project when the theoretical design is turned out into a working system.

List:

- Registration
- Login
- Url Upload
- Web search
- Personalization
- Information filtering

Description:

Registration

In this module, the user has to register their details. In registration module all the fields are mandatory . If anyone want to access the information related for their project ,they have to register themselves as a user .The newly registered persons user name must check with the already stored username in DB. The newly registered persons username and password will be send to the mail id of the user as well as the admin .

International Journal of Innovative Research in Science, Engineering and Technology

(An ISO 3297: 2007 Certified Organization)

Vol. 4, Special Issue 6, May 2015

Login

Login module is used for only one person having rights to access the system at any time. So User has to know the Authentication and also Authorization rights. Except user nobody can have full rights to access like Employee details, Designation details. If anyone wants to access apart from their particular department / another department they should have gets permission from the User.

Url Upload

For any questions there will be lot of information in the internet. Once any query is raised if anybody knows answer for the query, the site information and links can be posted against the query. Those links are added and saved in the database server for search based on the query. The suggested links are very much useful to know detailed information to the query. It will be used to understand thoroughly about the issue and solutions.

Web Search

Web search has different levels of effectiveness for different queries, users, and search contexts. We propose click entropy to measure whether users have diverse information needs by issuing a query. Experimental results show that personalization brings significant search accuracy improvements on queries with a large click entropy and has little effect on queries with a small click entropy. Personalization can even harm search accuracy on some queries. Therefore, we conclude that queries should not be personalized identically.

Personalization

We develop a large scale personalized search evaluation framework based on Real - world query logs. In this framework, different personalized re ranking are simulated, and search accuracy is evaluated by real user clicks. The framework enables us to evaluate personalization approaches on a large-scale data set. We implement two click-based personalized search methods and three topical-interest-based methods , evaluate the approaches in the proposed framework using query logs from the search engine.

Information Filtering

Personalization can help to filter the pages that are more relevant to users by making use of historical selections. Different users have different selections on this query, which means that the query is an ambiguous query. In this case, personalization can be used to provide different web pages to different users.

VI.CONCLUSION

The business user and admin users are enjoying to use application and user friendly application. It is developed to support any latest technology like next version of .net. All business users are appreciating our team for providing secured, high performance, main notification application to them. The role primarily based security plays the most role during this application. It provides restricted pages solely to the restricted user and full access to the admin user. Really it provides solely necessary pages to the required user.

The management and workers are exploitation all the functionalities with consummated choices. It got delivered palmy application to the users. The management and workers are some new practicality. We tend to are discussing the new functionalities which can be developed and delivered to the user as shortly as doable.

REFERENCES

- [1] Laplanche, R., Delgado, J., Turck, M., Concept Search Technology Goes Beyond Keywords, Information Outlook, July 2004.
- [2] Lew, M. S., Sebe, N., Djeraba, C., Jain, R., Content-based Multimedia Information Retrieval: State of the Art and Challenges, ACM Transactions on Multimedia Computing, Communications, and Applications, February 2006.
- [3] Datta R., Joshi, D., Li J., Wang, J. Z., Image Retrieval: Ideas, Influences, and Trends of the New Age, ACM Computing Surveys, Vol. 40, No. 2, April 2008.
- [4] Robertson, S. E., Sparck Jones, K., Simple, Proven Approaches to Text Retrieval, Technical Report, University of Cambridge Computer Laboratory, December 1994.
- [5] Navigli, R., Velardi, P. An Analysis of Ontology-based Query Expansion Strategies. *Proc. of Workshop on Adaptive Text Extraction and Mining (ATEM 2003)*, in the 14th European Conference on Machine Learning (ECML 2003), Cavtat-Dubrovnik, Croatia, September 22-26th, 2003, pp. 42-49

International Journal of Innovative Research in Science, Engineering and Technology

(An ISO 3297: 2007 Certified Organization)

Vol. 4, Special Issue 6, May 2015

- [6] Manning, C. D., Raghavan P., Schütze H., Introduction to Information Retrieval, Cambridge University Press, 2008.
- [7] Callan, J., Allan, J., Clarke, C. L. A., Dumais, S., Evans, D., A., Sanderson, M., Zhai, C., Meeting of the MINDS: An Information Retrieval Research Agenda, ACM, SIGIR Forum, Vol. 41 No. 2, December 2007.
- [8] Croft, B., Metzler, D., Strohman, T., Search Engines, Information Retrieval in Practice, Addison Wesley, 2009.
- [9] W. Dou, K. H. Lim, Chenting Su, Nan Zhou, Nan Cui, "Brand Positioning Strategy Using Search Engine Marketing," MIS Quarterly, Vol. 34, pp. 261-279, June 2010.
- [10] Ma Xiaolin, Wu Yonghe, "Study on Search Engine Optimization," Journal of Information," Vol 24, pp. 119-121, December 2005.(In Chinese).
- [11] Liu Xiaou, "Search Engine Technique and Optimization Tactics," China Medical Education Technology, vol.24, pp. 161-164, February 2010. (In Chinese).
- [12] Xing Dongshan, Song Qinbao, ShenJunyi "Research on a New Algorithm of Web Session Fuzzy Clustering," Journal of Xi An Jiaotong University, Vol. 36, pp. 823-838, August 2002. (In Chinese).
- [13] Zhang Haiyu, Liu Xiaoxia, "A Ney Way To Discovery User Browsing Mode," Computer Applications and Software, Vol. 240, pp. 144-150, February 2010. (In Chinese).
- [14] Ingwersen P, "The Calculation of Web Impact Factors," Journal of Documentation, Vol. 54, pp. 236-243, March1998. (In Chinese). [CrossRef]
- [15] Harman, "Ranking Algorithms", in *Information Retrieval Data Structures and Algorithms*, Frakes and Baeza-Yates, eds. Prentice-Hall, 1992, pp 363-392
- [16] Benitez, Beigi& Chang, "Using Relevance Feedback in Content-Based Image Metasearch", *IEEE Internet Computing*, Vol 2 No. 4, Jul-Aug 1998, pp59-69
- [17] Lawrence & Giles, "Context and Page Analysis for Improved Web Search", *IEEE InternetComputing*, Vol 2 No. 4, Jul-Aug 1998, pp38-46
- [18] Li, "Toward a Qualitative Search Engine", *IEEE Internet Computing*, Vol 2 No. 4, Jul-Aug 1998, pp24-29
- [19] Lowe &Bucknell A "Model-Based Support for Information Contextualisation in Hypermedia", In *Proceedings of MMMâ97, Fourth International Conference on Multimedia Modelling*, Singapore, November 1997