



e-ISSN: 2319-8753 | p-ISSN: 2347-6710

IJRSET

International Journal of Innovative Research in
SCIENCE | ENGINEERING | TECHNOLOGY

INTERNATIONAL JOURNAL OF INNOVATIVE RESEARCH

IN SCIENCE | ENGINEERING | TECHNOLOGY

Volume 11, Special Issue 1, April 2022

ISSN INTERNATIONAL
STANDARD
SERIAL
NUMBER
INDIA

Impact Factor: 8.118

 9940 572 462

 6381 907 438

 ijirset@gmail.com

 www.ijirset.com

Application of IBM Quantum Computing for Electronics

M.Venkatesan¹, K.R. Yogesh Prasad², K.Naveena³, K.S Priya Dharshini⁴, V.Deepa⁵, M.Nithya⁶

Assistant Professor, Department of Electronics and Communication Engineering, Adhiyamaan College of Engineering, Krishnagiri, Tamilnadu, India

Scientist, Indian Space Research Organisation, HAL Old Airport Road, Bangalore District, Karnataka, India

U.G Students, Department of Electronics and Communication Engineering, Adhiyamaan College of Engineering, Krishnagiri, Tamilnadu, India^{3,4,5,6}

ABSTRACT: For many sensible applications, Quantum computers supply major speed-ups over ancient machines. The assembly of quantum chips has recently created tremendous strides, with the amount of Qubits increasing and fidelity increasing. The tiniest unit of data is that the digit i.e. bit normally computing. In Quantum Computing the term Qubit (Quantum Bit) is employed for an equivalent purpose. So as to differentiate between a classical bit and a Qubit, Bra-Ket or Dirac notation is employed. So, the Qubits area unit described as $|0\rangle$ and $|1\rangle$ and area unit usually scan as Ket zero for zero state and Ket one for one state. During this paper chiefly programming and application sides of Quantum computing area unit centred. For that, Qis kit module and its tools area unit employed in Python artificial language. General circuit improvement theme is given. The Quantum circuits with the idea of Quantum Gates enforced area unit stronger compared to the optimizing formula and with quicker execution time. Additionally, for prime resolving, access to IBM's Quantum pc is disbursed with success. For that, Qis kit module and its tools area unit employed in Python artificial language.

KEYWORDS: Performance evaluation, Quantum computing, High performance computing, Qubit, software algorithms, process control, software.

I. INTRODUCTION

Quantum computing is a type of computation that harnesses the collective properties of quantum states, such as superposition, interference, and entanglement, to perform calculations. Everyday computers perform calculations and process information using the standard (or classical) model of computation. The power of the quantum computer, meanwhile, lies in its much richer repertoire of states. A quantum computer also has bits but instead of 0 and 1, its quantum bits, or Qubits, can represent a 0, 1, or linear combination of both, which is a property known as superposition. Since a computer whose bits can be intermediate between 0 and 1 is just an analog computer, scarcely more powerful than an ordinary digital computer. However, a quantum computer takes advantage of a special kind of superposition that allows for exponentially many logical states at once, all the states from $|00\dots0\rangle$ to $|11\dots1\rangle$. This is a powerful feat, and no classical computer can achieve it. The vast majority of quantum superpositions, and the ones most useful for quantum computation, is entangled. Entangled states are states of the whole computer that do not correspond to any assignment of digital or analog states of the individual Qubits. A quantum computer is therefore significantly more powerful than any one classical. Computer whether it be deterministic, probabilistic, or analog. To augment the available computing power by working in tandem with classical computers. Envisaged to facilitate development and breakthroughs by providing solutions to problems that never been solved before.

International Journal of Innovative Research in Science, Engineering and Technology

An ISO 3297: 2007 Certified Organization

Volume 11, Special Issue 1, April 2022

9th National Conference on Frontiers in Communication and Signal Processing Systems (NCFCSPS '22)

28th -29th April 2022

Organized by

Department of ECE, Adhiyamaan College of Engineering, Hosur, Tamilnadu, India

II.RELATEDWORK

plant AN economical quantum circuits optimizing theme compared with QIS Kit July 2018 [online] the event of quantum chips has created nice progress – the quantity of qubits is increasing and also the fidelity is obtaining higher. However, qubits of those chips don't seem to be perpetually totally connected, that sets extra barriers for implementing quantum algorithms and programming quantum programs.

Scaffold: Quantum programming language" Technical report 2012. Quantum programming is that the method of collection sequences of directions, known as quantum programs, that are capable of running on a quantum pc. Quantum programming languages facilitate categorical quantum algorithms exploitation high-level constructs.

On the complexness of quantum circuit compilation conference on Combinatorial Search 2018. Quantum circuit compilation (QCC) is a crucial drawback within the rising field of quantum computing. The matter encompasses a robust connectedness to combinatorial search, as finding approaches recently printed embrace constraint programming and temporal designing. High performance emulation of quantum circuits Int Conf. for prime Performance Computing Networking Storage and Analysis pp. 74 2016.

As quantum computers of non-trivial size become on the market within the close to future, it's imperative to develop tools to emulate tiny quantum computers. This enables for validation and debugging of algorithms yet as exploring hardware-software co-design to guide the event of quantum hardware and architectures.




III.METHODOLOGY

The quality category P is outlined because the set of issues resolvable by a electronic computer in polynomial time. Similarly, quantum quality categories are also outlined exploitation quantum models of computation, like the quantum circuit model or the equivalent quantum electronic computer. one in all the most aims of quantum quality theory is to seek out however these categories relate to classical quality categories like P, NP, BPP, and PSPACE. One of the reasons quantum complexity theory is studied are the implications of quantum computing for the modern Church-Turing thesis. NP problems are problems that cannot be solved in polynomial time by classical computers, but the answers to the problem can be verified quickly with a classical computer. Asking what are the prime factors of a number is an NP problem, as it can be easily verified if x is the prime factor of a number y , however it is very hard for the computer to find out its prime factors. In short, the modern Church-Turing thesis states that any computational model can be simulated in polynomial time with a probabilistic Turing machine. However, questions around the Church-Turing thesis arise in the context of quantum computing. It is unclear whether the Church-Turing thesis holds for the quantum computation model. There is much evidence that the thesis does not hold. It may not be possible for a probabilistic Turing machine to simulate quantum computation models in polynomial time. The complexity class of decision problems that can be solved on a non-deterministic Turing machine in polynomial time. NP is all the problems that classical computers can't necessarily solve quickly, but for which they can quickly verify an answer if presented with one n computational complexity theory, bounded-error quantum polynomial time (BQP) is the class of decision problems solvable by a quantum computer in polynomial time, with an error probability of at most $1/3$ for all instances.[1] It is the quantum analogue to the complexity class BPP. A decision problem is a member of BQP if there exists a quantum algorithm (an algorithm that runs on a quantum computer) that solves the decision problem with high probability and is guaranteed to run in polynomial time. A run of the algorithm will correctly solve the decision problem with a probability of at least $2/3$. the best solution to a problem (according to some criteria) from a set of possible solutions. Mostly, the optimization problem is formulated as a minimization problem, where one tries to minimize an error which depends on the solution: the optimal solution has the minimal error. Different optimization techniques are applied in various fields such as mechanics, economics and engineering, and as the complexity and amount of data involved rise, more efficient ways of solving optimization problems are needed. The power of quantum computing may allow problems which are not

practically feasible on classical computers to be solved, or suggest a considerable speed up with respect to the best-known classical algorithm.

IV. EXPERIMENTAL RESULTS

Figures shows the results of Application of quantum computing for electronics. The simulation of half adder given as a example figure (A) describe the quantum circuit for generation of bell state and figure(B) and figure (C) describes the quantum circuit for zero's and one's states.



V. CONCLUSION

Quantum computers have the potential to revolutionize computation by making certain types of classically intractable problems solvable. While no quantum computer is yet sophisticated enough to carry out calculations that a classical computer can't, great progress is under way. The quantum computers are faster compared to the normal ordinary (or) digital computer.

REFERENCES

[1].Xin Zhang Hong Xiang Tao Xiang Li Fu and Jun Sang An efficient quantum circuits optimizing scheme compared with QISKIT July 2018 [online] the development of quantum chips has made great progress – the number of qubits is increasing and the fidelity is getting higher.

[2]. A. J. Abhari A. Faruque M. J. Dousti L. Svec O. Catu A. Chakrabati et al. "Scaffold: Quantum programming language" Technical report 2012. Quantum programming is the process of assembling sequences of instructions, called quantum programs, that are capable of running on a quantum computer.

[3]. A. Botea A. Kishimoto and R. Marinescu "On the complexity of quantum circuit compilation" Symposium on Combinatorial Search 2018.

[4]. T. Haner D. S. Steiger M. Smelyanskiy and M. Troyer "High performance emulation of quantum circuits" Int'l Conf. for High Performance Computing Networking Storage and Analysis pp. 74 2016. As quantum computers of non-trivial size become available in the near future, it is imperative to develop tools to emulate small quantum computers.

[5] R. Wille N. Quetschlich Y. Inoue N. Yasuda and S. Minato "Using π DDs for nearest neighbor optimization of quantum circuits" Int'l Conf. of Reversible Computation pp. 181-196 2016.

[6]. A. Zulehner P. Niemann R. Drechsler and R. Wille "Accuracy and compactness in decision diagrams for quantum computation" Design Automation and Test in Europe 2019.

BIOGRAPHY



MR.M. VENKATESAN
ELECTRONICS AND
COMMUNICATION ENGINEERING
DEPARTMENT,
ADHIYAMAAN COLLEGE OF
ENGINEERING,
ANNA UNIVERSITY



K.NAVEENA
ELECTRONICS AND
COMMUNICATION ENGINEERING
DEPARTMENT,
ADHIYAMAAN COLLEGE OF
ENGINEERING,



K.S PRIYA DHARSHINI
ELECTRONICS AND
COMMUNICATION ENGINEERING
DEPARTMENT,
ADHIYAMAAN COLLEGE OF
ENGINEERING,



V. DEEPA
ELECTRONICS AND
COMMUNICATION ENGINEERING
DEPARTMENT,
ADHIYAMAAN COLLEGE OF
ENGINEERING,



M.NITHYA
ELECTRONICS AND
COMMUNICATION ENGINEERING
DEPARTMENT,
ADHIYAMAAN COLLEGE OF
ENGINEERING,



INNO SPACE
SJIF Scientific Journal Impact Factor
Impact Factor: 8.118



ISSN INTERNATIONAL
STANDARD
SERIAL
NUMBER
INDIA



INTERNATIONAL JOURNAL OF INNOVATIVE RESEARCH

IN SCIENCE | ENGINEERING | TECHNOLOGY

 **9940 572 462**  **6381 907 438**  **ijirset@gmail.com**



www.ijirset.com

Scan to save the contact details