



e-ISSN: 2319-8753 | p-ISSN: 2347-6710

IJRSET

International Journal of Innovative Research in
SCIENCE | ENGINEERING | TECHNOLOGY

INTERNATIONAL JOURNAL OF INNOVATIVE RESEARCH

IN SCIENCE | ENGINEERING | TECHNOLOGY

Volume 11, Issue 10, October 2022

ISSN INTERNATIONAL
STANDARD
SERIAL
NUMBER
INDIA

Impact Factor: 8.118

 9940 572 462

 6381 907 438

 ijirset@gmail.com

 www.ijirset.com

Emotion Recognition Using Human Computation Technique

*R.Udayakumar, Professor, Computer science and IT

rsukumar2007@gmail.com

ABSTRACT: In this paper, we proposed a competitive human computing game, face emotion recognition to recognize the emotions from the image of human face. A human computing paradigm has enormous potential to address problems that computers can't get tackle on their own and eventually teach computers many of these human talents. Many tasks are trivial for humans, but very challenging for computer programs. Unlike computer processor, human require some incentives to become part of a collective computation games are the seductive method for encouraging people to participate mechanism for using brain power to solve open problems. It must be proven correct, its efficiency can be analyzed, and a more efficient version can supersede a less efficient one and so on. "Game with a Purpose" have a vast range of application in area as diverse as security, computer vision, internet accessibility, adult content filtering, internet search and one such a game is the face emotion recognition. It demonstrates how human solve problems as they play while computers can't yet solve. This face emotion recognition is the game which associates more than 10 players at a time. The players are provided with a random and similar image of a face and they are requested to identify the emotion of that face. The response of the majority will be considered as a resultant emotion. Having that resultant emotion, the system will provide the reply to all the players' whether the selected emotion is right or wrong. The details of each player such as player name, emotion they recognized are stored in the database. Here we implement this logic of human computation such that any complex machine algorithms need not be used and hence lower time and space has been achieved.

KEYWORDS: Emotion recognizing, Human Computation Games, recognize, Game With A Purpose.

1. INTRODUCTION

There are large numbers of people around the world who spend billions of hours playing computer games. The idea is to channel these time and energy into a useful work. People playing computer games could simultaneously solve large-scale problems without consciously doing so. Despite colossal advances over the past 50 years, computers still don't possess the basic conceptual intelligence or perceptual capabilities that most humans take for granted. Here the face emotion recognition game successfully demonstrates the potential of using human efforts to accomplish task that are intractable for computers many application have been developed to solve different computational hard problem such as common sense collection and music annotation. One such game

application is, Face Emotion Recognition .however there are some issues in this kind of cheating forming coalitions. The players may intentionally select the wrong answer options to collapse the game to avoid this here training set of images are given for the first 25 sessions. Here the IP address of the players also checked to ensure that they are not grouped with themselves in any local proximity.

1.1 HUMAN COMPUTING GAME

Human computation aims to solve problems that are hard for computers by utilizing human brain powers. For example, Amazon Mechanical Turk1 provides a marketplace for the developer to outsource human intelligence tasks. Human computation games, also called Game With A Purpose (GWAP), propose that using computer games can gather human players and solve open problems as a side effect of playing. The GWAP approach has been shown to be useful and is widely used in various domains, such as Image tagging commonsense collection and Music annotation. To ensure the quality of the collected labels, most GWAP implementations adopt consensus opinions as the correctness measure. Taking the FER game as an example, image labels are generated by collecting descriptions which both players agree in the game. In Luis von Ahn proposed three game- templates, which summaries their successful experiences in deploying GWAPs. The three templates, namely input-agreement games, output-agreement games, and inversion-problem games, rely on player's collaborations to collect consensus opinions. In contrast to previous work, we demonstrate the game design integrating competitive elements

1.2 PURPOSE OF EMOTION RECOGNITION

Armed with the first comprehensive encyclopedia of emotion, they presented the multimedia company with the challenge of developing some software that would be suitable for people of all ages and abilities, who wanted to learn more about emotion recognition. They limited the brief by focusing on the expression of emotion through the face and the voice. The result is the face emotion recognition. To make it useful as a teaching tool, for parents, teachers, therapists and users directly, the game tests the matching emotion words to face, emotions in modulation with emotion in the face, the unenthusiastic student into learning about emotions, we have included a Games Zone, in which learning about emotions happens at an angle .Whilst

keeping in mind people with autism as one important group of potential users, we recognize that there are many reasons to learn about emotions. Emotion recognition problems affect other clinical conditions, such as difficult-to-manage children or people with learning difficulties. Emotion recognition is also an important area of study for people working in the dramatic arts. The world of emotions is also a key area in people-centered professions. Social-skills training is also part of management training, and an important part of the national curriculum in mainstream schools, through 'Personal and Social Education' (PSE). There are some apparent rewards to studying emotions on computer, for people with autism. First, emotions in the real world happen very fast, and are transient. On the computer, one can play them over and over again, until they really craved them. Secondly, putting emotions into the computer might solve the problem that some people with autism have, of not particularly wanting to socialize, yet needing to learn about people. In divorcing emotions from people, and in using computers as the learning tool (one which many people with autism actually enjoy), this approach may lead to better learning. Emotions without the anxiety may escort real social interaction.

2. GAME MECHANISMS

Face Emotion Recognition (FER) is intended for a minimum of five online players. At opening, the players are requested to provide their names. The players from different proximity who logs in within 3 seconds are clustered together and are provided with the same image. As a second step, the players are requested to identify the emotion of that image. After identifying the emotions, the players should select the emotion which suits their image. The selected result will be stored into the database. There it validate with the maximum number of same emotion selected. The emotion selected by the maximum number of players is considered as the correct emotion. The players who selected the correct emotion are provided with 5 points.

In the commencement of each round all the players are provided with 10 seconds for identifying the emotion. These seconds are decreased by 1 for each second. Before second's value comes to 0, the players should identify the emotion of the given face (i.e.) within 10 seconds they have to identify the emotion. After the time limit the images will be swapped automatically by the next subsequent image. If the player doesn't select the emotion within the time limit then automatically the result is considered as incorrect.

2.1 IDENTIFYING THE EMOTION

In the Face Emotion Recognition Game, the players perform the process of identifying the face emotion from the given image. This process usually involves selecting one of the emotions that suits the face image and also they are provided time limit to identify the emotion

2.2 IMAGES AND LABELS

The FER Game is a multi-player online game with minimum of 10 players from the Web. From the player's perspective, the goal of the FER Game is to guess the emotion of the image presented and to select the correct emotion that suits the image. Once the player selects the emotion, they move on to the next image string. The emotion which many players selected will be the resultant emotion.

2.3 GAME POINTS AND THE BONUS ROUND Although the exact number of points given to the players for different actions is not important, we mention it to show the relative proportions. Furthermore, we mention the different point strategies used by FER to keep players engaged and to avoid cheating. Points are given to all the players equally who guesses the correct emotion. In the current implementation, all obtain 50 points. There is no deduction of points for passed session.

2.4 UNETHICAL

FER is a multiplayer game who works to maximize their score. We obtain correct information as the players do not converse outside the game environment. If any of them collude to cheat on the game, the game could be disillusioned. For instance, if more than 5 players know each other and have an outside means of communication, then they can simply tell each other what to select. FER contains multiple anti-cheating mechanisms. Through a combination of online in-game enforcement and offline analysis, we are able to detect and deal with cheating. Before detailing FER anti-cheating measures, we mention that cheating attempts are uncommon. Although a minority of players might obtain satisfaction from "gaming the system," the majority of them just want to play the game honestly. Let $M \leq n$ be the number of cheaters. If $(n-m)$ images are having same result, then this method was truthful otherwise the method must be restructured based on historical performance data and then tuned accordingly.

2.5 THE PLAYER QUEUE

When players log on to the game server, they are not immediately join the game. Instead, the server makes them wait n seconds, where n is the number of seconds until all the other minimum of ten players grouping interval. Currently, grouping intervals happen every 10 seconds, and when they do, the server matches everyone in the queue with the game. With a large number of players in the system, we can ensure that a player's are grouped in random and prevent colluders from getting group just because they clicked "start playing" at the same time.

2.6 ROUTER ID CHECKS

We also check player's ROUTER ID to ensure that they are not grouped with themselves or with others that have a similar address (similarity in ROUTER ID can imply geographical proximity).

2.7 TRAINING SET OF IMAGES

As it is a web-based game, one point of concern is that bots (i.e. automated players) might play the game and pollute the game. To detect them, we introduce Training set of images into the system; in which we have hand-verified metadata. On being presented images, if a player consistently fails to click on the relevant emotion when playing, they will be considered to be a blacklist. We discard those blacklisted player from current and future game associated with anyone on the blacklist. Notice that, almost by definition, a computer program cannot successfully play FER— if it were able to do so, then it would be able to recognize the emotion in the images. Therefore, this strategy prevents bots (as well as otherwise malicious players) from poisoning our game. However, even if players are successful in such a strategy, the other anti-collusion mechanisms can deal with the corrupted data.

3. METHOD ANALYSIS

INPUT: set of all emotions selected by the player in all sessions

OUTPUT: Emotion selected by the maximum number of players in each session.

We assume $E = \{\text{Sad, Happy, Angry, Disgust, Surprise, Fear}\}$

$R_i =$ set of all emotional label selected by players in session i

Step 1: Enter User ID

Step 2 : Check IP address of the user that they not from the same location.

Step 3: If Step 2 is valid group the players with minimum size 10 .

Step 4: If Step 3 is valid start the game else wait until get valid.

3.1 PERFORM TRAINING METHOD

STEP 1: Face Image with various emotions is displayed.

STEP 2: Players select the relevant emotion that suits the face image.

STEP 3: Check whether the selected emotion matches with the stored result.

STEP 4: If step 3 is true, grant 5 points. STEP 5: Else give 0 points.

STEP 6: Continue step 1 to 5 for 25 game sessions. STEP 7: Check the final score is greater than or equal to 100.

STEP 8: If step 7 is true proceed with Main game.

STEP 9: Else discard from game.

TABLE 1

Player No.	Player Name	Emotion Selected
001	Ajith	Happy
002	Vijay	Sad
003	Sindhu	Anger
004	Ram	Disgust
005	Vinodhini	Surprise
006	Ajay	Happy
007	Lakshmi	Happy
008	Vijaya	Disgust
009	Charu	Sad
010	Ramya	Anger

3.2 PERFORM MAIN METHOD

STEP 1: $R = P_{Sad} \cup P_{Happy} \cup P_{Angry} \cup P_{Disgust} \cup P_{Fear} \cup P_{Surprise}$

STEP 2: $|P_{Sad}| = n_{Sad}, |P_{Happy}| = n_{Happy}, |P_{Angry}| = n_{Angry}, |P_{Disgust}| = n_{Disgust}, |P_{Fear}| = n_{Fear}, |P_{Surprise}| = n_{Surprise}.$

STEP 3: $O = \max(n_{Sad}, n_{Happy}, n_{Angry}, n_{Disgust}, n_{Fear}, n_{Surprise})$

STEP 4: If $O = n_k, k \in E,$

STEP 5: If players j belongs to P_k , show Positive otherwise Negative

4. SCREEN SHOTS:



Figure 1: Face Emotion Recognition



Figure 2 : Face emotion recognition screen

5. CONCLUSION

Face Emotion Recognition, a competitive human computation game identifying the emotion. While the ESP Game and other GWAPs present using player collaborations for collecting useful information, the main contribution of this paper is to demonstrate the integration of competitive elements into human computation games. In the design of FER, we have two advantages over traditional human computation games: 1) FER provides a player-level cheating-proof mechanism which can alleviate coalition between players; 2) FER motivates players to contribute more interest in identifying the correct emotion of the face image. In our future work, we will explore more groups of players for playing the game. The recognition of emotion is also an important subject to learn and investigate.

REFERENCES

- [1] Kalaiprasath, R; Elankavi, R; Udayakumar, R; , Cloud security and compliance-a semantic approach in end to end security, International Journal on Smart Sensing and Intelligent Systems, V-10, I-5, PP:482-494, 2017.
- [2] Elankavi, R; Kalaiprasath, R; Udayakumar, R; , Wireless Zigbee Network Cluster-Capacity Calculation and Secure Data Conveyance Using Indegree, International Journal on Smart Sensing and Intelligent Systems, V-10, I-5, PP:174-185, 2017.
- [3] Kalaiprasath, R; Elankavi, R; Udayakumar, R; , A New Approach for Cloud Data Security: From Single to Cloud-of-Clouds, International Journal on Smart Sensing and Intelligent Systems, V-10, I-5, PP:604-613, 2017.
- [4] Elankavi, R; Kalaiprasath, R; Udayakumar, R; , Data Mining with Big Data Revolution Hybrid, International Journal on Smart Sensing and Intelligent Systems, V-10, I-5, PP:560-573, 2017.
- [5] Elankavi, R; Kalaiprasath, R; Udayakumar, Dr R; , A fast clustering algorithm for high-dimensional data, International Journal Of Civil Engineering And Technology (Ijciet), V-8, I-5, PP:1220-1227, 2017.
- [6] Gajmal, Yogesh M; Udayakumar, R; , Blockchain-based access control and data sharing mechanism in cloud decentralized storage system, Journal of web engineering, PP:1359–1388-1359–1388, 2021.
- [7] Gajmal, Yogesh M; Udayakumar, R; , A Bibliometric Analysis of Authentication based Access Control in Cloud using Blockchain, Library Philosophy and Practice, PP:0_1-16, 2021.
- [8] Shirke, S; Udayakumar, R; , Robust lane

identification by using EW-CSA based DCNN, J. of Critical Reviews, V-6, PP:18-21, 2019.

- [9] Subhash, Ligade Sunil; Udayakumar, R; , A BIG SHARK ADAPTION ALGORITHM BASED RESOURCE ALLOTMENT APPROACH IN CLOUD COMPUTING ENVIRONMENT, PalArch's Journal of Archaeology of Egypt/Egyptology, V-17, I-7, PP:5374-5379, 2020.
- [10] Gajmal, Yogesh M; Udayakumar, R; , Privacy and utility-assisted data protection strategy for secure data sharing and retrieval in cloud system, Information Security Journal: A Global Perspective, V-31, I-4, PP:451-465, 2022.
- [11] Gajmal, Yogesh M; Udayakumar, R; , Analysis of Authentication based Data Access Control Systems in Cloud, PalArch's Journal of Archaeology of Egypt/Egyptology, V-17, I-7, PP:5319-5328, 2020.
- [12] Shirke, Suvarna; Udayakumar, R; , Evaluation of crow search algorithm (CSA) for optimization in discrete applications, 2019 3rd International Conference on Trends in Electronics and Informatics (ICOEI), PP:584-589, 2019.
- [13] Shirke, Suvarna; Udayakumar, Ramanathan; , A novel region-based iterative seed method for the detection of multiple lanes, International Journal of Image and Data Fusion, V-11, I-1, PP:57-76, 2020.
- [14] Shirke, Suvarna; Udayakumar, R; , Fusion model based on entropy by using optimized DCNN and iterative seed for multilane detection, Evolutionary Intelligence, PP:44940, 2022.
- [15] Shirke, Suvarna; Udayakumar, R; , Hybrid optimisation dependent deep belief network for lane detection, Journal of Experimental & Theoretical Artificial Intelligence, V-34, I-2, PP:175-187, 2022.
- [16] Subhash, Ligade Sunil; Udayakumar, R; , Sunflower whale optimization algorithm for resource allocation strategy in cloud computing platform, Wireless Personal Communications, V-116, PP:3061-3080, 2021.
- [17] Subhash, Ligade Sunil; Udayakumar, R; , A Supremacy-Responsive Resource Distribution Technique for Controlled Workflow Implementation in Cloud Surroundings, Solid State Technology, V-63, I-5, PP:7662-7669, 2020.
- [18] Sindhu, Velagapudi Swapna; Lakshmi, Kavuri Jaya; Tangellamudi, Ameya Sanjanita; Lakshmi, C; , A Deep Learning Approach For Detecting Type 2 Diabetes Mellitus, 2022 International Conference on Computer Communication and Informatics (ICCCI), PP:44936, 2022.

- [19] Priyan, Siluvayan; Udayakumar, R; Mala, Pitchaikani; Prabha, Mariappan; Ghosh, Ananya; , A sustainable dual-channel inventory model with trapezoidal fuzzy demand and energy consumption, Cleaner Engineering and Technology, V-6, PP:100400, 2022.
- [20] Elankavi, R; Kalaiprasath, R; Udayakumar, R; , Potential Exploitation of Broadcasting System Using Multiple Smart Directional Antennas-Help of Sensor Network, International Journal of Mechanical Engineering and Technology (IJMET), V-8, I-6, PP:678-687, 2017.
- [21] Udayakumar, R; Kalam, Muhammad Abul; , Sentiment Analysis Using Machine Learning Algorithms, Mathematical Statistician and Engineering Applications, V-71, I-3s2, PP:1186–1200-1186–1200, 2022.
- [22] GAJMAL, YOGESH M; UDAYAKUMAR, R; , Data Access Controls in Cloud: A Survey., International Journal of Pharmaceutical Research (09752366), V-12, I-4, 2020.
- [23] Udayakumar, R; Khanaa, V; Kaliyamurthie, KP; , Optical ring architecture performance evaluation using ordinary receiver, Indian Journal of Science and Technology, V-6, I-6, PP:4742-4747, 2013.
- [24] Udayakumar, R; Khanaa, V; Kaliyamurthie, KP; , Performance analysis of resilient fth architecture with protection mechanism, Indian Journal of Science and Technology, V-6, I-6, PP:4737-4741, 2013.
- [25] Udayakumar, R; Khanaa, V; Saravanan, T; , Synthesis and structural characterization of thin films of sno2 prepared by spray pyrolysis technique, Indian Journal of Science and Technology, V-6, I-S6, PP:4754-7, 2013.
- [26] Udayakumar, R; Khanaa, V; , Health monitoring system for induction motors, Int. J. Eng. Comput. Sci, V-2, I-4, PP:1117-1122, 2013.
- [27] Udayakumar, R; Khanaa, V; , Quantum Computers-A Revolution InComputing, Quantum, V-8, I-4, PP:33-36, 2013.
- [28] Khanaa, V; Udayakumar, R; , Protecting privacy when disclosing information: k anonymity and its enforcement through suppression, database, V-1, I-2, 2012.
- [29] Khanaa, V; Udayakumar, R; , Hybrid Fuzzy Approches for Networks, International Journal of Innovative Research in science, Engineering and Technology, V-12, I-3, PP:24-31, 2012.

- [30] Udayakumar, R; Khanaa, V; Saravanan, T; Saritha, G; , Cross layer optimization for wireless network (WIMAX), Middle-East Journal of Scientific Research, V-16, I-12, PP:2013, 2012.
- [31] Udayakumar, R; Thooyamani, KP; Khanaa, V; , Coarse-Grained Parallel Genetical Gorithm to Solve the Shortest Path Routing Problem Using Genetic Operators, Middle-East Journal of Scientific Research, V-15, I-12, PP:1651-1654, 2013.
- [32] Khanaa, V; Udayakumar, R; , Efficient Pc Controlled By Hand Movement Using Mems Sensor Mouse, Indian Journal of science and Technology, V-12, I-6, PP:1438-1442, 2012.
- [33] Udayakumar, R; Khanaa, V; , Sixth Sense Technology, International Journal Of Engineering And Computer Science, V-2, I-4, 2013.
- [34] Udayakumar, R; Thooyamani, KP; Khanaa, V; , Secure Incentive Protocol for Multi-Hop Wireless Network with Limited Use of Public Key Cryptography, Middle-East Journal of Scientific Research, V-20, I-11, PP:1651-1656, 2014.
- [35] Udayakumar, R; Kaliyamurthie, KP; Khanaa, TK; , Data mining a boon: Predictive system for university topper women in academia, World Applied Sciences Journal, V-29, I-14, PP:86-90, 2014.
- [36] Udayakumar, R; Saravanan, T; , Tailored Image District Processing Precision Andwritten Appreciation, Middle-East Journal of Scientific Research, V-20, I-11, PP:1615-1625, 2014.
- [37] Udayakumar, R; Thooyamani, KP; , Khanaa, Deploying site-to-site VPN connectivity: MPLS Vs IPSec, World Applied Sciences Journal, V-29, I-14, 2014.
- [38] Udayakumar, R; Thooyamani, KP; , Random projection based data perturbation using geometric transformation, World Applied Sciences Journal, V-29, I-1, PP:24-31, 2014.
- [39] Thooyamani, KP; Khanaa, V; Udayakumar, R; , Wide area wireless networks-IETF, Middle-East Journal of Scientific Research, V-20, I-12, PP:2042-2046, 2014.
- [40] Khanaa, V; Thooyamani, KP; Udayakumar, R; , Modelling Cloud Storage, World Applied Sciences Journal, V-29, 2014.
- [41] Khanaa, V; Thooyamani, KP;

- Udayakumar, R; , Elliptic curve cryptography using in multicast network, World Applied Sciences Journal, V-29, 2014.
- [42] Khanaa, V; Thooyamani, KP; Udayakumar, R; , Two factor authentication using mobile phones, World Applied Sciences Journal, V-29, I-14, PP:208-213, 2014.
- [43] Khanaa, V; Thooyamani, KP; Udayakumar, R; , Patient monitoring in gene ontology with words computing using SOM, World Applied Sciences Journal, V-29, 2014.
- [44] Kaliyamurthie, KP; Parameswari, D; Udayakumar, R; , Malicious packet loss during routing misbehavior-identification, Middle-East Journal of Scientific Research, V-20, I-11, PP:1413-1416, 2014.
- [45] Udayakumar, R; Saritha, G; Saravanan, T; , Modelling and Simulation of Electromechanical Systems Working with Nonlinear Frictional Loads and Controlled by Subordinated Control System of Coordinates, Middle-East Journal of Scientific Research, V-20, I-12, PP:1918-1923, 2014.
- [46] Saravanan, T; Saritha, G; Udayakumar, R; , Cassette Steganography for Entrenched Metaphors in Squashed Videos, Middle-East Journal of Scientific Research, V-20, I-12, PP:2475-2478, 2014.
- [47] Udayakumar, R; Khanaa, V; Saravanan, T; , Energy Demand Management Motor Control Using Multilevel Inverter, Middle-East Journal of Scientific Research, V-20, I-12, PP:2613-2619, 2014.
- [48] Thooyamani, KP; Khanaa, V; Udayakumar, R; , Wireless cellular communication using 100 nanometers spintronics device based VLSI, Middle-East Journal of Scientific Research, V-20, I-12, PP:2037-2041, 2014.
- [49] Saravanan, T; Srinivasan, V; Udayakumar, R; , Images segmentation via Gradient watershed hierarchies and Fast region merging, Middle-EastJournal of Scientific Research, ISSN, V-9233, I-15, PP:12, 2012.
- [50] Saravanan, T; Srinivasan, V; Udayakumar, R; , Image Segmentation via Gradient Watershed Hierarchies and Fast Region Merging, Middle-East Journal of Scientific Research, V-15, I-12, PP:1680-1683, 2013.
- [51] Udayakumar, R; Khanaa, V; , Quantum Computers-A Revolution InComputing, Quantum, V-8, I-4, PP:33-36, 2013.
- [52] Khanaa, V; Udayakumar, R; , Hybrid Fuzzy Approches for Networks, International Journal of Innovative Research in science, Engineering and Technology, V-12, I-3, PP:24-31, 2012.
- [53] Khanaa, V; Udayakumar, R; , Efficient Pc Controlled By Hand Movement Using Mems Sensor Mouse, Indian Journal of science and Technology, V-12, I-6, PP:1438-1442, 2012.

- [54] Udayakumar, R; Thooyamani, KP; Khanaa, V; , Secure Incentive Protocol for Multi-Hop Wireless Network with Limited Use of Public Key Cryptography, Middle-East Journal of Scientific Research, V-20, I-11, PP:1651-1656, 2014.
- [55] Kalaiprasath, R; Elankavi, R; Udayakumar, R; , A New Approach for Cloud Data Security: From Single to Cloud-of-Clouds, International Journal on Smart Sensing and Intelligent Systems, V-10, I-5, PP:604-613, 2017.
- [56] Udayakumar, R; Saravanan, T; , Tailored Image District Processing Precision Andwritten Appreciation, Middle-East Journal of Scientific Research, V-20, I-11, PP:1615-1625, 2014.
- [57] R., Kalaiprasath; R., Elankavi; R., Udayakumar; , Cloud Information Accountability (CIA) framework ensuring accountability of data in cloud and security in end to end process in cloud terminology, International Journal of Civil Engineering and Technology, V-8, I-4, PP:376-385, 2017.
- [58] R., Kalaiprasath; R., Elankavi; R., Udayakumar; , Cloud computing security towards end to end terminology, International Journal of Pure and Applied Mathematics, V-115, I-8 Special Issue, PP:637-641, 2017.
- [59] R., Elankavi; R., Kalaiprasath; R., Udayakumar; , Potential exploitation of broadcasting system using multiple smart directional antennas -help of sensor network, International Journal of Mechanical Engineering and Technology, V-8, I-6, PP:678-687, 2017.
- [60] R., Elankavi; R., Kalaiprasath; R., Udayakumar; , A fast clustering algorithm for high-dimensional data, International Journal of Civil Engineering and Technology, V-8, I-5, PP:1220-1227, 2017.
- [61] Kalaiprasath, R; Elankavi, R; Udayakumar, R; , Integrating Multiple Smart Directional Antennas for Full Potential Exploitation of Broadcasting System, International Journal of Science and Research, V-5, I-1, PP:1398-1403, 2016.
- [62] Udayakumar, R; , Media Cloud: An Open Cloud Computing Middleware for Content Management, Journal of Chemical and Pharmaceutical Sciences, V-5, I-2, PP:382-395, 2012.
- [63] Udayakumar, R; , A modified collage steganography using modified fuzzy C-means algorithm on images, International Journal of Innovative Research in Computer and Communication Engineering, V-7, I-1, PP:83-89, 2012.
- [64] Udayakumar, R; , Computer Simulation of Polyamidoamine Dendrimers and Their Complexes with Cisplatin Molecules in Water Environment, Computer Simulation, V-2, I-4, 2014.
- [65] Thooyamani, KP; Udayakumar, R; , A Study on Fraud Detection Techniques: Credit Card, Journal of Computer Science and Applications, V-9, I-9, PP:1398-1403, 2007.
- [66] Rao, Kanamarlapudi Venkata Srinivasa; Udayakumar, Ramanathan; Khanaa, Velu; , An Efficient Authentication Method For Smart Card Verification In Online, Advances in Science, Technology and Engineering Systems Journal V, V-2, I-4, PP:133-138, 2017.
- [67] Udayakumar, R; Khanaa, V; Saravanan, T; , Energy Demand Management Motor Control Using Multilevel Inverter, Middle-East Journal of Scientific Research, V-20, I-12, PP:2613-2619, 2014.
- [68] Kaliyamurthie, KP; Udayakumar, R; , The Relationship between Semaphores and Telephony Using Saros, EUROSIAN JOURNAL OF SCIENCE AND TECHNOLOGY, V-7, I-1, PP:77-89, 2020.
- [69] Subhash, Ligade Sunil; Udayakumar, R; , A BIG SHARK ADAPTION ALGORITHM BASED RESOURCE ALLOTMENT APPROACH IN CLOUD COMPUTING ENVIRONMENT, PalArch's Journal of Archaeology of Egypt/Egyptology, V-17, I-7, PP:5374-5379, 2020.



- [70] Subhash, Ligade Sunil; Udayakumar, R; , A Supremacy–Responsive Resource Distribution Technique for Controlled Workflow Implementation in Cloud Surroundings, Solid State Technology, V-63, I-5, PP:7662-7669, 2020.
- [71] Udayakumar, R; Khanaa, KP Kaliyamurthie; Geo, AV Allin; , Heterogenous Patterns in Database Using Mining, , 2014.
- [72] Udayakumar, R; , INFLUENCE OF WAR IN THE WORKS OF GEORGE ORWELL AND HAROLD PINTER, European Journal of Molecular & Clinical Medicine, V-7, I-3, PP:4902-4905, 2020.
- [73] Udayakumar, Rajangam; Prema, Durairaj; Kamaraj, Malaiyandi; , ANTIMICROBIAL ACTIVITY OF ETHANOLIC RHIZOME EXTRACT OF CURCUMA AMADA ROXB.(MANGO GINGER), , 2015.
- [74] Udayakumar, R; Kalam, Muhammad Abul; , Sentiment Analysis Using Machine Learning Algorithms, Mathematical Statistician and Engineering Applications, V-71, I-3s2, PP:1186–1200-1186–1200, 2022.
- [75] GAJMAL, YOGESH M; UDAYAKUMAR, R; , Data Access Controls in Cloud: A Survey., International Journal of Pharmaceutical Research (09752366), V-12, I-4, 2020.
- [76] Kothari, Kesar M; Udayakumar, R; Karthikeyan, Ram; Raj, Nikitha; , Modeling of the Manifold Configuration for Maximum Efficiency in a Hydraulic Machine, International Journal of Fluid Machinery and Systems, V-13, I-1, PP:136-149, 2020.
- [77] Udayakumar, R; Shah, Vivek J; Venkatesh, Sai Vijay; , Performance and Emission Characteristics of Biodiesel from Rapeseed and Soybean in CI Engine, Intelligent Manufacturing and Energy Sustainability: Proceedings of ICIMES 2019, PP:209-219, 2020.



INNO SPACE
SJIF Scientific Journal Impact Factor
Impact Factor: 8.118



ISSN INTERNATIONAL
STANDARD
SERIAL
NUMBER
INDIA



INTERNATIONAL JOURNAL OF INNOVATIVE RESEARCH

IN SCIENCE | ENGINEERING | TECHNOLOGY

 **9940 572 462**  **6381 907 438**  **ijirset@gmail.com**



www.ijirset.com

Scan to save the contact details