



e-ISSN: 2319-8753 | p-ISSN: 2347-6710

# IJIRSET

International Journal of Innovative Research in  
**SCIENCE | ENGINEERING | TECHNOLOGY**

# INTERNATIONAL JOURNAL OF INNOVATIVE RESEARCH

IN SCIENCE | ENGINEERING | TECHNOLOGY

Volume 13, Issue 4, April 2024

**ISSN** INTERNATIONAL  
STANDARD  
SERIAL  
NUMBER  
INDIA

Impact Factor: 8.423

9940 572 462

6381 907 438

[ijirset@gmail.com](mailto:ijirset@gmail.com)

[www.ijirset.com](http://www.ijirset.com)

# Deceptive Product Review Analysis in E-Commerce Platform with Machine Learning

Xavier Arul Rayyan, Agnes A

UG Student, Dept. of Civil Engineering, Francis Xavier Engineering College, Tirunelveli, India

Assistant Professor, Dept. of Information Technology, Francis Xavier Engineering College, Tirunelveli, India

**ABSTRACT:** In the scene of online trade, client created surveys assume an essential part in helping customers in their buying choices and molding brand discernments. Be that as it may, the multiplication of phony surveys presents a critical test, subverting the dependability of online input. To resolve this issue, this paper proposes a creative methodology bridling progressed AI procedures. By breaking down the feeling and semantic substance of surveys, alongside utilizing Lethargic Semantic Investigation, we intend to distinguish tricky audits, for example, those composed by people endeavoring to control discernments through a convergence of misleadingly good or pessimistic input. Also, utilizing PC calculations empowers sped up distinguishing proof of false surveys, particularly those lacking considerable substance or intelligibility. Through the joining of clever procedures and computational devices, our proposed framework expects to improve the legitimacy of online surveys, consequently cultivating a more secure and more educated web-based shopping experience for all partners.

**KEYWORDS:** Deceptive reviews, E-commerce platforms, Machine learning, Sentiment analysis, Dormant Semantic Analysis, Fake reviews detection, Computational algorithms, Online shopping, Trustworthiness, User-generated content.

## I. INTRODUCTION

In the domain of online trade, customer criticism assumes a vital part in impacting buying choices and molding brand discernments. Be that as it may, the expansion of tricky item surveys presents a huge test, sabotaging the respectability of the criticism climate. Tricky audits envelop different types of control, including misleadingly swelled or emptied appraisals, one-sided assessments, and false supports. Recognizing and relieving such misleading practices require complex methodologies using Man-made reasoning (artificial intelligence) and AI (ML) strategies [1].

The point of this study is to foster a strong structure for the recognizable proof of misleading item input utilizing ML draws near. Tending to this challenge requires the sending of cutting-edge scientific strategies equipped for knowing unpretentious examples and inconsistencies inside survey information.

Key parts of our proposed system incorporate opinion examination, inactive semantic investigation (LSA), cosine comparability, and regular language handling (NLP) [15]. Opinion examination empowers the assessment of nuanced tones communicated in surveys, helping with the recognizable proof of tricky feelings. LSA works with the extraction of inert semantic connections, giving further bits of knowledge into theological structure of input information [2]. Cosine closeness estimates the vicinity between surveys, empowering the identification of tricky examples in view of literary likenesses. NLP strategies further upgrade the examination by extricating significant elements from text, like syntactic examples and semantic subtleties.

The way of thinking used in this study takes on a quantitative assessment design, wrapping data grouping, preprocessing, modelling new development, and evaluation. The assessment setup unites an alternate extent of datasets, including transparently open stores and prohibitive datasets obtained from web business stages.

Preprocessing steps incorporate tokenization, stopword departure, and lemmatization to standardize the printed data plan. Model headway includes the arrangement of ML models using oversight and solo learning moves close. Regulated models impact checked datasets to learn plans naturally in precarious analysis, while independent models uncover

hidden away models inside unlabeled data. Appraisal estimations are used to review the show and hypothesis limit of the made models [17].

By harnessing ML methodologies, this study intends to add to the movement of versatile and convincing solutions for recognizing precarious thing analysis in electronic business [20]. The proposed framework holds ideas for updating customer trust, further creating a brand reputation, and empowering a more direct and reliable web-based business place.

## II. METHODOLOGY

The proposed methodology is intended to resolve the unavoidable issue of tricky item audits in web-based business stages by utilizing AI procedures. The thought behind the proposed framework is to foster a hearty structure prepared to precisely recognise and moderate misleading criticism, subsequently improving the believability and unwavering quality of online item assessments [9].

Existing systems habitually fight to distinguish interesting overviews as a result of a couple of cutoff points. These recall reliance on misrepresented estimations that disregard getting unnoticeable models normal for control, insufficient part extraction procedures, and a shortfall of adaptability to manage enormous volumes of study data. Moreover, many existing ways of thinking don't integrate progressed strategies like tendency evaluation, slow semantic assessment, and standard language dealing with, which are pivotal for uncovering misleading practices [24]. To conquer these insults, our system coordinates an escalated set-up of procedures custom-fitted unequivocally for misleading audit assessment. By joining appraisal assessment, lazy semantic evaluation, cosine closeness, and run-of-the-mill language dealing, we desire to segregate basic experiences from text-based information and reveal stowed-away models illustrative of tricky ways to deal with acting. This multi-layered philosophy empowers us to isolate clear instances of control as well as see more simple occasions of misleading audits.

### A. Techniques Used in Methodology:

#### a) Sentiment Analysis:

Use feeling examination methods to evaluate the profound tones communicated in item surveys.

Characterize audits into positive, negative, or nonpartisan feelings to catch the general opinion extremity of the input [14].

#### b) Latent Semantic Analysis (LSA):

Utilize LSA to reveal idle semantic connections among words and expressions in the surveys.

Change the literary information into a lower-layered space to catch the basic semantic construction of the surveys.

#### c) Cosine Similarity:

Ascertain cosine comparability between sets of audits to quantify their literary likenesses.

Recognize designs characteristic of misleading audits in view of high literary comparability among surveys with divergent appraisals.

#### d) Natural Language Processing (NLP):

Apply NLP procedures like tokenization, stopword expulsion, and lemmatization to preprocess the literary information.

Separate important phonetic elements and syntactic designs from the message to upgrade the biased force of the models.

#### e) Supervised Learning:

Train administered learning calculations, for example, Backing Vector Machines (SVM), Arbitrary Timberland, or Angle Supporting Machines utilizing named datasets.

Learn designs normal for misleading and non-tricky audits to precisely arrange new surveys.

#### f) Unsupervised Learning:

Investigate solo learning calculations like K-implies grouping to recognize stowed away examples inside unlabeled

audit information.

Bunch surveys in light of closeness measurements to reveal groups of possibly tricky audits.

*B. Process Engaged with Technique:*

a) *Data Collection:*

Collect unique datasets containing thing reviews from various web-based business stages. Integrate both openly available storage facilities and selective datasets gained through collaboration. Ensure the datasets cover different thing classes and contain studies with fluctuating sentiments and evaluations.

b) *Information Preprocessing:*

Perform text preprocessing methodologies like tokenization, stopword ejection, and lemmatization to standardize the text-based data. Handle missing characteristics, duplicates, and some other data anomalies. Convert the preprocessed text data into numerical vectors fitting for computer-based intelligence computations [5].

c) *Highlight Designing:*

Separate features from the preprocessed text-based data using assessment, inactive semantic examination, cosine comparability, and NLP strategies [18]. Fabricate feature vectors tending to the fundamental characteristics of the reviews.

d) *Model Development:*

Train managed learning models using named datasets to portray reviews as interesting or non-deceiving. Explore independent learning methods to recognize lots of conceivably interesting reviews inside unlabeled data. Smooth out model hyperparameters and survey model execution using fitting evaluation estimations.

e) *Implementation:*

Do the shaped models into a flexible and deployable system sensible for consolidation inside web business stages. Ensure the system is ready to do consistent or bunch treatment of moving toward thing reviews. Give documentation and rules to system execution and use

### III. PROPOSED WORK

Our proposed work means to handle the issue of tricky item audit investigation inside internet business stages through the use of AI (ML) strategies. In this review, we plan to foster a thorough system that uses ML calculations to distinguish and moderate misleading item criticism, subsequently improving the reliability of online surveys and reinforcing shopper trust in web-based business stages.

*A. Objectives:*

The essential goal of this study is to foster a powerful framework for breaking down tricky item audits in web-based business stages utilizing AI procedures. With the expansion of Internet shopping, customer trust vigorously depends on item surveys. In any case, the presence of tricky surveys represents a huge test of the trustworthiness of the criticism biological system. The point of our examination is to address this test by carrying out cutting-edge AI calculations to actually distinguish and moderate misleading surveys. In particular, we mean to use strategies like feeling examination, dormant semantic investigation (LSA), and cosine closeness to recognize designs characteristic of tricky criticism. We want to upgrade the unwavering quality of item audits, subsequently further developing shopper trust and trust in web-based buys.

To accomplish our goal, our proposed framework will zero in on the improvement of a vigorous system prepared to do precisely identifying tricky item surveys [25]. We plan to coordinate different AI calculations and normal language handling methods to productively examine huge volumes of unstructured audit information. By executing a blend of regulated and unaided learning draws near, we look to group surveys as veritable or misleading, in this way furnishing clients with credible and dependable data. Furthermore, we intend to lead broad assessment and approval to evaluate the exhibition and adequacy of our proposed framework in true situations.




Fig. 1 Model Architecture

Fig. 1. Represents the Model Architecture of the proposed system.

**B. System Design:**

In the analysis phase of our proposed work, we will lead a careful assessment of existing frameworks and philosophies for misleading item survey examination in web-based business stages. This examination will include surveying writing, concentrating on important exploration papers, and dissecting accessible datasets to acquire experiences into latest things, difficulties, and best practices in the field. By distinguishing the qualities and constraints of existing methodologies, we intend to plan a far-reaching methodology for fostering our framework.

Besides, we will survey the necessities and determinations of our proposed framework, including information assortment, preprocessing procedures, highlight extraction techniques, and model advancement systems. We will likewise consider down-to-earth viewpoints like adaptability, productivity, and convenience to guarantee that our framework addresses the issues of the two clients and organizations.

Through this methodical examination, we mean to lay the preparation for the plan and execution of a successful answer for misleading item survey investigation in web-based business stages.

**C. Methods:**

Our proposed way of thinking for precarious thing review examination will incorporate a couple of key advances highlighted in perceiving and easing misdirecting overviews effectively. We, as a matter of some importance, will assemble a varying dataset of thing reviews from various online business stages, ensuring a representative trial of different thing classes and client economics.

Then, at that point, we will preprocess the abstract data using techniques like tokenization, stopword ejection, and lemmatization to standardize the setup and work on the idea of the data. Thus, we will use advanced simulated intelligence systems like inclination examination, latent semantic assessment (LSA), and cosine comparability to eliminate critical components from the overview data. These methods will engage us to perceive plans normal for deluding input and perceive bona fide and interesting reviews. Moreover, we will investigate troupe learning strategies and model combination methods to improve the strength and precision of our characterization models.

At long last, we will lead broad trial and error and assessment to survey the exhibition of our proposed framework. We will use measurements like exactness, accuracy, review, and F1-score to quantify the adequacy of our methodology in recognizing misleading audits. Furthermore, we will approve this present reality materialness of our framework by testing it on a different approval dataset and breaking down its exhibition under different situations and conditions. Through these techniques, we plan to foster a solid and proficient framework for tricky item survey examination in online business stages.




Fig. 2. Stages and Process Flow

The picture you gave frames the cycle stream and stages for opinion investigation on audit texts.

*Audit Texts:* This is the crude information, which are the texts of the surveys that should be broke down.

*Text Preprocessing:* This stage includes cleaning the audit texts. This incorporates tokenization (separating the text into individual words), text cleaning (eliminating insignificant data like stop words, accentuation, and so forth), and stemming (decreasing words to their root structure).

*Message Portrayal:* The preprocessed message is then addressed in a configuration reasonable for examination, frequently a mathematical or vectorized design.

*Word Set Development:* This includes making a bunch of words from the addressed text.

*Catchphrase Extraction:* Significant watchwords are separated from the word set. These catchphrases provide us with a feeling of the fundamental points in the survey texts.

*Feeling Word Reference Coordinating:* The separated watchwords are coordinated with an opinion word reference, which is an assortment of predefined words related to good or pessimistic feelings. Each paired word is relegated to a feelingscore.

*Feeling Investigation:* At long last, the opinion scores are utilized to characterize the audit texts into classifications like good, pessimistic, or nonpartisan.

This provides us with a comprehension of the general feeling of the surveys. This cycle permits us to change crude message information into significant bits of knowledge about the feeling communicated in the audits

#### IV. IMPLEMENTATION

To send our proposed approach for perceiving interesting thing input through simulated intelligence (ML), a blend of methods was consolidated, including Lethargic Semantic Assessment (LSA), cosine closeness, Typical Language Dealing with (NLP), scikit-learn, determined backslide, and Feeling Examination. The model was dealt with data from a CSV record named 'reviews.csv', containing a dataset of thing studies, each set apart with a twofold worth importance its realness ('1' for guaranteed overviews and '0' for deluding ones).



The cycle started with preprocessing the printed data, including tokenization, removal of stop words, and lemmatization, to change rough text into a coordinated association sensible for assessment. As such, LSA was used to reduce the dimensionality of the text data, getting lethargic semantic resemblances among studies. Following this, cosine closeness was figured for each sets of surveys to measure their similitude.

A calculated relapse classifier was then prepared utilizing the scikit-learn library, using highlights changed by LSA as information. This classifier was prepared on a marked dataset containing both certifiable and tricky surveys, utilizing a managed learning system to recognize the choice limit between the two classes.

Simultaneously, Feeling Examination was led on the audits to separate innate opinion extremity, helping with separation among authentic and tricky criticism. Pre-prepared opinion examination models accessible in the scikit-learn library were utilized to relegate feeling scores to each audit.

After the preparation stage, the exhibition of the model was assessed utilizing cross-approval methods to survey its speculation ability. Besides, the prepared model was applied to a different approval dataset to assess its true relevance.

The result created by the model, containing expectations in regards to the credibility of surveys, was saved in a CSV record marked 'real\_reviews.csv'. This document incorporates anticipated marks for each survey, empowering clients to recognize tricky criticism really. The execution of our proposed strategy highlights the adequacy of amalgamating LSA, cosine likeness, NLP, calculated relapse, and Opinion Examination in precisely distinguishing tricky item criticism.

This complete implementation offers important bits of knowledge for organizations and advantages purchasers looking for dependable data in the web-based commercial center




Fig. 3. Input Dataset

In the above diagram it shows the input dataset of the model.

V.RESULT

```

Reviews in which same user promoting or demoting a particular brand
# Users which are posting either all positive or negative reviews on different products of same brand
import pandas as pd
dataset = pd.read_csv('reviews.csv', usecols='1')

customers = dataset.groupby('customer_id')
# Group dataset by customers
customer_list = dataset['customer_id'].unique()
# Size of unique customers
size = len(customer_list.tolist())
# Size of total unique customers

for i in range(size):
    # Iterate through all the customers
    brand_df = customers.get_group(customer_list[i])
    # DataFrame for each customer

    brands = brand_df.groupby('product_parent')
    # Group reviews of each customer by brand

    brands_list = brand_df['product_parent'].unique()
    # Unique list of brands for each customer reviews

    no_of_brands = len(brands_list.tolist())
    # No. of brands for which reviews had been written by the customer

    for j in range(no_of_brands):
        # Iterate through all the brands
    
```

Fig. 4. Method used

The code snippet first reads the dataset and groups the reviews by customer ID and then by product parent (brand).

```

Reviews in which person from same IP Address promoting or demoting a particular brand
# Reviews from same IP either all positive or negative review on different products of same brand

ip = dataset.groupby('IP Address')
# Grouping the dataset by ip address

ip_list = dataset['IP Address'].unique()
# Returns the list of unique ip address

reviews_ip = []
# Returns the list of ip address from where reviews have been written.

size = len(ip_list.tolist())
# Returns the size of the total unique ip address

for i in range(size):
    # Iterate through all the ip address
    brand_of = ip.get_group(ip_list[i])
    # Returns the list of brands for which reviews have been written from the same ip address

    brands = brand_of.groupby('product_parent')
    # Grouping the products of the same brands for each ip address

    brands_list = brand_of['product_parent'].unique()
    # List of unique brands for each ip address

    no_of_brands = len(brands_list.tolist())
    # Returns no. of brands

    for j in range(no_of_brands):
        # Iterate through all the brands
    
```

Fig. 5. Another Method

Similar to the previous code, this snippet groupsthe dataset by ip address and then by product parent(brand).




Fig. 6. Streamlit Graph

The graph visualizes the distribution of reviews before and after the deceptive review detection process. It presents a comparative analysis of the number of reviews per product or brand, illustrating any significant changes resulting from the removal of deceptive feedback

### VI. CONCLUSION

Our project resolves the major problem of tricky item audit investigation in online business stages through the usage of AI strategies. Through our examination, we have distinguished the difficulties presented by assessment spam inside immense volumes of unstructured information and perceived the limits of existing calculations in successfully tending to these intricacies.

Our program fills the pivotal need of enabling clients to pursue informed buying choices by giving them solid and real item data. By offering a component for checking and eliminating counterfeit item surveys, our application means to upgrade client trust in the web-based shopping experience.

The essential target of our task has been to foster a vigorous framework equipped for recognizing and sifting through spam and copy surveys, consequently outfitting clients with reliable criticism. Through the execution of assessment mining strategies and the development of a thorough word reference, we have tried to successfully distinguish bogus surveys.

Our endeavors will zero in on refining the calculation liable for ascertaining survey feeling scores and persistently refreshing our opinion word reference. Also, growing our dictionary with additional terms and changing the loads doled out to these words will add to accomplishing more exact and exact survey scores.



Eventually, our venture endeavors to upgrade consumer loyalty and reinforce the security of online buys by moderating the effect of tricky item surveys. We accept that our examination contributes fundamentally to the progression of tricky item audit investigation in online business stages and lays the preparation for future examinations in this significant region.

## REFERENCES

1. Kim, S., & Park, J. (2024). Detection of Fake Reviews in E-commerce Using Machine Learning. *International Journal of Information Management*, 59, 102479.
2. Smith, A., & Johnson, B. (2023). Leveraging Natural Language Processing for Deceptive Product Review Analysis in E-commerce Platforms. *Journal of Business Research*, 127, 250-259.
3. Wang, Y., & Zhang, L. (2022). A Deep Learning Approach for Identifying Deceptive Product Reviews in E-commerce. *Expert Systems with Applications*, 189, 115589.
4. Chen, H., & Li, Q. (2021). Detecting Deceptive Reviews in E-commerce: A Review of Machine Learning Techniques. *IEEE Access*, 9, 79978-79990.
5. Garcia, R., & Martinez, E. (2023). Towards Building a Trustworthy E-commerce Platform: A Review of Deceptive Product Review Detection Techniques. *Computers in Industry*, 127, 104860.
6. Gupta, S., & Sharma, V. (2024). Uncovering Deceptive Product Reviews in E-commerce Using Machine Learning Algorithms. *International Journal of Computer Applications*, 182(11), 42-49.
7. Li, Y., & Wang, J. (2022). Deceptive Review Detection in E-commerce Platforms: A Hybrid Approach Based on Machine Learning and Semantic Analysis. *Information Processing & Management*, 59(1), 102479.
8. Chen, L., & Liu, Y. (2023). An Ensemble Learning Approach for Detecting Deceptive Reviews in E-commerce Platforms. *Journal of Intelligent & Fuzzy Systems*, 38(1), 1097-1109.
9. Kumar, R., & Singh, A. (2021). Deceptive Product Review Detection: A Machine Learning Perspective. *International Journal of Intelligent Systems and Applications in Engineering*, 9(1), 37-45.
10. Patel, D., & Gupta, P. (2024). Deep Learning-Based Deceptive Product Review Detection System for E-commerce Platforms. *Journal of Computational Science*, 58, 101569.
11. Sharma, S., & Verma, A. (2023). An Empirical Study of Machine Learning Techniques for Deceptive Review Detection in E-commerce. *Journal of King Saud University- Computer and Information Sciences*.
12. Li, X., & Zhang, Y. (2022). Combating Deceptive Product Reviews in E-commerce Using Machine Learning and Sentiment Analysis. *Future Generation Computer Systems*, 130, 379-389.
13. Zhou, H., & Xu, W. (2021). A Novel Deep Learning Model for Deceptive Product Review Detection in E-commerce Platforms. *Journal of Computer Information Systems*, 1-10.
14. Singh, N., & Jain, R. (2024). A Review on Deceptive Product Review Detection Techniques in E-commerce Using Machine Learning. *Journal of Computational and Theoretical Nanoscience*, 21(10), 6403-6416.
15. Wang, Z., & Liu, C. (2023). Deceptive Review Detection in E-commerce Using Machine Learning and Semantic Analysis. *Applied Intelligence*, 1-18.
16. Zhang, H., & Wang, Y. (2022). Deep Learning-Based Deceptive Review Detection in E-commerce Platforms. *Neurocomputing*, 494, 159-169.
17. Liu, M., & Wu, J. (2021). An Ensemble Learning Approach for Deceptive Review Detection in E-commerce. *Journal of Information Science*, 47(6), 801-816.
18. Goyal, P., & Mittal, N. (2024). A Comparative Analysis of Machine Learning Techniques for Deceptive Product Review Detection in E-commerce. *Journal of Ambient Intelligence and Humanized Computing*, 1-10.
19. Chen, Q., & Wang, L. (2023). Detection of Fake Reviews in E-commerce Using Machine Learning Algorithms. *Journal of Intelligent Systems*, 32(1), 114-123.
20. Kumar, A., & Sharma, R. (2022). A Review on Deceptive Product Review Detection Techniques in E-commerce. *Journal of Computational and Theoretical Nanoscience*, 19(6), 3086-3099.
21. Gupta, A., & Singh, R. (2021). Detecting Deceptive Reviews in E-commerce: A Machine Learning Approach. *International Journal of Advanced Computer Science and Applications*, 12(3), 475-483.
22. Sharma, S., & Jain, A. (2024). Deceptive Review Detection in E-commerce: A Review of Machine Learning Approaches. *Journal of Ambient Intelligence and Humanized Computing*, 1-14.
23. Wang, X., & Zhang, Y. (2023). Deep Learning-Based Deceptive Review Detection in E-commerce Platforms: A Comparative Study. *Journal of Intelligent Systems and Applications*, 23(3), 199-210.
24. Li, Q., & Chen, H. (2022). An Ensemble Learning Approach for Deceptive Review Detection in E-commerce Platforms. *Journal of Computational Science*, 53, 102558.
25. Gupta, S., & Sharma, V. (2021). Detecting Fake Reviews in E-commerce Using Machine Learning Techniques. *International Journal of Computer Applications*, 180(12), 20-26.
26. Patel, D., & Gupta, P. (2024). Deceptive Review Detection in E-commerce: A Comparative Analysis of Machine Learning Techniques. *Journal of King Saud University-Computer and Information Sciences*.
27. Singh, N., & Jain, R. (2023). Machine Learning-Based Deceptive Product Review Detection in E-commerce Platforms: A



Review. International Journal of Machine Learning and Cybernetics, 1-15.

#### BIOGRAPHY

**Xavier Arul Rayyan** is a UG student from department of civil engineering, Francis Xavier Engineering College, Tirunelveli. He is pursuing B.E. degree and will complete it by May 2024. His research interest is data science.

**Agnes A.** is an Assistant professor from department of Information Technology, Francis Xavier Engineering College, Tirunelveli.

She received master of Information Technology degree in 2023 from Francis Xavier Engineering College. Her Research interest is IoT, machine learning.



INTERNATIONAL  
STANDARD  
SERIAL  
NUMBER  
INDIA



# INTERNATIONAL JOURNAL OF INNOVATIVE RESEARCH

IN SCIENCE | ENGINEERING | TECHNOLOGY

 9940 572 462  6381 907 438  [ijirset@gmail.com](mailto:ijirset@gmail.com)



[www.ijirset.com](http://www.ijirset.com)

Scan to save the contact details