



e-ISSN: 2319-8753 | p-ISSN: 2347-6710

IJRSET

International Journal of Innovative Research in
SCIENCE | ENGINEERING | TECHNOLOGY

INTERNATIONAL JOURNAL OF INNOVATIVE RESEARCH

IN SCIENCE | ENGINEERING | TECHNOLOGY

Volume 13, Issue 4, April 2024

ISSN INTERNATIONAL
STANDARD
SERIAL
NUMBER
INDIA

Impact Factor: 8.423

9940 572 462

6381 907 438

ijirset@gmail.com

www.ijirset.com

Application of Machine Learning Algorithms for Power System Fault Diagnosis and Prediction

P. Hrushikeshkarthikeyan, V. Rajendhar, Ch. Dheeraj, B. Vikas

U.G Student, Department of Electrical & Electronics Engineering, Anurag Univeristy, Hyderabad, India

ABSTARCT: In today's power systems, ensuring uninterrupted supply and stability is crucial. Faults, from short circuits to equipment failures, disrupt operations and cause economic losses. Traditional methods struggle with modern grid complexity. Machine learning (ML) offers efficient fault diagnosis and prediction. This paper reviews ML's application in power systems, discussing common faults, traditional limitations, and ML algorithms like ANN, SVM, decision trees. It covers feature selection, dataset preparation, and advanced techniques like deep learning. Case studies highlight algorithm strengths and weaknesses. Future research includes big data, IoT, and cloud for real-time fault detection. ML enhances reliability and efficiency, but challenges remain in scalability and interpretability.

I. INTRODUCTION

The proliferation of distributed generations (DGs), microgrids, and modern equipment presents a formidable challenge to conventional power system protection mechanisms. These new components, often employing power electronics interfaces and facilitating bidirectional power flows, introduce complexities such as false tripping and coordination issues. Manual monitoring becomes increasingly impractical in the face of these evolving complexities. Furthermore, the likelihood of faults occurring in such intricate power systems rises due to various factors including device malfunctions, natural disasters, and load fluctuations.

Transitioning to a smart grid necessitates a corresponding shift from conventional protection schemes to more advanced methods. The integration of sophisticated measurement devices, such as Intelligent Electronic Devices (IEDs) and Phasor Measurement Units (PMUs), furnishes operators with real-time data, facilitating timely fault detection. However, conventional model-based techniques like impedance-based and traveling wave-based methods, although widely used, are cumbersome, time-consuming, and lack adaptability to system changes, including the integration of DGs. Recognizing the imperative for early fault detection and localization to preempt prolonged supply disruptions and blackouts, researchers have turned to artificial intelligence (AI) techniques, particularly machine learning (ML). ML models leverage historical data on system faults to autonomously detect, classify, and localize faults, endowing the power system with self-healing capabilities. These models, once trained, can swiftly and accurately identify faults without relying on intricate mathematical models or domain expertise. Moreover, they exhibit adaptability to evolving system conditions over time. Prompt fault localization enables utility operators to expedite maintenance activities, restoring normal power system operations swiftly. Successful fault detection and localization not only accelerate line restoration and ensure uninterrupted power supply but also yield economic benefits by minimizing revenue loss due to downtime and reducing labor and vehicle costs associated with manual fault location searches.

In summary, as power systems evolve to accommodate DGs and other modern components, the adoption of advanced protection schemes becomes imperative. AI techniques, particularly ML, offer a promising avenue for enhancing fault detection, classification, and localization, thereby bolstering the reliability and efficiency of modern power systems while minimizing downtime and associated costs.

II. LITERATURE SURVEY

Owing to the increasing concerns for fault diagnosis, several research articles have been published for enhancing automatic fault detection, classification, and localization using ML techniques. A few review papers have already been published by esteemed researchers highlighting the works carried out in this area. Haque and Kashtiban (2005) emphasize the neural network (NN) applications in electrical power systems for various closely related topics such as load forecasting, fault diagnosis, economic dispatch, and security assessment. It briefly discussed the contribution of

the NN alone in the abovementioned electrical power system applications. Aleem et al. (2015) mainly emphasize the concepts and challenges associated with the model-based and data-driven fault diagnosis. Tirnovan and Cristea (2019) reported the works of certain popular classifiers, namely, Neural network (NN), K-nearest neighbor (KNN), Naïve Bayesian (NB), and Support vector machine (SVM) used for fault diagnosis. Prakash et al. (2014) focus on the techniques such as wavelet transform, fuzzy logic (FL), NN, genetic algorithm (GA), and SVM. It covered two ML techniques viz. NN and SVM. Chen et al. (2016) give an overview of the fault diagnosis with some popular classifiers like NN, SVM, FL, and decision tree (DT) with modifications to emphasize fault location estimations for these techniques. Prasad et al. (2018) have reported the applications of various classifiers namely, SVM, GA, DT, and ELM for fault classification. Gururajapathy et al. (2017) work covered fault diagnosis for distribution systems with DGs containing various conventional and artificial intelligence techniques (NN, SVM, FL, GA, and matching approach) for the estimation of the fault location. The authors have discussed in length the types of transmission line faults and traditional fault localization methods, namely, the traveling wave method and impedance-based methods (viz. Takagi algorithm, reactive component method, and Girgis equation). The works presented by Mishra and Ray (2018) and Raza et al. (2020) are more comprehensive and chronologically tabulated. Mishra and Ray (2018) presented multiple NN configurations like back-propagation, probabilistic feedforward, and radial basis function along with FL, SVM, ELM, and RF. It also discussed the strength and weaknesses of the NN, SVM, ELM, and RF. The existing reviews are excellent works that are useful to the research community.




III. METHODOLOGY




The methodology for applying Machine Learning (ML) algorithms for power system fault analysis and detection typically involves several key steps:




1. Data Collection: Gather historical data on system behavior, including both normal operating conditions and instances of known faults. This data may come from various sources such as sensors, meters, SCADA systems, and historical records of system events.
 2. Data Preprocessing: Clean and preprocess the collected data to remove noise, handle missing values, and normalize features. This step is crucial for ensuring the quality and consistency of the dataset used for training the ML models.
 3. Feature Selection: Identify relevant features or variables from the preprocessed data that are informative for fault analysis. This may involve domain knowledge and statistical techniques to determine which features contribute most to distinguishing between normal and faulty system behavior.
 4. Model Selection: Choose appropriate ML algorithms for fault analysis based on the nature of the data and the specific requirements of the application. Commonly used algorithms include Artificial Neural Networks (ANNs), Support Vector Machines (SVMs), decision trees, random forests, and deep learning models.
 5. Model Training: Train the selected ML models using the preprocessed data, with the goal of learning patterns and relationships that can discriminate between normal and faulty system behavior. This typically involves splitting the dataset into training and validation sets and optimizing model parameters to achieve the best performance.
 6. Model Evaluation: Evaluate the trained ML models using separate test datasets to assess their performance in detecting and analysing faults. Metrics such as accuracy, precision, recall, and F1-score are commonly used to measure the effectiveness of the models.
 7. Model Deployment: Deploy the trained ML models into the operational environment for real-time fault analysis and detection. This may involve integrating the models with existing monitoring and control systems to enable automated decision-making and response to detected faults.
 8. Monitoring and Maintenance: Continuously monitor the performance of the deployed ML models and update them as needed to adapt to changing system conditions and evolving fault patterns. Regular maintenance and retraining of the models are essential for ensuring their effectiveness over time.
- By following these steps, practitioners can develop and deploy ML-based methodologies for power system fault analysis and detection that improve the reliability, efficiency, and resilience of electrical grids.



IV. RESULTS







V. CONCLUSION

The application of machine learning (ML) algorithms for power system fault diagnosis and prediction has shown remarkable promise, offering precise fault identification and proactive maintenance capabilities. Through the integration of advanced ML techniques such as artificial neural networks (ANNs), support vector machines (SVMs), and decision trees, coupled with real-time implementation, power system operators can now benefit from enhanced grid reliability and operational efficiency. The successful deployment of ML models in real-time monitoring systems empowers operators with instant insights into power system health and performance, enabling swift response actions to mitigate the impact of faults. Moreover, the scalability of ML-driven fault diagnosis systems has been tested across various power grid sizes, showcasing their versatility in handling diverse network configurations. Looking ahead, the integration with Internet of Things (IoT) devices and smart grid technologies presents new avenues for improved fault detection and predictive maintenance. By embracing adaptive learning mechanisms, these systems continuously improve, ensuring effectiveness in evolving power system environments. As we navigate this transformative landscape, considerations for cyber security, data privacy, and model interpretability remain pivotal. The journey towards resilient, adaptive power systems continues, propelled by the innovative and transformative potential of ML-driven solutions.

REFERENCES

1. Zhang, Y., Chen, Q., & Chen, X. (2018). Application of Artificial Neural Network in Power System Fault Diagnosis. In 2018 IEEE 3rd Advanced Information Technology, Electronic and Automation Control Conference (IAEAC) (pp. 1213-1216). IEEE.
2. Wang, Z., Dong, Z. Y., & Lu, D. D. (2019). A Survey of Machine Learning Applications in Smart Grids. *IEEE Access*, 7, 3533-3548.
3. Huang, T., & Wu, H. (2020). Fault Diagnosis of Power Systems Using Support Vector Machine and Particle Swarm Optimization. *IEEE Access*, 8, 79307-79315.
4. Zhao, B., Liu, C., & Wang, W. (2021). Power System Fault Diagnosis Based on Deep Learning and Wavelet Transform. *IEEE Transactions on Industrial Informatics*, 17(2), 1282-1290.
5. Li, X., Wang, H., & Zheng, Y. (2019). A Review of Fault Diagnosis in Power Systems Using Machine Learning Methods. *IEEE Access*, 7, 173094-173104.
6. Ren, S., Ma, J., & Xu, J. (2020). Fault Diagnosis of Power System Based on Improved Decision Tree Algorithm. In 2020 International Conference on Smart Grid and Electrical Automation (ICSGEA) (pp. 151-155). IEEE.
7. Liu, Y., & Xiao, S. (2018). Fault Diagnosis of Power System Based on Improved K-means Clustering Algorithm. In 2018 4th International Conference on Control, Automation and Robotics (ICCAR) (pp. 140-143). IEEE.
8. Chen, J., Song, Y., & Jiang, Y. (2019). Power System Fault Diagnosis Based on Random Forest Algorithm. In 2019 9th International Conference on Information Science and Technology (ICIST) (pp. 212-215). IEEE.
9. Wang, L., Guo, H., & Liu, Y. (2021). Power System Fault Diagnosis Based on Long Short-Term Memory Neural Network. In 2021 13th International Conference on Advanced Computational Intelligence (ICACI) (pp. 281-285). IEEE.
10. Zhang, H., & Wang, X. (2018). Fault Diagnosis of Power System Based on Improved Principal Component Analysis Algorithm. In 2018 3rd International Conference on Power and Renewable Energy (ICPRE) (pp. 370-374). IEEE.
11. Gao, F., Li, X., & Chen, J. (2020). A Review of Machine Learning Applications in Power System Fault Diagnosis and Prediction. *Energies*, 13(6), 1449.
12. Ahmadi, M., & Sepasian, M. S. (2019). Power System Fault Diagnosis Using Advanced Machine Learning Algorithms: A Review. In 2019 IEEE 5th International Conference on Optimization and Applications (ICOA) (pp. 1-5). IEEE.
13. Kherbachi, S., Babes, B., & Belmadani, A. (2018). A Novel Method for Power System Fault Diagnosis Based on Support Vector Machines and Wavelet Transform. In 2018 International Conference on Advanced Systems and Electric Technologies (IC_ASET) (pp. 29-32). IEEE.
14. Cao, Y., Luo, Y., & Liu, S. (2021). A Novel Fault Diagnosis Method for Power Systems Based on Deep Belief Networks. *IEEE Access*, 9, 100034-100043.
15. Li, C., Zhao, J., & Li, G. (2020). Fault Diagnosis of Power Systems Using Convolutional Neural Networks. In 2020 IEEE 2nd International Conference on Renewable Energy and Power Engineering (REPE) (pp. 1-4). IEEE.
16. Rish, An empirical study of the Naive Bayes classifier, *IJCAI 2001 Workshop on Empirical Methods in Artificial Intelligence*, vol. 3, IBM New York, 2001.



17. Hasan, Ali & Eboule, Patrick & Twala, Bhakisipho. (2017). The use of machine learning techniques to classify power transmission line fault types and locations. 221-226.
18. Z. Qian, Z. Y. Jie and H. Pu, "The Application of Sequential Minimal Optimization Algorithm In Short-term Load Forecasting," 2007 Chinese Control Conference, Hunan, 2007, pp. 314-317.
19. Dongxiao Niu and Yongli Wang, "Study of the SMO algorithm based on data mining in short-term power load forecasting model," 2008 7th World Congress on Intelligent Control and Automation, Chongqing, 2008, pp.7140-7145.
20. Le Xu and Mo-Yuen Chow, "Power distribution systems fault cause identification using logistic regression and artificial neural network," Proceedings of the 13th International Conference on, Intelligent Systems Application to Power Systems, Arlington, VA, 2005, pp. 6.
21. L. Xu, M. -. Chow and X. Z. Gao, "Comparisons of logistic-regression and artificial neural network on power distribution systems fault cause identification," Proceedings of the 2005 IEEE Midnight-Summer Workshop on Soft Computing in Industrial Applications, 2005. SMCia/05., Espoo, Finland, 2005, pp. 128-131.
22. Ansari, Mohd & Srivastava, Kislay & Kaluri, Rajesh. (2017). Electricity Monitoring, Visualization and Prediction using Logistic Regression.10.13140/RG.2.2.20915.94240.
23. P.D. Allison, "Logistic_Regression using -the SAS - system," SAS Institute Inc. 2000.
24. Jamehbozorg, Arash & Shahrtash, S. Mohammad.(2010). A Decision-Tree-Based Method for Fault Classification in Single-Circuit Transmission Lines. Power Delivery, IEEE Transactions on. 25. 2190 - 2196.
25. Kai Sun, Siddharth Likhate, Vijay Vittal, V. Sharma Kolluri, and Sujit Mandal, "An Online Dynamic Security Assessment Scheme Using Phasor Measurements and Decision Trees" , IEEE Trans. on Power System, vol.22, no.-4, pp. 1935–1943, November 2007.F



INTERNATIONAL
STANDARD
SERIAL
NUMBER
INDIA



INTERNATIONAL JOURNAL OF INNOVATIVE RESEARCH

IN SCIENCE | ENGINEERING | TECHNOLOGY

 9940 572 462  6381 907 438  ijirset@gmail.com



www.ijirset.com

Scan to save the contact details