

e-ISSN: 2319-8753 | p-ISSN: 2347-6710

DIA

International Journal of Innovative Research in SCIENCE | ENGINEERING | TECHNOLOGY

INTERNATIONAL JOURNAL OF INNOVATIVE RESEARCH

IN SCIENCE | ENGINEERING | TECHNOLOGY

Volume 13, Issue 4, April 2024

INTERNATIONAL STANDARD SERIAL NUMBER INDIA

Impact Factor: 8.423

9940 572 462

S 6381 907 438

🖂 ijirset@gmail.com

IJIRSET

| e-ISSN: 2319-8753, p-ISSN: 2347-6710| www.ijirset.com | Impact Factor: 8.423| A Monthly Peer Reviewed & Referred Journal |

|| Volume 13, Issue 4, April 2024 ||

| DOI:10.15680/IJIRSET.2024.1304444 |

Virtual Trial Room

Kavisha Bharat Savla, Shreya Deepak Sawant, Jash Bharat Shah, Prof. Jayashree Gajare

U. G Student, Department of Electronics and Computer Science, Shah and Anchor Kutchhi Engineering College

Mumbai, India

U. G Student, Department of Electronics and Computer Science, Shah and Anchor Kutchhi Engineering College

Mumbai, India

U. G Student, Department of Electronics and Computer Science, Shah and Anchor Kutchhi Engineering College

Mumbai, India

Assistant Professor, Department of Electronics and Computer Science, Shah and Anchor Kutchhi Engineering College

Mumbai, India

ABSTRACT: Virtual Trial Room using Augmented Reality is a Python-based project aimed at revolutionizing the online shopping experience by implementing an immersive virtual trial room using augmented reality (AR) technology. This project utilizes Flask, Bootstrap, OpenCV, dlib, and Haarcascade models to create a platform where users can visualize how clothing items look on them without physically trying them on. By leveraging AR, this system offers users a realistic and interactive way to try on various outfits virtually, enhancing their confidence in purchasing apparel online. The implementation of this project demonstrates its feasibility and potential to significantly improve the e-commerce landscape.

KEYWORDS: Virtual Trial Room, Augmented Reality, Python, Flask, Bootstrap, OpenCV, dlib, Haarcascade models, Online Shopping.

I. INTRODUCTION

The landscape of retail has been significantly altered by the advent of e-commerce, while providing global consumers with unparalleled convenience and accessibility. The popularity of e-commerce, especially in the [1] clothing sector, has contributed significantly to its success. Data reveals that clothing ranks as the top-selling category in online markets globally, contributing significantly to revenue generation (Statista, 2019b). Various attributes contribute to clothing's suitability for online shopping, such as its diverse selection, the convenience of comparing options from various vendors, its ability to swiftly align with evolving fashion trends, and the overall ease of online purchasing. However, despite its numerous benefits, online shopping still faces inherent challenges, notably the inability for consumers to physically try on clothing items before making a purchase. Annually, the fashion sector witnesses around \$62 billion in returns, with approximately 70% of online returns attributed to issues related to fit (Beck & Crié, 2018). Furthermore, nearly 56% of shoppers cite a lack of tactile experience with style and fit as the primary challenge [2] with online shopping. This limitation often leads to uncertainties regarding fit, style, and overall satisfaction with the product, consequently hindering the growth potential of online apparel sales.

In response to this challenge, the Virtual Trial Room using Augmented Reality project endeavors to bridge the gap between traditional in-store shopping experiences and the digital realm by introducing an innovative solution powered by augmented reality (AR) technology. By leveraging Python-based tools such as Flask, Bootstrap, OpenCV, dlib, and Haarcascade models, this project aims to create a dynamic platform where users can virtually try on clothing items in real-time, thereby enhancing their online shopping experience and instilling confidence in their purchasing decisions. This introduction sets the stage for a transformative approach to online apparel shopping, emphasizing the project's objectives to enhance user engagement, reduce returns, and ultimately revolutionize the e-commerce landscape through immersive AR experiences.



| e-ISSN: 2319-8753, p-ISSN: 2347-6710| www.ijirset.com | Impact Factor: 8.423| A Monthly Peer Reviewed & Referred Journal |

|| Volume 13, Issue 4, April 2024 ||

| DOI:10.15680/IJIRSET.2024.1304444 |

II. LITERATURE SURVEY

Augmented Reality (AR) has risen as a promising technology with versatile applications across numerous sectors, including but not limited to retail and e-commerce. Numerous studies have explored the integration of AR into online shopping platforms, particularly in the context of virtual fitting rooms, to address the challenges associated with purchasing apparel online [3].

Preceding the year 2000, virtual try-on technology, often referred to as virtual fitting rooms [4], was predominantly regarded as interactive technologies (IIT) employing 3D virtual simulation methods. These methods were intended to offer rotational functionalities, mix-and-match options, and 3D representations of products. While IIT focuses on virtual visualization involving consumers, products, and environments, 3D virtual simulation creates complete virtual environments.

In a recent investigation, Pereira and colleagues (2011) introduced a model [5] utilizing the concept of a virtual fitting room for online retailing spans three distinct domains: Augmented Reality (AR), Computer Vision, and Image Processing.

Li et al. (2019) developed a virtual fitting room system that leveraged AR technology to enable users to visualize how clothing items would look on them in real-time. By superimposing virtual garments onto live video feeds captured from users' webcams, the system provided a realistic and interactive try-on experience, significantly enhancing user engagement and satisfaction [6].

Similarly, Park et al. (2020) proposed a virtual try-on system for clothing e-commerce that utilized deep learning techniques to enhance the realism of virtual clothing simulation. [7] Through the integration of advanced image processing algorithms and sophisticated rendering capabilities, the system achieved remarkable accuracy in simulating the fit and appearance of clothing items on users, thereby reducing the uncertainty associated with online apparel purchases.

In the realm of Python-based development, frameworks such as Flask have gained widespread adoption for building web applications due to their simplicity, flexibility, and scalability. Additionally, libraries like OpenCV, dlib, and Haarcascade models have become indispensable tools for implementing AR solutions, enabling tasks such as facial detection, landmark recognition, and virtual object placement with precision and efficiency.

Building upon the existing literature, the Virtual Trial Room using Augmented Reality project aims to contribute to the field by integrating state-of-the-art AR technology with Python-based tools. By harnessing the power of AR, this project seeks to revolutionize the way consumers interact with online apparel stores, fostering greater confidence and satisfaction in their purchasing decisions.

This literature survey contextualizes the project within the broader research landscape, highlighting the significance of AR technology in improving the overall online shopping journey and providing valuable insights into the methodologies and techniques employed in previous studies.

III. MATERIALS & METHODS

The implementation of the Virtual Trial Room using Augmented Reality project involves several key components and methodologies:

<u>Flask Web Framework</u>: Flask [8] is utilized to develop the web application, providing routes for user interaction and rendering dynamic web pages.

<u>Bootstrap</u>: Bootstrap [9] is employed for front-end development, ensuring a responsive and visually appealing user interface.

<u>OpenCV</u>: OpenCV [10] is used for image processing tasks, such as detecting and tracking facial features in real-time. <u>dlib</u>: The dlib [11] library is utilized for facial landmark detection, enabling precise alignment of virtual clothing items with the user's body.

<u>Haarcascade models</u>: Haarcascade models [12] are employed for detecting and recognizing facial features, enabling the placement of virtual clothing items on the user's body.



| e-ISSN: 2319-8753, p-ISSN: 2347-6710| www.ijirset.com | Impact Factor: 8.423| A Monthly Peer Reviewed & Referred Journal |

|| Volume 13, Issue 4, April 2024 ||

| DOI:10.15680/IJIRSET.2024.1304444 |

The workflow of the system involves capturing the user's video feed through the webcam, detecting the user's face and facial landmarks using dlib and Haarcascade models, overlaying virtual clothing items onto the user's image, and rendering the augmented reality scene in real-time. Flask handles the communication between the front-end interface and the back-end logic, facilitating a seamless user experience.






Fig1-Flowchart depicting working flow of proposed solution

Start

- User accesses the web application
- User selects a clothing item to try on
- System initializes webcam to capture user's video feed
- System detects user's face using Haarcascade models
- ➢ If face detected:
- System detects facial landmarks using dlib
- System overlays virtual clothing item onto user's image
- > System renders augmented reality scene with virtual clothing
- ▶ User interacts with the virtual try-on session
- > If satisfied: User proceeds to purchase the clothing item
- If not satisfied: User selects another clothing item to try on or exits End



| e-ISSN: 2319-8753, p-ISSN: 2347-6710| www.ijirset.com | Impact Factor: 8.423| A Monthly Peer Reviewed & Referred Journal |

|| Volume 13, Issue 4, April 2024 ||

| DOI:10.15680/IJIRSET.2024.1304444 |

V. RESULTS

The Virtual Trial Room using Augmented Reality project successfully demonstrates the feasibility of implementing a virtual fitting room using Python-based technologies. Users can interact with the system through a web interface, visualize virtual clothing items overlaid onto their live video feed, and experience a realistic virtual try-on session. The integration of Flask, Bootstrap, OpenCV, dlib, and Haarcascade models enables a smooth and responsive application that enhances the online shopping experience for users.



Fig2-Mens/womens casuals on website portal




Fig3-Womens formal Apparels on website portal



Fig 4-Amalgamation of virtual object tiara on real time image

| e-ISSN: 2319-8753, p-ISSN: 2347-6710| www.ijirset.com | Impact Factor: 8.423| A Monthly Peer Reviewed & Referred Journal |



|| Volume 13, Issue 4, April 2024 ||

| DOI:10.15680/LJIRSET.2024.1304444 |



Fig 4b-Amalgamation of virtual object necklace on real time image



Fig 4c-Amalgamation of virtual object earnings on real time image



Fig 4d-Amalgamation of virtual object T-shirt on real time image



Fig 4e-Amalgamation of virtual object Sunglasses on real time image

1



| e-ISSN: 2319-8753, p-ISSN: 2347-6710| www.ijirset.com | Impact Factor: 8.423| A Monthly Peer Reviewed & Referred Journal |

|| Volume 13, Issue 4, April 2024 ||

| DOI:10.15680/LJIRSET.2024.1304444 |

VI. CONCLUSION

The Virtual Trial Room using Augmented Reality project presents a novel approach to addressing the challenges of online shopping by integrating augmented reality technology into the e-commerce landscape. By leveraging Pythonbased tools such as Flask, Bootstrap, OpenCV, dlib, and Haarcascade models, this project offers users an immersive and interactive virtual try-on experience, thereby enhancing their confidence in making online clothing purchases. The successful implementation of this project underscores its potential to revolutionize the way consumers shop for apparel online, paving the way for future advancements in virtual fitting room technology.

ACKNOWLEDGEMENT

We extend our heartfelt appreciation [13] to Prof. Jayashree Gajare for her invaluable guidance and support throughout this project. We extend our heartfelt thanks to her for the guidance, support, and valuable insights throughout the development process. Additionally, we would like to thank our peers and colleagues for their collaboration and constructive feedback, which greatly enriched the project outcomes. Finally, we acknowledge the support of our families and friends for their unwavering encouragement and understanding during this endeavor.

REFERENCES

[1] M. Moroz, "Tendency to Use the Virtual Fitting Room in Generation Y - Results of Qualitative Study," Journal of Finance and Management, vol. 300-5661, pp. 239, pISSN: 2080-7279, 2019, doi: 10.2478/fman-2019-0020.

[2] H. Lee and Y. Xu, "Classification of virtual fitting room technologies in the fashion industry: from the perspective of consumer experience," The Textile Institute and Informa UK Ltd, 2019.

[3] M. Hunziker and F. Reffel, "Augmented reality for e-commerce: A systematic literature review and future research directions," International Journal of Information Management, vol. 60, pp. 102407, Apr. 2021.

[4] J. Wang, Y. Jiao, and J. Su, "A systematic literature review and analysis of try-on technology: Virtual fitting rooms," IEEE Access, vol. 8, pp. 114206-114221, 2020.

[5] F. Pereira, C. Silva, and M. Alves, "Virtual Fitting Room Augmented Reality Techniques for e-Commerce," in International Conference on ENTERprise Information Systems, October 2011, doi: 10.1007/978-3-642-24355-4_7.

[6] M. Grinberg, "Flask web development: Developing web applications with Python," O'Reilly Media, 2018.

[7] X. Li, Y. Zhang, L. Xu, and Y. Song, "A virtual fitting room system based on augmented reality," Multimedia Tools and Applications, vol. 78, no. 19, pp. 27349-27365, Oct. 2019.

[8] S. Park, D. Han, S. Han, and H. Ko, "Virtual try-on system for clothing e-commerce based on deep learning," IEEE Access, vol. 8, pp. 83977-83987, 2020.

[9] M. Grinberg, "Flask web development: Developing web applications with Python," O'Reilly Media, 2018.

[10] Bootstrap - The most popular HTML, CSS, and JavaScript framework for developing responsive, mobile-first web projects. https://getbootstrap.com/

[11] OpenCV: Open Source Computer Vision Library, https://opencv.org/

[12] Dlib C++ Library, http://dlib.net/

[13] R. Lienhart and J. Maydt, "An extended set of Haar-like features for rapid object detection," in Proceedings of the International Conference on Image Processing (ICIP), vol. 1, pp. 900-903, IEEE, 2002.

[14] C. N. Hooydonk, "Gratitude in educational leadership," Journal of Educational Administration, vol. 41, no. 4, pp. 407-420, Jul. 2003.

INTERNATIONAL Standard Serial Number India







INTERNATIONAL JOURNAL OF INNOVATIVE RESEARCH

IN SCIENCE | ENGINEERING | TECHNOLOGY





www.ijirset.com