

e-ISSN: 2319-8753 | p-ISSN: 2347-6710

DIA

International Journal of Innovative Research in SCIENCE | ENGINEERING | TECHNOLOGY

INTERNATIONAL JOURNAL OF INNOVATIVE RESEARCH

IN SCIENCE | ENGINEERING | TECHNOLOGY

Volume 13, Issue 5, May 2024

INTERNATIONAL STANDARD SERIAL NUMBER INDIA

Impact Factor: 8.423

9940 572 462

6381 907 438

🖂 ijirset@gmail.com

IJIRSET

|e-ISSN: 2319-8753, p-ISSN: 2347-6710| <u>www.ijirset.com</u> | Impact Factor: 8.423| A Monthly Peer Reviewed & Refereed Journal |

|| Volume 13, Issue 5, May 2024 ||

| DOI:10.15680/IJIRSET.2024.1305102 |

Automated Irrigation System Using Artificial Intelligence (AI)

Prof. Anand Tilagul¹, Arunkumar R², Darshan TP³, Gajendra BR⁴, Likith Gowda KM⁵

Assistant Professor, Department of Information Science and Engineering, S J C Institute of Technology,

Chickaballapur, Karnataka, India¹

U.G. Student, Department of Information Science and Engineering, S J C Institute of Technology, Chickaballapur,

Karnataka, India^{2,3,4}

ABSTRACT: We Proposes a Smart irrigation system that utilizes Internet of Things (IoT) and Artificial Intelligence (AI) technologies to improve the efficiency and effectiveness of water usage in agriculture. The system incorporates IoT sensors to collect data on soil moisture and weather conditions, which is then analysed by AI algorithms to determine the optimal amount of water needed for the crops. The system can automatically control the irrigation system based on the values of the various environmental factors like humidity, temperature, light intensity and soil moisture which we can measure through sensors like the DHT-11 Humidity and Temperature sensor, Moisture sensor and LDR sensor, reducing water waste and increasing crop yield. The implementation of this smart irrigation system can lead to a more sustainable and efficient use of water resources in agriculture. We are using PLSR algorithm to train our model.

KEYWORDS: Internet of Things (IoT) and Artificial Intelligence (AI) technologies, temperature, humidity, soil moisture, light intensity, DHT-11 Temperature and humidity sensor, Moisture sensor, LDR sensor, PLSR Algorithm.

I. INTRODUCTION

The importance of water resources in agriculture and the need to optimize water usage due to increasing food demand and water scarcity concerns. It proposes a smart irrigation system that leverages IoT and AI technologies, specifically the Partial Least Squares Regression (PLSR) algorithm, to enhance water usage efficiency in agriculture. By utilizing IoT sensors to gather data on soil moisture and weather conditions, the system can analyze this data with the PLSR algorithm to determine the optimal amount of water required for crops.

1.1 Overview: An AI and IoT based irrigation system using soil moisture sensors. It discusses the integration of IoT and AI technologies to optimize water usage in agriculture by collecting real-time data on soil moisture, weather conditions, and crop water needs. The system utilizes the Partial Least Squares Regression (PLSR) algorithm to analyze the data and determine the optimal amount of water required for crops. By automating the irrigation process based on this analysis, the system aims to improve water use efficiency, reduce water waste, and enhance crop yields.

1.2 Problem Statement: Inefficiency and Ineffectiveness of water usage in agriculture, exacerbated by increasing food demand and water scarcity concerns. To tackle this issue, we proposes the development of a smart irrigation system that incorporates IoT sensors and AI algorithms. The goal is to optimize water usage by collecting data on soil moisture and weather conditions, analyzing this data with the PLSR algorithm to determine the precise water requirements for crops, and automating the irrigation process based on these findings. By implementing this system, the aim is to reduce water waste, increase crop yield, and promote sustainable and efficient water resource management in agriculture.

1.3 Objective: a smart irrigation system that utilizes IoT and AI technologies to enhance the efficiency and effectiveness of water usage in agriculture. Specifically, the system aims to

- 1. Collect real-time data on soil moisture and weather conditions using IoT sensors.
- 2. Analyze the collected data with the Partial Least Squares Regression (PLSR) algorithm to determine the optimal amount of water needed for crops.
- 3. Automatically control the irrigation system based on the analysis results to reduce water waste and increase crop yield.
- 4. Implement a sustainable and efficient use of water resources in agriculture by integrating IoT sensors and AI algorithms in the irrigation process.

International Journal of Innovative Research in Science, Engineering and Technology (IJIRSET)



|e-ISSN: 2319-8753, p-ISSN: 2347-6710| <u>www.ijirset.com</u> | Impact Factor: 8.423| A Monthly Peer Reviewed & Refereed Journal |

|| Volume 13, Issue 5, May 2024 ||

DOI:10.15680/IJIRSET.2024.1305102

II. LITERATURE SURVEY

Review on smart irrigation using IoT and AI with PLSR algorithm would involve studying prior research and findings on the topics of IoT in agriculture, AI in irrigation, and PLSR as an algorithm for data analysis. Research on IoT in agriculture has shown that the use of sensors and other IoT devices can help optimize irrigation systems by providing real-time data on soil moisture, weather conditions, and crop water needs. This can lead to improved water use efficiency, reduced water waste, and improved crop yields. AI has been shown to be a valuable tool for decisionmaking in irrigation systems. By using machine learning algorithms such as PLSR, data from IoT devices can be analysed to make more accurate predictions about water needs and to optimize water use in real-time. PLSR is a statistical technique for data analysis that has been applied in various domains, including agriculture. It can be used to analyse data from IoT devices and other sources to develop models for predicting water needs, optimizing irrigation schedules, and making other important decisions in smart irrigation systems. Overall, the literature suggests that the use of IoT and AI in irrigation, along with the application of PLSR and other machine learning algorithms, has the potential to revolutionize theway we manage our water resources and grow our crops.

2.1 "Intelligent Irrigation Management System Based on Wireless Sensor Networks and Fuzzy Control" (2011) by Zhang et al.

This paper presents an intelligent irrigation system that integrates wireless sensor networks (WSNs) and fuzzy control algorithms. The system monitors soil moisture levels using WSNs and employs fuzzy logic to adjust irrigation scheduling based on real-time data, aiming to optimize water usage.

2.2 "A Review of Wireless Sensor Technologies and Applications in Agriculture and Food Industry: State of the Art and Current Trends" (2014) by Yordanov et al.

This review provides an overview of various wireless sensor technologies used in agriculture, including applications in irrigation management. It discusses the integration of sensors with AI techniques for data analysis and decision-making in precision irrigation systems.

2.3 "Smart Irrigation Systems: State of the Art and Opportunities" (2017) by Jovicich et al.

This article discusses the state of the art in smart irrigation systems, including the integration of AI, IoT (Internet of Things), and data analytics. It highlights the potential of AI algorithms, such as machine learning and neural networks, to optimize irrigation scheduling based on environmental factors and plant needs.

2.4 "Artificial Intelligence Techniques for Efficient Use of Water in Agriculture: A Systematic Review" (2019) by Singh et al.

This systematic review explores various AI techniques applied to optimize water usage in agriculture, including irrigation management. It examines the use of AI algorithms like genetic algorithms, neural networks, and fuzzy logic for irrigation scheduling and water resource management.

2.5 "Deep Reinforcement Learning for Autonomous Irrigation in Precision Agriculture" (2020) by Zhang et al.

This study proposes a deep reinforcement learning (DRL) approach for autonomous irrigation in precision agriculture. The DRL agent learns optimal irrigation policies through interactions with the environment, aiming to maximize crop yield while minimizing water usage.

III. METHODOLOGY

Automated irrigation using AI employs a sophisticated system to manage water needs with precision. It begins with a network of sensors deployed in the field, collecting real-time data on soil moisture, temperature, and other environmental factors. This data is then fed into an AI model, trained on historical data and crop information. The AI analyzes this information to predict the optimal irrigation schedule, ensuring the exact amount of water is delivered when needed. Finally, the system automatically activates irrigation equipment based on the AI's predictions, optimizing water usage and maximizing crop yield while minimizing human intervention. This creates a continuous feedback loop, allowing the AI to refine its predictions over time for even greater efficiency and resource management.

e-ISSN: 2319-8753, p-ISSN: 2347-6710| www.ijirset.com | Impact Factor: 8.423| A Monthly Peer Reviewed & Refereed Journal |



|| Volume 13, Issue 5, May 2024 ||

DOI:10.15680/IJIRSET.2024.1305102



Fig.3.1: System Architecture

- Collect Sensor Data: This is the first step in the process. Sensors collect data that will be used to train the model.
- **Data Available?** The flowchart then asks if data is available.
- Yes: If data is available, the process moves to training the AI model.
- No: If there is no data available, the process goes to a wait state where it waits for data.
- **Train AI Model**: This is where the model is trained on the collected sensor data.
- Model Trained?: The flowchart then asks if the model is trained.
- Yes: If the model is trained, the process moves on to predicting water requirements.
- No: If the model is not trained, the process goes to a wait state where it waits for training to complete.
- **Predict Water Requirements**: Once the model is trained, it can be used to predict water requirements.
- **Control Irrigation**: Based on the predicted water requirements, irrigation systems can be controlled to deliver the optimal amount of water.

Overall, this flowchart depicts a feedback loop where data is collected, used to train a model, then the model is used to predict water requirements, which can then be used to inform irrigation practices. This can be helpful for farmers who want to optimize their water usage and crop yields.

|e-ISSN: 2319-8753, p-ISSN: 2347-6710| www.ijirset.com | Impact Factor: 8.423| A Monthly Peer Reviewed & Refereed Journal |



|| Volume 13, Issue 5, May 2024 ||

DOI:10.15680/IJIRSET.2024.1305102

IV. RESULTS

DEMO MODELS







DISPLAY OF RESULTS

Seed	(o com	- 0 - 2
Anorganical (Index 15.15) C X	 ann ann	foreigneaffreightearte (1.5.6) foreigneaffreightearte (1.5.6) foreigneaffreightearte (1.5.6) foreigneaffreightearte (1.5.6) foreigneaffreightearte (1.5.6) foreigneaffreightearte (1.5.6)
Posta ar while input in the L patter the works to the for- mention operators to a substitution shall be not the listen of Branch the unsets pill of a plotentimeters to pill bl, and the - Draw works sole is in the public density. To a second sole in the the list of public density. To be a substitution operators density density density density of the listen are also as a substitution of the listen are also as a substit ar	101 401 401 402 403 403 404 403 403 404 404 404 404 404	Analogheedbergal Analogheedbergal Mondow an endlice and only and the new state of the form Inspirate papermentation as avoidable adult bracket former (Minise the ensempt and of particulation of the adult, and the (Minise the ensempt and of particulation) Thise ensempts only in its the public domain.
1 / De entre contine paux actes when you groups pauxi, 1 / de entre contine paux actes when you groups pauxi, 1 / de entre contine pauxies and actes acte	Detection Detection Notestion Notestion <t< td=""><td></td></t<>	
Dene latituteg	nessy i internetenterenterenterenterenterenteren	Come spreading statistics for 2 banks years
	Comparison and any other states and any state states Comparison and any other states and any states an	

V. CONCLUSIONS

In conclusion, the integration of Artificial Intelligence (AI) into automated irrigation systems represents a transformative approach to modern agriculture, offering significant advantages in resource management, crop productivity, and environmental sustainability. Through the synthesis of real-time sensor data and advanced AI algorithms, these systems enable precise and adaptive irrigation practices tailored to the specific needs of crops and environmental conditions.

The literature survey underscores the substantial body of research and practical implementations in this domain, demonstrating the efficacy of AI-driven irrigation in optimizing water usage, enhancing crop yields, and mitigating the impacts of climate variability. Case studies illustrate tangible benefits, including improved water efficiency, reduced costs, and increased profitability for farmers.

International Journal of Innovative Research in Science, Engineering and Technology (IJIRSET)



|e-ISSN: 2319-8753, p-ISSN: 2347-6710| <u>www.ijirset.com</u> | Impact Factor: 8.423| A Monthly Peer Reviewed & Refereed Journal |

|| Volume 13, Issue 5, May 2024 ||

DOI:10.15680/IJIRSET.2024.1305102

However, challenges remain, such as data quality issues, scalability concerns, and the need for cost-effective solutions. Addressing these challenges will require continued research and innovation, including advancements in sensor technologies, AI algorithms, and integration with other agricultural systems.

Looking ahead, the future of automated irrigation systems using AI holds great promise. As technologies mature and adoption rates increase, these systems have the potential to revolutionize global agriculture, contributing to food security, sustainable water management, and environmental conservation on a large scale. By harnessing the power of AI, we can create smarter, more resilient farming practices that meet the demands of a growing population while safeguarding our planet for future generations.

REFERENCES

[1].Anitha, N. Sampath and M. A. Jerlin, "Smart Irrigation system using Internet of Things," 2020 International Conference on Emerging Trends in Information Technology and Engineering (icETITE), Vellore, India, 2020, pp. 1-7, doi: 10.1109/ic-ETITE47903.2020.271. [2]. Nikhil Jain, Manya Goyal, Agravi Gupta, Vivek Kumar, SPEECH TO TEXT CONVERSION AND SENTIMENT ANALYSIS ON SPEAKER SPECIFIC DATA, Volume:03/Issue:06/June-2021.

[2].Kumar, A. Surendra, H. Mohan, K. M. Valliappan and N. Kirthika, "Internet of things based smart irrigation using regression algorithm," 2017 International Conference on Intelligent Computing, Instrumentation and Control Technologies (ICICICT), Kerala, India, 2017, pp. 1652-1657, doi: 10.1109/ICICICT1.2017.8342819.

[3].R. Agale and D. P. Gaikwad, "Automated Irrigation and Crop Security System in Agriculture Using Internet of Things," 2017 International Conference on Computing, Communication, Control and Automation (ICCUBEA), Pune, India, 2017, pp. 1-5, doi: 10.1109/ICCUBEA.2017.8463726.

[4].K. Pernapati, "IoT Based Low Cost Smart Irrigation System," 2018 Second International Conference on Inventive Communication and Computational Technologies (ICICCT), Coimbatore, India, 2018, pp. 1312-1315, doi: 10.1109/ICICCT.2018.8473292

[5]. T.K. Ramesh, Vinay Mohan, V.Praveen Kumar and K. Thejesh, "AutomatIrrigation System with Partition Facility for effective irrigation of small Scale farms", Vol 21, Issue 1, 2015.

[6].R. Troy Peters, PE, Ph.D., Extension Specialist; Kefyalew Desta, Ph.D., Soil and Crop Management; and Leigh Nelson, PE, WSU Prosser Irrigated Agriculture Research & Extension Center " Practical Use of Soil Moisture Sensors and Their Data for Irrigation Scheduling".

[7].M. Vestenicky, S. Matuska, R. Hudec and P. Kamencay, "Sensor network proposal based on IoT for a prediction system of the power output from photovoltaic panels," 2018 28th International Conference Radioelektronika (RADIOELEKTRONIKA), Prague, 2018, pp. 1-4.

[8]. Zhiwei ZHENG, Yangren WANG, Shaosheng WANG, and Baoyong Zhao, "Research on Tomato Water Requirement with Drip Irrigation under Plastic Mulch in Greenhouse," Agro Geoinfromatics, 18-20 July 2016.

[9]. Narayanamoorthy, A. "Drip and Sprinkler Irrigation in India: Benefits, Potentials and Future Directions", in Upali A. Amarasinghe; Tushaar Shah and R.P.S. Malik (Eds.), India's Water Future: Scenarios and Issues, International Water Management Institute, Colombo, Sri Lanka, 2009, pp. 253-266.

[10].J. Gutiérrez, J. F. Villa-Medina, A. Nieto-Garibay and M. Á. PortaGándara, "Automated Irrigation System Using a Wireless Sensor Network and GPRS Module," in IEEE Transactions on Instrumentation and Measurement, vol. 63, no. 1, pp. 166-176, Jan. 2014.

INTERNATIONAL Standard Serial Number India







INTERNATIONAL JOURNAL OF INNOVATIVE RESEARCH

IN SCIENCE | ENGINEERING | TECHNOLOGY





www.ijirset.com