

(An ISO 3297: 2007 Certified Organization)

Vol. 4, Issue 6, June 2015

Assess the Level of Stress and Coping Abilities among Menopausal Women

M.Saranya, Prof.V.Hemavathy

Lecturer, Sree Balaji College of Nursing, Chromepet, Chennai, India

Principal, Sree Balaji College of Nursing, Chromepet, Chennai, India

ABSTRACT: Menopause is a period of "change of life" in women, because it marks the end of their ability to bear children and the beginning of a new phase of life. The menopause is derived from Latin words "meno" and "pausia" which means "month" and "stop" respectively.

I. INTRODUCTION

Menopause is a period of "change of life" in women, because it marks the end of their ability to bear children and the beginning of a new phase of life. The menopause is derived from Latin words "meno" and "pausia" which means "month"and "stop" respectively.

STATEMENT OF THE PROBLEM

"A study to assess the level of stress and coping abilities among menopausal women residing in selected village

OBJECTIVES:-

- 1. To assess the level of stress among menopausal women.
- 2. To assess the level of coping abilities among menopausal women.
- 3. To correlate the level of stress and coping abilities among menopausal women.
- 4. To associate the level of stress among menopausal women with their demographic variables.
- 5. To associate the level of coping abilities among menopausal women with their demographic variables.

II. METHODOLOGY

Research approach	: Quantitative approach
Research Design	: Non-Experimental descriptive research design
Setting	: The study was conducted at selected villages Ambur
	namely Sanrorkuppam, Alangkuppam, Periyangkuppam and Ayyanur.
Population	: All the women who had attained menopause & within
	the duration of 1 year to 4 years.
Sample & sample size	: 60 menopausal women who attained menopause, who
	fulfils the inclusion criteria.
Tool for the study	: Structured questionnaire to assess the demographic variables,
	Modified Cohen's & Williamson Perceived stress scale to assess the
	level of stress and Modified Jalowie's & Power Rating scale to
	assess the level of coping abilities.




(An ISO 3297: 2007 Certified Organization)

Vol. 4, Issue 6, June 2015

1.ASSESSMENT OF THE LEVEL OF STRESS EXPERIENCED BY THE MENOPAUSAL WOMEN:

Level of Stress	Stress			
	Frequency	Percentage		
Low Stress	0	0		
Moderate Stress	10	16.7		
High Stress	50	83.3		

The analysis depicted that regarding stress none of the menopausal women have low stress; 10 (16.7%) women have moderate stress and 50 (83.3%) menopausal women have high level of stress.



2.ASSESSMENT OF THE LEVEL OF COPING EXPERIENCED BY THE MENOPAUSAL WOMEN:


Level of Coping		Coping				
	Frequency	Percentage				
Mild	0	0				
Moderate	49	81.7				
Good	11	18.3				

The analysis depicted that regarding coping abilities none of the menopausal women have mild coping; 49 (81.7%) women have moderate and 11 (18.3%) menopausal women have good coping.



(An ISO 3297: 2007 Certified Organization)

Vol. 4, Issue 6, June 2015



3. CORRELATION BETWEEN STRESS AND COPING ABILITIES AMONG MENOPAUSAL WOMEN: ${\rm N}=60$

		Correlation
Mean	SD	test
		r = 0.37
56.20	6.53	T 0.01
		P = 0.01
70.08	7.56	
	56.20	56.20 6.53

The analysis reveals that there is poor correlation between stress and coping among menopausal women.



(An ISO 3297: 2007 Certified Organization)

Vol. 4, Issue 6, June 2015

4.ASSOCIATION BETWEEN STRESS AND DEMOGRAPHIC VARIABLES WITH RESPECT TO THE MENOPAUSAL WOMEN:

Demographic		Stress						
variables	Low			Moderate			High	
		n	%	n	%	n	%	
	48-50	0	0	5	50	25	50	$X^2 = 0.00$
Age	51-53	0	0	5	50	25	50	P = 1.00
								NS
	NFE	0	0	3	30	12	24	$X^2 = 0.34$
Education	Primary	0	0	4	40	19	38	P = 0.95
	Secondary	0	0	2	20	11	22	NS
	HSS	0	0	1	10	8	16	
	Hindus	0	0	4	40	21	42	$X^2 = 2.81$
Religion	Christians	0	0	3	30	22	44	P = 0.25
-	Muslims	0	0	3	30	7	14	NS
	Self Employed	0	0	4	40	23	46	$X^2 = 2.96$
Occupation	Government	0	0	3	30	5	10	P = 0.23
1	Private	0	0	3	30	22	44	NS
	Nuclear	0	0	6	60	26	52	
Type of Family	Joint	0	0	4	40	24	48	$X^2 = 0.21$
-)	College	2	11.8	4	30.8	0	0	P = 0.64
	conege	-	11.0		20.0	Ũ	Ŭ	NS
	Sedentary	0	0	7	70	17	34	
Type of work	Moderate	0	0	1	10	24	48	$X^2 = 5.97$
	Heavy	0	0	2	20	9	18	P = 0.05
	·							Significant
	1001-3000	0	0	5	50	20	40	
Income	3001-6000	0	0	5	50	30	60	$X^2 = 0.34$
	>6000	0	0	0	0	0	0	P = 0.56
								NS
	10-13	0	0	6	60	22	44	
Age at Menarche								$X^2 = 1.10$
	14-16	0	0	3	30	24	48	P = 0.58
	>16	0	0	1	10	4	8	NS
	Married	0	0	10	100	43	86	$X^2 = 1.58$
Marital status	Un married	0	0	0	0	7	14	P= 0.21
								NS
	1	0	0	1	10	17	34	$X^2 = 2.27$
No. of children	2 and above	0	0	7	70	26	52	P = 0.32
	None	0	0	2	20	7	14	NS
Duration of	0-1 Year	0	0	1	10	11	22	X ² = 1.21
Menopause	2-3 Years	0	0	4	40	22	44	P = 0.55
Home	4-5 Years	0	0	5	50	17	34	NS

The analysis reveals that there is significant association between type of work and stress. There is no association with respect to other demographic variables.



(An ISO 3297: 2007 Certified Organization)

Vol. 4, Issue 6, June 2015

5. ASSOCIATION BETWEEN COPING ABILITIES AND DEMOGRAPHIC VRIABLES WITH RESPECT TO THE MENOPAUSAL WOMEN:

	T	Copi	ng abiliti	00			~
							Chi square test
		Mild	I	Moderate		Good	
	n	%	n	%	n	%	
48-50	0	0	23	46.9	7	63.6	$X^2 = 1.000$
51-53	0	0	26	53.1	4	36.4	P = 0.32
							NS
	-	-			1		$X^2 = 2.81$
Primary	0	-			4		P = 0.42
Secondary	0	0	9	18.4	4		NS
HSS	0	0	7	14.3	2		
Hindus	0	0	22	44.9	3	27.3	$X^2 = 1.22$
Christians	0	0	19	38.8	6	54.6	P = 0.54
Muslims	0	0	8	16.3	2	18.2	NS
Self Employed	0	0	21	42.9	6	54.6	$X^2 = 0.55$
Government	0	0	7	14.3	1	9.1	P = 0.76
Private	0	0	21	42.9	4	36.4	NS
Nuclear	0	0	27	55.1	5	45.5	$X^2 = 0.34$
Joint	0	0	22	44.9	6	54.5	P = 0.56
							NS
Sedentary	0	0	21	42.9	3	27.3	$X^2 = 1.08$
Moderate	0	0	19	38.8	6	54.6	P = 0.58
Heavy	0	0	9	18.4	2	18.2	NS
1001-3000	0	0	21	42.9	4	36.4	$X^2 = 0.16$
3001-6000	0	0	28	57.1	7	63.6	P = 0.69
>6000	0	0	0	0	0	0	NS
10-13	0	0	24	49	4	36.4	$X^2 = 2.47$
14-16	0	0	20	40.8	7	63.6	P = 0.29
	-						NS
					-		$X^2 = 0.55$
	-	-			-		
on married	Ŭ	Ŭ	5	10.1	1	10.1	P=0.47
							NS
1	0	0	12	24.5	6	54.6	$X^2 = 5.98$
2 and above	-				-		P = 0.05
	-	-					Significant
	•						$X^2 = 0.69$
	v						P = 0.71
	-						- NS
	51-53 NFE Primary Secondary HSS Hindus Christians Muslims Self Employed Government Private Nuclear Joint Sedentary Moderate Heavy 1001-3000 3001-6000 >6000	51-53 0 NFE 0 Primary 0 Secondary 0 Hindus 0 Hindus 0 Christians 0 Muslims 0 Self Employed 0 Government 0 Private 0 Nuclear 0 Joint 0 Sedentary 0 Moderate 0 Heavy 0 1001-3000 0 3001-6000 0 >6000 0 10-13 0 14-16 0 >16 0 Married 0 1 0 2 and above 0 None 0 0-1 Year 0 2-3 Years 0	51-53 0 0 NFE 0 0 Primary 0 0 Secondary 0 0 Hindus 0 0 Hindus 0 0 Hindus 0 0 Christians 0 0 Muslims 0 0 Self Employed 0 0 Government 0 0 Nuclear 0 0 Joint 0 0 Moderate 0 0 Moderate 0 0 J001-3000 0 0 J001-6000 0 0 1001-3000 0 0 14-16 0 0 14-16 0 0 Vin married 0 0 1 0 0 None 0 0 None 0 0 12 and above 0 0 14-16 0 0 10-13 0	51-53 0 0 26 NFE 0 0 14 Primary 0 0 19 Secondary 0 0 9 HSS 0 0 7 Hindus 0 0 22 Christians 0 0 19 Muslims 0 0 21 Government 0 0 21 Government 0 0 21 Nuclear 0 0 21 Nuclear 0 0 21 Moderate 0 0 21 Moderate 0 0 21 Moderate 0 0 21 3001-6000 0 23 24 14-16 0 0 24 14-16 0 0 24 14-16 0 0 5 Married 0 0 5 <	51-530026 53.1 NFE0014 28.6 Primary0019 38.8 Secondary009 18.4 HSS007 14.3 Hindus0022 44.9 Christians0019 38.8 Muslims008 16.3 Self Employed0021 42.9 Government0021 42.9 Nuclear0021 42.9 Nuclear0021 42.9 Moderate0021 42.9 Moderate0021 42.9 Moderate0021 42.9 Moderate0021 42.9 $3001-6000$ 0028 57.1 >6000 0024 49 $14-16$ 0024 49 $14-16$ 005 10.2 Married005 10.1 1 0028 57.1 None009 18.4 $0-1$ Year009 18.4 $0-1$ Year009 18.4 $2-3$ Years0021 42.9	$\begin{array}{c ccccccccccccccccccccccccccccccccccc$	51-530026 53.1 4 36.4 NFE0014 28.6 1 9.1 Primary0019 38.8 4 36.4 Secondary009 18.4 4 36.4 HSS007 14.3 2 18.2 Hindus0022 44.9 3 27.3 Christians0019 38.8 6 54.6 Muslims0021 42.9 6 54.6 Government0027 55.1 5 45.5 Joint0021 42.9 4 36.4 Nuclear0021 42.9 3 27.3 Moderate0021 42.9 4 36.4 Nuclear0021 42.9 4 36.4 Nuclear0021 42.9 3 27.3 Moderate0021 42.9 3 27.3 Moderate0021 42.9 36.4 36.4 3001-60000028 57.1 7 63.6 >60000020 40.8 7 63.6 >160020 40.8 7 63.6 >160028 57.1 7 63.6 >160028 57.1 5 45.5 None0

Table 5 shows the association between coping abilities and demographic variables with respect to menopausal women. The analysis reveals that there is significant association between coping abilities and number of children. There is no association with respect to other demographic variables.



(An ISO 3297: 2007 Certified Organization)

Vol. 4, Issue 6, June 2015

III. FINDINGS

The study findings revealed that, maximum number of menopausal women 50(83.3%) had high level of stress, 10(16.7%) had moderate level of stress. The level of coping abilities of menopausal women 49(81.7%) had moderate level of coping & only 11(18.3%) had good level of coping abilities.

There was a significant association found between level of stress among menopausal women with demographic variable like type of work and there was a significant association found between level of coping abilities among menopausal women with demographic variable like number of children.

IV. CONCLUSION

Menopausal symptoms have an important impact in the day today activities, social and sexual life of menopausal women. Besides apparent physiological changes in the menopausal years, women in midlife often go through a social transition with increased level of stress that may require additional coping mechanisms.

REFERENCES

- 1. Andrew. L.Cherry, Mary. E. Dillon, DongleRough, "The Textbook of Maternity Nursing" Bhanot Publications, 2008.
- 2. D.C Dutta "The Textbook of Obstetrics" Jaypee Publications, 2009.
- 3. Cartet S.et.al.K (2004) An Integrated Approach Of Nursing Times 91 Page no:6-10
- 4. Myles "The Textbook of Midwifery" Bhanot publications, 2002
- 5. Lisa Arai "The Textbook of Maternal Nursing" Elsevier publications, 2010
- 6. Downie R.S.et.al (2007) Health promotion MODELS And Values , Oxford, University
- 7. Philip Baker "The Textbook of Obstetrics" Jaypee publications 2012

Journals

- 8. 1.Allen.j (2005) Family planning provision in the trend heath region: The journal of coping abilities Page no(13-15)
- 9. Ettinger, J.M.ed (2008) Stress and coping abilities, National occupational information committee. (ED 345 047)
- 10. Rajasree, G., Johnson, W.M.S., Kavimani, M., "Morphology and morphometric analysis of human foetal liver related with gestational age of the foetus in South India population", Research Journal of Pharmaceutical, Biological and Chemical Sciences, v-6, i-4, pp:1398-1402, 2015
- 11. Nagarajan, A., Masthan, M.K., Sankar, L.S., Narayanasamy, A.B., Elumalai, R., "Oral manifestations of vitiligo", Indian Journal of Dermatology, v-60, i-1, pp:103-, 2015.
- 12. Balachander, N., Masthan, K.M.K., Babu, N.A., Anbazhagan, V., "Myoepithelial cells in pathology", Journal of Pharmacy and Bioallied Sciences, v-7, i-, pp:190-193, 2015
- 13. Rajendran, D., Karthikeyan, T., Johnson, W.M.S., Kavimani, M., Manikanta Reddy, V., "Morphology and morphometry of placenta", Research Journal of Pharmaceutical, Biological and Chemical Sciences, v-6, i-3, pp:502-505, 2015.
- 14. Gireeshan, M.G., Vasuki, R., Krishnakumar, T., "Smart system for constant flow of electricity from jumbo urine", International Journal of Pharmacy and Technology, v-7, i-1, pp:8490-8492, 2015