

(An ISO 3297: 2007 Certified Organization)

Vol. 5, Issue 6, June 2016

SMC-PID for Electromechanical Plant

Pallavi Shevale

Student, Department of Electrical Engineering, G. H. Raisoni Institute of Engineering and Technology, Pune, Savitribai

Phule Pune University, Pune, India

ABSTRACT: Sliding mode control (SMC) has excellent robustness to model uncertainties and disturbances. This would make SMC an ideal scheme for process control applications where model uncertainties and disturbances are common. The existing SMC, however, has the major drawback of control chattering; i.e., the controller output is a discontinuous high-frequency switching signal. This makes SMC not suitable for most chemical processes where the manipulated variables are continuous and where high-frequency changes are not permitted. To eliminate chattering, a new proportional-integral-derivative (PID)-based sliding mode control (PIDSMC) suitable for the nonlinear process is proposed here. The proposed control system consists of three components: a compensation of process nonlinearity, a linear feedback of state tracking errors, and a PID control of the sliding surface function. The chattering is eliminated via the replacement of the discontinuous switching in the SMC by a continuous input determined by a PID scheme. An adaptive strategy is proposed to tune the PID parameters online to control the process states onto a sliding surface that characterizes the closed-loop performance.

KEYWORDS: Sliding mode control; PID sliding surface; Nonlinear control.

1. INTRODUCTION

It is well known that physical systems are nonlinear in nature. The control of these systems which have the characteristics of parameter inaccuracy (structured uncertainty), neglected dynamics (unstructured uncertainty) as well as time varying has been a serious challenge to the control community .Nonlinear control design methods such as feedback linearization and sliding mode control have been proved sound and successful in control problems . Sliding mode control (SMC), first proposed in the early 1950s, has been proved to be able to tackle system uncertainties and external disturbances with good robustness. The dynamic performance of the system under the SMC method can be shaped according to the system specification by an appropriate choice of switching function. Robustness is the best advantage of a sliding mode control and systematic design procedures for sliding mode controllers are well known and available in the literature. Basically, there are two main advantages of the SMC method: i) the dynamic behaviour of the system may be tailored by the particular choice of switching functions and ii) the closed-loop response becomes totally insensitive to a particular class of uncertainty. In addition, the ability to specify performance directly makes sliding mode control attractive from the design perspective. Moreover, for the class of systems to which it applies, sliding mode control design provides a systematic approach to the problem of maintaining stability and consistent performance in the phase of modelingimprecisions. Furthermore, by allowing the tradeoffs between modeling and performance to be quantified in a simple fashion, it can illuminate the whole design process. Finally, it offers the potential of simplify ing higher-level programming, by accepting reduced information about task and system.

A key step in the design of sliding mode controllers is to introduce a proper sliding surface so that tracking errors and output deviations can be reduced to a satisfactory level. Unfortunately, an ideal sliding mode controller has a discontinuous switching function and it is assumed that the control signal can be switched from one value to another infinitely fast . In practical systems, however, it is impossible to achieve infinitely fast switching control because of finite time delays for the control computation and limitations of physical actuators . Due to imperfect switching in practice it raises the issue of chattering. The chattering, which is highly undesirable, appears as a high-frequency oscillation near the desired equilibrium point and may excite the unmodelled high frequency dynamics of the system . Instead of a discontinuous switching function, continuous functions have been used to avoid the chattering of the control and to achieve the exponential stability such as saturation functions, sigmoid functions, relay functions,



(An ISO 3297: 2007 Certified Organization)

Vol. 5, Issue 6, June 2016

hyperbolic functions, and hysteresis-saturation functions. An ultimate roundedness of the error within some predetermined boundary layer is considered in these continuous functions. Some other studies have also been used to overcome chattering phenomena such as use of a first-order low-pass filter between the controller and the plant Sliding mode control has been widely studied in recent years and has started to play an important role in the application of control theory to practical problems. It has been successfully applied to underwater vehicles, automotive transmissions and engines, and power systems, induction motor, robots, electric drives, human neuromuscular process, and elevator velocity. Sliding mode control has also been applied to dc motors using simulations. In this paper, a real application is performed such that a sliding mode controller is designed using a PID sliding surface for the speed control of an electromechanical plant, a dc motor connected to a load via a shaft. The feasibility and effectiveness of the proposed sliding mode controller is experimentally demonstrated and the system is controlled using a computer. The results obtained from the present study are compared with the traditional PID control in dynamic responses of the closed-loop control system.

II. DESCRIPTION OF ELECTROMECHANICAL PLANT

The electromechanical plant to implement theoretical results, a dc motor connected to a load via a shaft, is shown in Fig.1, since the dc motors, as components of electromechanical systems, have been widely used in several industrial applications as actuating elements to follow a predetermined speed or position trajectory under load for their advantages of easy speed and position control and wide adjustability range. Consequently, examination of dc motor behaviour constitutes a useful effort for analysis and control of many practical applications. The electrical and mechanical equations for the electromechanical plant, shown in Fig. 3.1, consisting of a dc motor connected to a load via a long shaft can be given as:

$$V_{a}(t) = L_{a} \frac{d}{dt} i_{a}(t) + R_{a} i_{a}(t) + K_{m} \omega_{m}(t)$$
⁽¹⁾

$$J_{m}\left(\frac{d\omega_{m}(t)}{dt}\right) = T_{m}(t) - T_{s}(t) - R_{m}\omega_{m}(t) - T_{f}(\omega_{m})$$
(2)

$$J_{L}\left(\frac{d\omega_{L}(t)}{dt}\right) = T_{s}(t) - R_{L}\omega_{L}(t) - T_{d}(t) - T_{f}(\omega_{L})$$
(3)

$$T_{s}(t) = k_{s}(\theta_{m}(t) - \theta_{L}(t)) + B_{s}(\omega_{m}(t) - \omega_{L}(t))$$
(4)

$$\frac{d\theta_{m}(t)}{dt} = \omega_{m}(t)$$
$$\frac{d\theta_{L}(t)}{dt} = \omega_{L}(t)$$

where Va is the motor armature voltage, Ra and La are the armature coil resistance and inductance respectively, ia is the armature current, Km is the torque coefficient, Tm is the generated motor torque, ω m and ω L are the rotational speeds of the motor, Jm and JL



(An ISO 3297: 2007 Certified Organization)

Vol. 5, Issue 6, June 2016



Fig.1 Diagram of the electromechanical plant.

are the moments of inertia, Rm and RL are the coefficients of viscous friction, Td is the external load disturbance, Tf is the nonlinear friction, and Ts is the transmitted shaft torque, t is the time. Model of the nonlinear friction Tf can be obtained by considering an asymmetrical characteristic as,

$$T_{f} = (\alpha_{0} + \alpha_{1}e^{-\alpha|\omega|})sgn1(\omega) + (\alpha_{3} + \alpha_{4}e^{-\alpha_{5}|\omega|})$$
(5)

Where α_i are positive constant, $\alpha_i > 0$, $i = 0, \dots, 5, \alpha_0 \neq \alpha_3, \alpha_1 \neq \alpha_4, \alpha_2 \neq \alpha_3$.

There are several parameters in the plant model, Eq. (1) to Eq. (5) such that it is experimentally difficult to define all these parameters individually. To simplify the modelling process, model of the electromechanical plant can be approximated using a second-order model including disturbances and uncertainties as,

$$\dot{\omega_m}(t) = -(A_n \pm \Delta A)\dot{\omega_m}(t) - (B_n \pm \Delta B)\omega_m(t) + (C \pm \Delta C)V_a(t) + f(t)$$
(6)

where A_n , B_n and C_n are the nominal known system parameters, ΔA , ΔB and ΔC are the model uncertainties introduced by plant parameters, nonlinear friction, and unmodelled dynamics, and f(t) presents external disturbance.

III. SLIDING MODE CONTROL

The study of sliding mode control has gainedpopularity in recent years as a methodology forcontrolling nonlinear systems with modeling uncertainties and external disturbances. It isknown that the crucial and the most important stepof SMC design is the construction of the sliding surface s(t) which is expected to response desired control specifications and performance. The trajectories are enforced to lie on the sliding surfaces.Let the tracking error in a closed-loop control systemBe e(t), then a sliding proportional + integral + derivative (PID) surface in the space of error canbe defined as

$$s(t) = k_1 e(t) + k_2 \int_0^t e(\tau) \, d\tau + k_3 \frac{de(t)}{dt}$$
(7)

where the coefficients k1 ,k2 ,k3 are strictly positive constants, k1 ,k2 ,k3 \in R. If the initial errore(0)=0, then the tracking problem can be considered as the error remaining on the sliding surfaces(t)=0 for all t \geq 0. If the system trajectory has reached the sliding surface s(t)=0, it remains on it while sliding into the origin e(t)=0, e⁻(t)=0 as shown in Fig. 2. The purpose of sliding mode controllaw is to force error e(t)= to approach the sliding surface and then move along the sliding surface to the origin. Therefore it is required that the

sliding surface is stableThe error will die out asymptotically. Thisimplies that the system dynamics will track the desired trajectory asymptotically.

The control objective is to determine a controlU(t) such that the closed-loop system will follow the desired trajectory, that is, the tracking errore(t) should converge to zero.



(An ISO 3297: 2007 Certified Organization)

Vol. 5, Issue 6, June 2016



Fig. 2 Graphical interpretation of Sliding Mode Control

The process of sliding mode control can be divided into two phases, that is, the sliding phase with s(t)=0, s'(t)=0, and the reaching phase with $s(t)\neq 0$. Corresponding to

two phases, two types of control law can be derived separately. Conceptually, in sliding

mode the equivalent control is described when the trajectory is near s(t)=0, while the hitting control is determined in the case of s(t) \neq 0.

(8)

)

The derivative of the sliding surface defined byEq. (7) can be given as

$$\dot{s}(t) = k_1 \dot{e}(t) + k_2 e(t) + k_3 \ddot{e}(t)$$

A necessary condition for the output trajectory to remain on the sliding surface s(t) is s(t) = 0

$$k_1 \dot{e}(t) + k_2 e(t) + k_3 \ddot{e}(t) = 0$$
(9)

If the control gains k1, k2, and k3 are properly

chosen such that the characteristic polynomial inEq. (9) is strictly Hurwitz, that is, a polynomial whose roots lie strictly in the open left half of the complex plane, it implies that $\lim_{t\to\infty} e(t) = 0$ meaning that the closed-loop system is globally asymptotically stable.

The error e(t) can be defined in terms of physical plant parameters as

$$e(t) = \omega_r(t) - \omega_m(t) \tag{10}$$

where $\omega_r(t)$ is the command signal and $\omega_m(t)$ is the measured output signal. The second derivative of the error e(t) is

$$\ddot{\mathbf{e}}(\mathbf{t}) = \ddot{\mathbf{\omega}}_{\mathbf{r}}(\mathbf{t}) - \ddot{\mathbf{\omega}}_{\mathbf{m}}(\mathbf{t}) \tag{11}$$

If Eqs. (6) and (11) are substituted into Eq. (9) using the nominal plant parameters where $\Delta A=0, \Delta B=0, \Delta C=0$, and F=0, then Eq. (8)becomes

$$k_1 \dot{e}(t) + k_2 e(t) + k_3 [\ddot{\omega}_r(t) + A\dot{\omega}_m(t) + B\omega_m(t) - Cu(t)] = 0$$
(12)

The equivalent control $u_{eq}(t)$, first mentioned byUtkin, is obtained as the solution of the problem s(t) = 0 which leads to

Copyright to IJIRSET

DOI:10.15680/IJIRSET.2016.0506310

11898

International Journal of Innovative Research in Science, Engineering and Technology

(An ISO 3297: 2007 Certified Organization)

Vol. 5, Issue 6, June 2016

 $u_{eq}(t) = (k_3 C)^{-1} [k_1 \dot{e}(t) + k_2 e(t) +$ $k_3\ddot{\omega}_r(t) + k_3A\dot{\omega}_m(t) + k_3B\omega_m(t)$

If the initial output trajectory is not on the slidingsurface s(t), or there is a deviation of the representativepoint from s(t) due to parameter variations and/or disturbances, the controller must be designed such that it can drive the output trajectory to the sliding mode s(t)=0. The output trajectory, under the condition that it will move toward and reach the sliding surface, is said to be on thereaching phase. For this purpose, the Lyapunovfunction can be chosen as

$$V(t) = \frac{1}{2}S^{2}(t)$$
(14)

with V(0)=0 and V(t) > 0 for s(t) \neq 0. A sufficient condition to guarantee that the trajectory of theerror will translate from reaching phase to slidingphase is to select the control strategy, also knownas the reaching condition

$$\dot{V}(t) = s(t)\dot{s}(t) < 0$$
 , $S(t)\neq 0$

To satisfy the reaching condition, the equivalent control $u_{eq}(t)$ given in Eq. (13) is augmented by a hitting control term $u_{sw}(t)$ to be determined. Consider the system given by Eq. (6) with uncertainties and disturbances and the sliding mode controlleris designed such that

The argument "t" is omitted in the rest of thissection for simplicity. To obtain the hitting controlsignal
$$u_{sw}$$
, Eq. (15) is rewritten to cover uncertainties

and disturbances as

 $u(t) = u_{eq}(t) + u_{sw}(t)$

 $s\dot{s} = s(k_1\dot{e} + k_2e + k_3\ddot{e})$ $s\dot{s} = s\{k_1\dot{e} + k_2e + k_3A\dot{\omega}_rk_3\Delta A\dot{\omega}_m + k_3B\omega_m + k_3\Delta B\omega_m + k_3F - sk_3(C + \Delta C) \times [(k_3C)^{-1}(k_1\dot{e} + k_2e + k_3\ddot{\omega}_r + k_3\Delta B\omega_m + k_3\Delta B\omega_m + k_3\Delta B\omega_m + k_3F - sk_3(C + \Delta C) \times [(k_3C)^{-1}(k_1\dot{e} + k_2e + k_3\dot{\omega}_r + k_3\Delta B\omega_m + k_3\Delta B\omega_m + k_3\Delta B\omega_m + k_3A\omega_m + k_3\omega_m + k_3\omega_m$

Simplifying above eq.

 $k_3 A\dot{\omega}_m + k_3 B\omega_m) + u_{sw}]$

To ensure Eq. (18) is less than zero, the hitting control should be selected as

$$u_{sw} = sgn(s)[k_3(c + \Delta C)]^{-1}[X_1|\dot{\omega}_m| + X_2|\omega_m| + k_3|F| + X_3|\dot{e}| + k_2|e| + k_3|\ddot{\omega}_r|)]$$
(19)

Obviously, substituting Eq. (19)into Eq. (18)

we can find that $\dot{V}(t) < 0$, i.e., the hitting controlactually achieves a stable sliding mode controlsystem. However, a serious problem in Eq.(19) is that the hitting control is large for most of cases . Furthermore, the sign of U_{sw} is changedwhile the trajectories cross the sliding surface sothat a heavily chattering phenomenon arises, andthis large hitting control causes high-frequencyunmodeleddynamics . In practical applications, the presence of the sign function in thecontrol law generates strong communications, which could hurt seriously the actuator and thedirect application on the system of such a controlis not convenient. Therefore minimizing the hittingcontrol should be considered in implementations. In addition, knowledge of the bounds of each uncertainty, ΔA , ΔB , and ΔC , and externalload disturbance, nonlinear friction, and unmodeled dynamics, F(t) in the model is needed.



(15)

(13)

(16)

(An ISO 3297: 2007 Certified Organization)

Vol. 5, Issue 6, June 2016

This isnot always possible in practical applications, especially for complex and open-loop unstable control systems .

The continuous sliding mode control has beenselected commonly in SMC problems to avoid chattering of the control force and to achieve the exponential stability. A thin boundary layercan be introduced around the sliding surface for the hitting control to be

$$u_{sw} = ksat\left(\frac{s}{\Omega}\right)$$
(20)

where k and Ω are positive constants.

The system robustnessis a function of the width of the boundary layer. A variation of the above hitting control is touse a hyperbolic tangent function instead of a saturation function to improve the hitting control effortand it is given as

$$u_{sw} = ktanh\left(\frac{s}{\Omega}\right)$$

(21)

IV. EXPERIMENTAL SET-UP AND PRELIMINARIES

Control diagram of the experimental set-up is shown in Fig. 3



Fig. 3 Experimental Diagram of Sliding Mode control

such that the plant, a dc motor connected to a load via a long shaft, is used in experiments, ω_r is the command signal, ω_L is the output measured shaft speed in radians per second and u is the controlinput (or armature voltage). A computer (Pentium IV, 2.8 GHz inspeed, 1.24 GB RAM) is used to implement the proposed second order sliding mode controller. Output shaft speed is measured from an optical sensor (as rev/sec) and a tacho generator (as volts)connected to the motor shaft. The slotted opto-sensor consists of a gallium-arsenide infra-red L.E.D and a silicon photo transistor mounted in a special plastic case which is transparent to light of the wavelength. A series of pulses is generated when the slotted disk, which is mounted on the motor shaft, is rotated. When

the shaft of the dc motor is turned, a voltage is induced at the tacho generator terminals and it is directly proportional to the shaftspeed. The dc motor operates with a maximum output shaft speed of 2400 rpm. The motor also drives a shaft that carries disks thatoperate various transducers, and a tachogenerator. A low passfilter, with a corner frequency of 250 rad/s, is used to filter theoutput speed signal from high frequency noise components. Speed

of the dc motor corresponding to the different input armature voltages is measured to obtain the tacho generator characteristics. It is determined that the tachogenerator has linear characteristics and gain of the tacho generator is calculated as 2.15 V/rad/s. Adata acquisition card (DAQ-Advantech, Model: PCI-1716, 250 kHzin speed and 0.03% of accuracy, 16 bit) is used to communicate between the plant and the computer. Operating range of the cardis 10 V for input data and control outputs. Control input is themotor armature voltage that is limited to be minimum of -10 Vand maximum of +10 V. The proposed second-order sliding mode controller is implemented in Simulink of Matlab software.

The produced control input (armature voltage) is sent to the power amplifier. The sampling period is taken to be 3 ms for all

ISSN(Online): 2319-8753 ISSN (Print): 2347-6710





(An ISO 3297: 2007 Certified Organization)

Vol. 5, Issue 6, June 2016

experimental tests. It is known that mathematical model of a plant based on physicallaws describes dynamic behaviors. However, parameters in themathematical model of a plant cannot be obtained precisely.

Therefore, as a preliminary work, the present plant should betested to calculate nominal plant parameters, An, Bn and Cn. Thisprocess is needed before the closed-loop operation is allowed.First-order plus dead-time model is one of the effective modeltypes to approximate real plants, if the open-loop response to anapplied deterministic signal does not possess any overshoot. The approximate plant model in transfer function form, based on the process reaction curve method, can be given

$$G(s) \cong \frac{Ke^{-T_d s}}{T_s + 1} \cong \frac{K}{(1 + T_d s)(1 + T_s)}$$
(22)

where K, Td and T are the steady-state gain, time delay andtime constant, respectively. These should be obtained using the experimental test results.

V. EXPERIMENTAL RESULTS

Some experimental results are provided here todemonstrate the effectiveness of the proposed slidingmode controller. The speed responses and theassociated control efforts for the proposed controllerand conventional PID controller for a stepcommand (0–1500-rpm speed change) are illustrated in Fig 4. The performance of the proposed sliding mode controller ismuch better than that achieved by the conventional PID control such that no overshoot, smaller rise time, and smaller settling time in magnitudewere obtained from the proposed controller.



Fig. 4 Responses to a step command speed change(0-1500-rpm speed change)

To test the tracking of the system, a square wavecommand trajectory that corresponds to 1500±53.34 rpm is applied to the system and theOn the other hand, conventional PID controller did not meet the needs of precise control, since these resulted in large overshoots and settlingtimes in magnitude. The variations of the control efforts were shown in Fig. 6 such that thesliding mode control effort is smaller in magnituderesponses are shown in Figs. 5-6, for the sliding mode PID controller, respectively.



Fig. 5 command tracking with the sliding mode control



(An ISO 3297: 2007 Certified Organization)

Vol. 5, Issue 6, June 2016



Fig. 6 Command tracking with PID controller

These figures confirm the fact that the system with the sliding mode controller has a better tracking performance than the system with PID controller.

VI. CONCLUSION

In this study, a sliding mode control with PID sliding surface has been adopted to control the speed of a computer-controlled electromechanical plant while the nominal system is assumed to be known. An approximated second-order plant model is used in the present design, since many of the industrial plants can be modeled using a second-order model. The practical application is associated with the sliding mode controller as a computational-intelligence approach to the engineeringproblems. Experimental application was carried out to test the effectiveness of the presentsliding mode controller. From the experimental results proposed sliding mode controller is moresuitable to be applied to control the dc motorspeed due to the uncertain handling capabilities and disturbance rejection of the SMC designmethod. In order to avoid the chattering phenomena, a hyperbolic function has been used. The proposed controller ensures the invariance propertyagainst parameter uncertainties, compared withtraditional PID controller, without sacrificing thetracking accuracy. The closed-loop system is in the sliding mode at all times and the tracking errorconverges to zero exponentially under the existence parameter uncertainties and disturbances. The closed-loop system has been shown to beglobally exponentially stable in the sense of Lyapunov theorem.

The control performance of theelectromechanical plant was significantly improved with the present sliding mode controllercompared with the conventional PID control. Experimental results also confirm the fact that thesliding mode controllers are reasonable candidates to use in industrial applications and these can beconsidered to be an alternative to usual PID controllers, since it is simple to use and easy to understand with its straightforward solution algorithm, and the computational task is not a problem many more because of high-speed computers and applications tools to use in industrial applications.

REFERENCES

- YuryStepanenko, Yong Cao and Chun-Yi- Su, "Variable Structure Control of Robotic manipulator with PID Sliding Surfaces" International Journal of Robust and Nonlinear control, vol. 8, 79-90 (1998)
- [2]. Mingzhong Li, Fuli Wang and FurongGao "PID- Based Sliding Mode Controller for Nonlinear Processs," Ind. Eng. Chen. Res.2001, 40,2660-2667.
- [3]. Vicente Parra- Vega, SuguruArimoto Yun- Hui Liu Gerhard Hirzinger and Prasad Akella, "Dynamic sliding PID controller for Tracking of Robot Manipulators: Theory and Experiments," *IEEE Transaction on Robotics and Automation, vol. 19, No. 6, December 2003.*
- [4]. İlyasEker, "Sliding mode control with PID sliding surface and experimental application to an electromechanical plant", vol. 45, no. 1, January 2006.
- [5]. Ibrahim Kaya, "Performance improvement of unsymmetrical processes using sliding mode control approach," Energy Conversion and management 49 (2008) 101-106.
- [6]. Ibrahim Kaya, "Sliding Mode Control of stable process," Ind. Eng. Chem. Res. 2007, 46, 571-578.
- [7]. T. C. Kuo, Y. J. Huang Y. R. Wu and C. Y Chen, "Robust PID control with Sliding Mode and Adaptive Rules for Uncertain Systems", IMECS 2008. 19-21 March, 2008, Hong Kong.
- [8]. Oscar Camacho, Carlos A. Smith, "Sliding Mode Control : An Approach To Regulate Nonlinear Chemical Processes".
- [9]. İlyasEker, "Second order sliding mode control with experimental application" ISA Transaction 49 (2010) 394-405



(An ISO 3297: 2007 Certified Organization)

Vol. 5, Issue 6, June 2016

- [10]. Murat Furat and İlyasEker, "Experimental evaluation of Sliding- Mode Control Techniques" 27(1), pp. 23-37, June 2012
- [11]. Mehdi Naderi, Mohammad Reza Faieghi, "Neural Comments ob Sliding-order sliding mode control with experimental application," ISA Transaction 51 (2012) 861-862
- [12]. Murat Furat and İlyasEker, "Second-order integral sliding-mode control with experimental appliacation", ISA Transaction 53(2014) 1661-1669.