

Patient Monitoring and Medicine Scheduling Using Arm

Prof.S.S Turakne¹, Magar Tejal B.², Bidgar Vijeshri S.³, .Kute Dipak S.⁴

Assistance Professor, Department of E&TC Pravara Rural Engg. College Loni, Tal-Rahata, Dist-Ahmednagar,
Maharashtra, India¹

BE Student Department of E&TC Pravara Rural Engg. College Loni, Tal-Rahata, Dist-Ahmednagar,
Maharashtra, India²

BE Student Department of E&TC Pravara Rural Engg. College Loni, Tal-Rahata, Dist-Ahmednagar,
Maharashtra, India³

BE Student Department of E&TC Pravara Rural Engg. College Loni, Tal-Rahata, Dist- Ahmednagar,
Maharashtra, India⁴

ABSTRACT: When all is said in done, the vast majority of the patients neglect to take the proper endorsed prescription at the required time. There are events when patients recollect taking prescriptions at the stipulated time yet overlooking which pill must be taken at that specific time. This has a major issue as it influences the measurement quantum required for the patient that outcomes in not yielding the correct recuperation result. It is troublesome for specialists/paramedics/attenders to screen patients round the clock. To keep away from these issues, we have actualized this patient drug update framework. This venture the propelled framework which enhances therapeutic process jump at the chance to identify the body temperature utilizing Im 35, to recognize the low saline dripper utilizing photograph electric sensor and programmed meds to the patients by utilizing plate working system utilizing dc adapt engine .along these lines we can beat this issue.

KEYWORDS: Relay, DC Motor, LM 35 Sensor, LDR Sensor.

I.INTRODUCTION

The progress in medical technologies is one of the main contributions for the aging population. Most of the elders have the chronic diseases. Medication safety for the elderly is very important. In big hospitals number of patients is under treatment under the same physician. It is very difficult for the same physician to pay attention towards all of them. To make the work simple and easier, the patient monitoring helps to monitor the health of the patient. The parameters in the patient monitoring are the ECG, saline monitoring, pulse rate monitoring, sweat monitoring, etc. In medicine scheduling monitoring, it helps to schedule the medicines of the patient. In patient monitoring we have some parameter which helps the physician to monitor the condition of the patient. The most commonly encountered situations of drug abusing are excessive drug usage and disobeying the medication instructions. Incorrect drug usage will cause side effects or loss of efficiency. The worst case may harm body organs or even fatal. However, the degrading memory and cognition cause the elders hard to prevent these problems. The elders need some supports for them to take the drugs correctly. This project helps to overcome this problem. This system helps to monitoring the patient and also helps to schedule the medicine of the patient. Now a day everywhere automation has been done. so there is a need of automation in hospitals also.

International Journal of Innovative Research in Science, Engineering and Technology

(An ISO 3297: 2007 Certified Organization)

Website: www.ijirset.com

Vol. 6, Issue 4, April 2017

II. AIM OF WORK

Most of the patients forget to take the appropriate prescribed medication at the required time. Also it is very difficult to monitor the health of the patient by a single Physician. So this project make easy to the doctors to monitor the health of the patient by this project. In patient monitoring ECG monitoring, saline monitoring, pulse rate monitoring, sweat monitoring are the parameters. There are occasions when patients remember to take medicines at the stipulated time but forget which pill has to be taken at that particular time. This possesses a big problem as it affects the dosage quantum required for the patient that results in not yielding the right recovery result. It is difficult for doctors/paramedics/attenders to monitor patients round the clock. In order to avoid these problems, we have implemented this patient medicine reminder system. This project the advanced system which improves medical process like to detect the body temperature using Im 35, to detect the low saline dripper using photo electric sensor and automatic medicines to the patients by using tray operating mechanism using dc gear motor. Using ARM7 we have implemented the system which is used to monitor and schedule medicine of the patient.

III. LITERATURE REVIEW

The same are different, the most well-known reason. We can watch the most common reason are that attendant/ward kid is locked in with the another patient, since that the Patient are not getting pharmaceutical on calendar time. [3]The non-watching the planned of medicine has terrible effect on recuperation of patient. Subsequently we chose to discover answer for this problem through venture of programmed medication scheduler.[1] Automatic drug scheduler is a creative here for utilize extend, in which a straightforward siren framework utilizing commonly available microcontroller and other IC's exhibited in healing centre, shops and houses. While dealing with venture before booking in segments, issue of a huge time was slip by between circuits was emerges. To shoot out this inconvenience we take the inconvenience to perused the article; the data is frequently given in an extremely consolidated form. We attempted to get most imperative call attention to of the decoding of the circuit, regardless of the possibility that we don't understand precisely what should happen. [8]At last our venture of programmed medicines scheduler is tried as working legitimately with no inconvenience, then we take extend lest in healing centre and it was discovered working appropriately and was acknowledged as new upset in the history utilization of electronic in therapeutic field. In biomedical fields uncommon units are used, say prescription scheduler. These units are intended to over the upside of the low Nurse - quiet proportion. [6]Hence we chose to discover answer for this issue through venture of programmed solution scheduler alongside we have taken 2 bio-medicinal transducers and the relative parameters say body temperature, low saline dripper. In the first place and foremost, No computerization could have been worked to consummation without a solid hang on the ARM7 Used. The vast majority of the fundamental, transitional, and propelled writing about the ARM7 was found in the book "hand book of configuration, assembling and computerization" by Richardsc. Do_, Andrew Kodiaks. His definite clarification of each point made it conceivable to overcome numerous issues which were experienced amid outline and implementation.[2]The book additionally gave a software engineer to the ARM7 which was an essential instrument helping me explore different avenues regarding calculations as opposed to indiscriminately duplicate code from the net.[7] The next asset for the ARM7 was the prologue to ARM7 (3111 release) by-Garry Dunning, which gives a nitty gritty clarification of every single equipment highlight?


International Journal of Innovative Research in Science, Engineering and Technology

(An ISO 3297: 2007 Certified Organization)

Website: www.ijirset.com

Vol. 6, Issue 4, April 2017

IV .PROPOSED SYSTEM



In the above square graph comprise of an ARM7 uc. IR sensor is utilized for the saline monitoring purpose which distinguishes the level of saline water? Dampness distinguishing sensor is used for identifying the body sweat. There is LED additionally present to demonstrate whether sweat is shown or not. RTC is given for the continuous application. Keypad is taken for the information reason. LCD Display is additionally present. Speaker is given for the notice reason. With the goal that patient can recognize which medication has been lapsed. So it will be more helpful to utilize. ECG sensor is additionally present for the patient checking reason. Beat rate detector is given for recognizing or screen the beat rate of the patient.

MICROCONTROLLER UNIT:

When all is said and done, the vast majority of the patients neglect to take the proper endorsed prescription at the required time. There are events when patients recollect taking prescriptions at the stipulated time yet overlooking which pill must be taken at that specific time. This has a major issue as it influences the measurement quantum required for the patient that outcomes in not yielding the correct recuperation result. It is troublesome for specialists/paramedics/attenders to screen patients round the clock. To keep away from these issues, we have actualized this patient drug update framework. This venture propelled framework which enhances therapeutic process jump at the chance to identify the body temperature utilizing LM35, to recognize the low saline dripper utilizing photograph electric sensor and programmed meds to the patients by utilizing plate working system utilizing dc adapt engine. Along these lines we can beat this issue.

- The standard 32-bit ARM set.
- A 16-bit Thumb set.

Liquid Crystal Display:

LCD is utilized as a part of a venture to envision the yield of the application. We have utilized 16x2 LCD which demonstrates 16 sections and 2 lines. In this way, we can compose 16 characters in each line. In this way, add up to 32 characters we can show on 16x2 LCD. Architecture of GSM. GSM system is made out of a few useful substances,

International Journal of Innovative Research in Science, Engineering and Technology

(An ISO 3297: 2007 Certified Organization)

Website: www.ijirset.com

Vol. 6, Issue 4, April 2017

whose capacities and interfaces are indicated. Figure 1 demonstrates the design of a nonexclusive GSM arrangement. The GSM system can be partitioned into three wide parts. The Mobile Station is conveyed by the endorser; the Base Station Subsystem controls the radio connection with the Mobile Station. The Network Subsystem, the primary piece of which is the Mobile administrations Switching Centre, plays out the exchanging of calls between the versatile and other settled or portable system clients, and also portability administration. Not indicated is the Operations and Maintenance Centre, which supervises the best possible operation and setup of the system. The Mobile Station and the Base Station Subsystem convey over the Um interface, otherwise called the air interface or radio connection. The Base Station Subsystem speaks with the Mobile administrations Switching Centre over the Interface




Fig 3.1 Architecture of GSM [4]

DCMOTORS:

DC engines are utilized to physically drive the application according to the prerequisite gave in programming. The dc engine takes a shot at 12v. To drive a dc engine, we require a dc engine driver called L293D. This dc engine driver is fit for driving 2 dc engines at once. With a specific end goal to shield the dc engine from a back EMF created by the dc engine while altering the course of pivot, the dc engine driver have an inward security suit. We can likewise give the back EMF assurance suit by interfacing 4 diode arrangements over every dc engine.

III. Points of interest:-

- 1) Real time application
- 2) Time sparing.
- 3) To spare the patient's life.
- 4) Less time delays.
- 5) Quick reaction time.
- 6) Fully robotize framework.
- 7) Robust framework.
- 8) Low power prerequisite.

VI.FUTURE ENHANCEMENTS

Multiple parameters like Blood pressure, ECG monitoring, saline monitoring, sweat monitoring can be included as controlling parameters in the future. Specialized embedded Patient monitoring and medicine scheduling system can be developed by reducing size and increasing efficiency.

International Journal of Innovative Research in Science, Engineering and Technology

(An ISO 3297: 2007 Certified Organization)

Website: www.ijirset.com

Vol. 6, Issue 4, April 2017

VII. CONCLUSION

"Patient monitoring and medicine scheduling using ARM " This project is propelled framework which enhances therapeutic procedures get a kick out of the chance to identify the body temperature, to recognize the low saline dripper and programmed prescription to the patient. This framework is exceptionally attractive as a result of its straightforwardness, minimal effort, low power utilization and little size.

Till now our venture of programmed pharmaceutical scheduler is tried as working appropriately with no inconvenience, then we ought to be test extend in healing facility

REFERENCES

- [1]An Android based Medication Reminder System based on OCR using ANN -International Journal of Computer Applications (0975 8887) International Conference on Recent Trends in engineering Technology - 2013(ICRTET'2013).
- [2] Design of Automatic Medication Dispenser -S. Mukund and N.K.Srinath
- [3] Electronic Drug Reminder: A New Innovation in the Domain of Automatic Drug Dispensers- International Journal of Science and Research (IJSR) ISSN (Online): 2319- 7064 Index Copernicus Value (2013): 6.14 | Impact Factor (2013): 4.438
- [4] Robotic Pill Dispenser- IOSR Journal of Pharmacy and Biological Sciences (IOSR-JPBS) e-ISSN: 2278- 3008, p-ISSN: 2319-7676. Volume 9, Issue 4 Ver. V (Jul -Aug. 2014), PP 60-63
- [5] Design of voice based pill ejector system-Sheeba Abraham, G. Hari Krishnan, R.J. Hemalatha, SinduDivakaran and G. Umashankar Department of biomedical engineering, Sathyabamauniversity, chennai-119, India.
- [6] Manufacturing automation management; roger w. Bolls, P.E.
- [7] Introduction to PLC (edition) by- Garry Dunning.
- [8] Automatic manufacturing systems with PLC version 4.2, by Hugh Jack
- [9] Introduction to PLC (edition) by-John Webb