

ISSN(Online): 2319-8753 ISSN (Print): 2347-6710

International Journal of Innovative Research in Science, Engineering and Technology

(A High Impact Factor, Monthly, Peer Reviewed Journal) Visit: <u>www.ijirset.com</u> Vol. 6, Issue 7, July 2017

Comparative analysis on Network Architecture and Types of Attacks

Dr.Vijay Reddy Madireddy

Assistant Professor, Swami Ramananda Tirtha Institute of Science and Technology, Nalgonda, India

ABSTRACT: These days computers are accessible in all spots from home to enormous association where they are undeniably associated with networks. Thus the risk of data security is high though numerous algorithms are arising as per the necessities of different classes of individuals. Still we can see the security threats. The enormous measure of data is gathered from various gadgets, and are put away and worked in strong data habitats. As numerous clients have serious areas of strength for an on unhampered organization foundation and viable conveyance towards an objective so utilizing various way in an organization we can decrease bottleneck in an organization.

KEYWORDS: Network, Personal Area Network (PAN),Local Area Network (LAN)

I. INTRODUCTION

A network is essentially the parts in general (hardware and software) engaged with associating computers across little and huge distances.Networks are utilized to give simple admittance to data, consequently expanding efficiency for users. PC network security danger and network design are consistently difficult issues and are significant. A grounds network is an independent network heavily influenced by a college which is inside a local geographical spot and here and there it very well might be a metropolitan area network.On each day, there are

Around 225 significant frequencies of security break. These security breaks could likewise bring about money related misfortunes of enormous degree. Interest in legitimate security ought to be a need for enormous associations as well as normal users. Computer networks are of many various sorts, for example, Personal Area Network (PAN), Local Area Network (LAN), Metropolitan Area Network (MAN), Campus Area Network (CAN), Storage Area Network (SAN) and Wide Area Network (WAN). LANs are equipped for higher data move inside little geographical area. LAN normally works high velocity data move utilization. CAN has bigger network than LAN. CAN is normally settled in college campus to interface among various structures, computer labs, library, research labs, and different academic units.

II. HIERARCHICAL NETWORK DESIGN

In a hierarchical design, the possible elements, and performance of a specific gadget are upgraded for its spot in the network also, the part that it performs. This energizes scalability and security. The quantity of moves and their related bandwidth particulars increment as they explore variables of get-together or accumulating and climb the construction from passage to accommodation to essential. Highlights are allotted at each layer. Hierarchical design forestalls the requirement for a fully-meshed network in which all system nodes are associated. The building blocks of modular networks are not difficult to duplicate, redesign, and expand. There ought to be compelling reason need to redesign the entire network each time a module is added or eliminated.

Distinct building blocks can be placed in-service and taken outof- service without affecting the remainder of the network. Contrasted with other network designs, a hierarchical network is simpler to manage and expand, and issues are tackled all the more rapidly.



International Journal of Innovative Research in Science, Engineering and Technology

(A High Impact Factor, Monthly, Peer Reviewed Journal) Visit: <u>www.ijirset.com</u> Vol. 6, Issue 7, July 2017



Figure 1: Hierarchical Campus Network Design

Hierarchical network design includes isolating the network into independent layers. Each layer gives explicit capabilities that characterize its job inside the general network. By isolating the different capabilities that exist on a network, the network design becomes modular, which works with scalability and performance.

III. CLASSIFICATION OF ATTACKERS

Hackers: He is an individual who acquires unapproved admittance to data grouped into inside and outside assaults. Cracker: Detects weakness and take advantage over it To foster a protected system we think about the accompanying:

Various Types of Attacks:

1. Attacks on Password

Loose Lipped Systems: When System requests secret key and username to compose in the system acknowledges username before the secret key is composed in where unrevealing the user name.

2. Defending mechanisms

Password selection criteria: Carefully choosing password where one cannot guess so.

One time passwords: On each entrance changes password by giving a capability and the user settles.

Encrypted password File: In any event, when the database is gotten to the passwords cannot be gotten to when it is put away in a encrypted form.

3. Other Attacks

1. **Phishing:**Unsuspecting user submits sensitiveinformation in to a fraud system believing it is atrustworthy one.

2. **Pharming:**Also called as DNS Spoofing. It changes DNSaddress of the original website. Redirects to fakewebsite.

- 3. Packet Sniffing:Hacker observes conversation between 2conversations.
- 4. **Packet Spoofing:**Hacker obverses conversation and also sendsfalse packet with false address.
- 5. Spreading Viruses: Viruses spreads itself through networks and through all Medias.



ISSN(Online): 2319-8753 ISSN (Print): 2347-6710

International Journal of Innovative Research in Science, Engineering and Technology

(A High Impact Factor, Monthly, Peer Reviewed Journal) Visit: <u>www.ijirset.com</u> Vol. 6, Issue 7, July 2017

IV. VARIOUS ALGORITHMS

1. AES (Advanced Encryption Standard)

AES is otherwise called the Rijndael's algorithm, is a symmetric block figure. The fact that DES makes it saw was not secure in light of progression in PC handling power. It encodes data blocks of 128 pieces utilizing symmetric keys. It has a variable key length of 128, 192 or 256 pieces naturally 256 is utilized. AES encodes 128 bit data block into 10, 12 and 14 rounds as indicated by the key size. AES can be executed on different stages, for example, little device encryption of AES is quick and adaptable. AES has been tried for many security applications.

2. Blowfish

It is one of the most open space encryption algorithms. Blowfish was designed in 1993 by Bruce Schneider as a quick option in contrast to existing encryption algorithms. Blowfish is a symmetric key block figure that utilizes a 64 bit block size and variable key length from 32 pieces to 448 pieces. Blowfish has 16 rounds or less. Blowfish is an extremely protected figure and to utilize encryption liberated from licenses and copyrights. No assault is effective against Blowfish, despite the fact that it experiences powerless key issue.

3. Data Encryption Standard (DES)

DES was the consequence of an exploration project set up by International Business Machines (IBM) Organization in the late 1960" s which brought about a cipher known as LUCIFER. DES depends on a cipher known as the Feistel block cipher. It comprises of various roundswhere each round contains bit-shuffling, nonlinear substitutions (S-boxes) and restrictive OR tasks. When a plain-text message is gotten to be scrambled, it is organized into 64 bit blocks expected for input. On the off chance that the number of bits in the message isn't equally distinct by 64, then, at that point, the last block will be cushioned. DES plays out an starting change on the whole 64 bit block of data. It is then, at that point, split into 2, 32 bit sub-blocks, Li and R I which are then passed into 16 rounds.

4. RC6

RC6 is a subordinate of RC5. RC6 is designed by Matt Robshaw, Ron Rivest Ray Sidney and is a symmetric key algorithm that is utilized to assemble the necessities of AES challenge. RC6 was additionally introduced to the CRYPTREC and NESSIE projects. It is protected by RSA Security . RC6 offers great performance in wording of security and similarity. RC6 is a Feistel Organized confidential key algorithm that makes utilize a 128 bit plain text with 20 rounds and a variable Key Length of 128, 192, what's more, 256 bit. As RC6 deals with the guideline of RC that can support a broad scope of key sizes, word lengths what's more, number of rounds, RC6 doesn't contain Sboxes also, same algorithm is utilized in switched for decryption.

V. CONCLUSION

Different attacks on networks and the defencing mechanisms present. Many algorithms have been created as an action to get the system. Network design and its security are nearly all around as significant as air, water, and food. On the off chance that we follow the hierarchical network design, network will be increased, performance and security will be expanded, and the network will be not difficult to maintain. A hierarchical engineering of campus network is arranged with various sorts of traffic burdens and security issues for guaranteeing the nature of service. Every one of the algorithms are valuable in light of the necessity as and when required.

REFERENCES

[1]. Adithya Vuppula, "OPTIMIZATION OF DATA MINING AND THE ROLE OF BIG DATA ANALYTICS IN SDN AND INTRADATA CENTER NETWORKS" International Journal of Scientific Development and Research (JJSDR), Volume 1 Issue 4, April 2016.



International Journal of Innovative Research in Science, Engineering and Technology

(A High Impact Factor, Monthly, Peer Reviewed Journal)

Visit: <u>www.ijirset.com</u>

Vol. 6, Issue 7, July 2017

[2]. Kola Vasista, "ROLE OF A STOCK EXCHANGE IN BUYING AND SELLING SHARES", International Journal of Current Science (IJCSPUB), Volume 12, Issue 1, ISSN: 2250-1770.

[3]. I. Ahmad and K. Pothuganti, "Smart Field Monitoring using ToxTrac: A Cyber-Physical System Approach in Agriculture," International Conference on Smart Electronics and Communication (ICOSEC), pp. 723-727, doi: 10.1109/ICOSEC49089.2020.9215282.

[4]. Satya Nagendra Prasad Poloju, "An Overview on Cloud Computing Technologies", International Journal of Advanced Research in Electrical, Electronics and Instrumentation Engineering, Vol. 4, Issue 10, October 2015.

[5]. Ramana, solleti, "A Two-Level Authentication Protocol for Secure M-Commerce Transactions using AMQP Protocol – Design Engineering, Issue: 6, ISSN Number 0011-9342

URL:http://www.thedesignengineering.com/index.php/DE/article/view/2047

[6]. Peddyreddy. Swathi. A Study On The Restrictions Of Deep Learning. Journal of Artificial Intelligence, Machine Learning and Neural Network (JAIMLNN) ISSN: 2799-1172, 2(02), 57–61. Retrieved from http://journal.hmjournals.com/index.php/JAIMLNN/article/view/444

[7]. Kola Vasista, "TYPES AND RISKS INVOLVED TOWARDS INVESTING IN MUTUAL FUNDS", International Journal of Current Science (IJCSPUB), Volume 12, Issue 1, ISSN: 2250-1770.

[8]. Peddyreddy. Swathi. Industry Applications of Augmented Reality and Virtual Reality. Journal of Environmental Impact and Management Policy(JEIMP) ISSN:2799-113X, 2(02), 7–11. Retrieved from http://journal.hmjournals.com/index.php/JEIMP/article/view/453

[9]. Satya Nagendra Prasad Poloju, "DATA MINING AS A SUPPORT FOR BUSINESS INTELLIGENCE APPLICATIONS TO BIG DATA", International Journal of Creative Research Thoughts (IJCRT), Volume 7, Issue 2.

[10]. S. Ramana, S. C. Ramu, N. Bhaskar, M. V. R. Murthy and C. R. K. Reddy, "A Three-Level Gateway protocol for secure M-Commerce Transactions using Encrypted OTP," International Conference on Applied Artificial Intelligence and Computing (ICAAIC), pp. 1408-1416, doi: 10.1109/ICAAIC53929.2022.9792908.

[11]. K. Pothuganti, B. Sridevi and P. Seshabattar, "IoT and Deep Learning based Smart Greenhouse Disease Prediction," International Conference on Recent Trends on Electronics, Information, Communication & Technology (RTEICT), pp. 793-799, doi: 10.1109/RTEICT52294.2021.9573794.

[12]. Peddyreddy. Swathi. Implications For Research In Artificial Intelligence. Journal of Electronics, Computer Networking and Applied Mathematics(JECNAM) ISSN : 2799-1156, 2(02), 25–28. Retrieved from http://journal.hmjournals.com/index.php/JECNAM/article/view/447

[13]. Adithya Vuppula, "A Study on Minnesota Intrusion Detection System (Minds)" International Journal Of Multidisciplinary Research In Science, Engineering and Technology (IJMRSET), Volume 1, Issue 1, November.

[14]. Kola Vasista, "A REVIEW ON THE VARIOUS OPTIONS AVAILABLE FOR INVESTMENT", International Journal of Creative Research Thoughts (IJCRT), Volume 7, Issue 2, ISSN: 2320-2882.

[15]. Satya Nagendra Prasad Poloju, "BIG DATA ANALYTICS: DATA PRE-PROCESSING, TRANSFORMATION AND CURATION", International Journal of Creative Research Thoughts (IJCRT), Volume 5, Issue 2,2017

[16]. Kola Vasista, "Regulatory Compliance and Supervision of Artificial Intelligence, Machine Learning and Also Possible Effects on Financial Institutions", International Journal of Innovative Research in Computer and Communication Engineering, Volume 9, Issue 6, June .

[17]. K. Pothuganti, B. Sridevi and P. Seshabattar, "IoT and Deep Learning based Smart Greenhouse Disease Prediction," International Conference on Recent Trends on Electronics, Information, Communication & Technology (RTEICT), pp. 793-799, doi: 10.1109/RTEICT52294.2021.9573794.

[18]. Adithya Vuppula, "EFFICIENCY AND SCALABILITY OF DATA MINING ALGORITHMS", International Journal of Scientific Development and Research (IJSDR), Volume 4 Issue 9, September 201.

[19]. Kola Vasista, "Scope for the Usage of Ai and Machine Learning in Portfolio Management and Possible Effects on Consumers and Investors", International Journal of Innovative Research in Science, Engineering and Technology, Vol. 5, Issue 2, February 2016

[20]. Ramana, solleti, A Two-Level Protocol for Secure Transmission of Image using IOT Enabled devices Webology, Volume 18, Issue 5, ISSN Number: 1735-188X

URL: https://www.webology.org/abstract.php?id=2194



ISSN(Online): 2319-8753 ISSN (Print): 2347-6710

International Journal of Innovative Research in Science, Engineering and Technology

(A High Impact Factor, Monthly, Peer Reviewed Journal)

Visit: <u>www.ijirset.com</u>

Vol. 6, Issue 7, July 2017

[21]. Satya Nagendra Prasad Poloju, "Privacy-Preserving Classification of Big Data", International Journal of Advanced Research in Electrical, Electronics and Instrumentation Engineering, Vol. 2, Issue 4, April 2013.
[22]. Adithya Vuppula, "Integrating Data Mining with Cloud using Four Levels of Data Mining Services"

[22]. Adithya Vuppula, "Integrating Data Mining with Cloud using Four Levels of Data Mining Services" International Journal Of Multidisciplinary Research In Science, Engineering and Technology (IJMRSET), ISSN: 2582-7219, Volume 4, Issue 5, May 202.

[23]. Satya Nagendra Prasad Poloju. "Relevant Technologies of Cloud Computing System". International Journal of Engineering Research and Applications, ISSN: 2248-9622, Vol. 4, Issue 4, (Version-3) April 2014, pp. 74-78

[24]. Ramana, solleti, "A Two-Level Authentication Protocol for Secure M-Commerce Transactions using Encrypted OTP– International Journal of Mechanical Engineering, Volume 7, Issue: 3, ISSN Number 0974-5823