

International Journal of Innovative Research in Science, Engineering and Technology

(A High Impact Factor, Monthly, Peer Reviewed Journal)

Visit: www.ijirset.com

Vol. 8, Issue 11, November 2019

A Survey on CDA Document Integration for Health Information in Cloud

Nazir Shaik¹, Dr. Shaik Abdul Subhahan², Dr. K.G.S. Venkatesan³, V.M. Jothiprakash⁴, V. Sandhiya⁵

Research Scholar, Dept. of C.S.E, S.R.K. University, Bhopal, (M.P), India¹

Associate Professor, Dept. of C.S.E, I.S.L Engg. College, (Affil. to JNTUH), Hyderabad, Telangana, India²

Professor, Dept. of C.S.E, Megha Institute Of Engg. & Tech. for Women, (Affil. to JNTUH), Telangana, India³

Asst. Professor, Easwari Engg. College (SRM Group, Affili. to Anna Univ), Chennai, Tamil Nadu, India⁴

Dept. of C.S.E., DhanaLakshmi College of Engg, (Affil to Anna Univ.), Manimangalam, Chennai, India⁵

ABSTRACT: In this paper presents, CDA document generation and integration Open API service supported cloud computing, through that hospitals area unit enabled to handily generate CDA documents while not having to get proprietary code. Our CDA document integration system integrates multiple CDA documents per patient into one CDA document and physicians and patients will browse the clinical knowledge in written account order. Our system of CDA document generation and integration is predicated on cloud computing and also the service is obtainable in Open API. Developers exploitation totally different platforms so will use our system to boost ability.

KEYWORDS: Clinical Document Architecture.

I. INTRODUCTION

Cloud computing is the use of computing resources (hardware and software) that are delivered as a service over a network (typically the Internet). The name comes from the common use of a cloud-shaped symbol as an abstraction for the complex infrastructure it contains in system diagrams. Cloud computing entrusts remote services with a user's data, software and computation. Cloud computing of hardware and software resources made available on the Internet as managed third-party services. These services typically provide access to advanced software applications and high-end networks of server computers. The goal of cloud computing is to apply traditional supercomputing, or high-performance computing power, normally used by military and research facilities, to perform tens of trillions of computations per second, in consumer-oriented applications such as financial portfolios, to deliver personalized information, to provide data storage or to power large, immersive computer games [2].

The cloud computing uses networks of large groups of servers typically running low-cost consumer PC technology with specialized connections to spread data-processing chores across them. This shared IT infrastructure contains large pools of systems that are linked together. Often, virtualization techniques are used to maximize the power of cloud computing.

CHARACTERISTICS AND SERVICES MODELS:

The salient characteristics of cloud computing based on the definitions provided by the National Institute of Standards and Terminology (NIST) are outlined below:

- **On-demand self-service:** A consumer can unilaterally provision computing capabilities, such as server time and network storage, as needed automatically without requiring human interaction with each service's provider.

International Journal of Innovative Research in Science, Engineering and Technology

(A High Impact Factor, Monthly, Peer Reviewed Journal)

Visit: www.ijirset.com

Vol. 8, Issue 11, November 2019

- **Broad network access:** Capabilities are available over the network and accessed through standard mechanisms that promote use by heterogeneous thin or thick client platforms (e.g., mobile phones, laptops, and PDAs).
- **Resource pooling:** The provider's computing resources are pooled to serve multiple consumers using a multi-tenant model, with different physical and virtual resources dynamically assigned and reassigned according to consumer demand. There is a sense of location-independence in that the customer generally has no control or knowledge over the exact location of the provided resources but may be able to specify location at a higher level of abstraction (e.g., country, state, or data center). Examples of resources include storage, processing, memory, network bandwidth, and virtual machines, available for provisioning often appear to be unlimited and can be purchased in any quantity at any time [16].
- **Measured service:** Cloud systems automatically control and optimize resource use by leveraging a metering capability at some level of abstraction appropriate to the type of service (e.g., storage, processing, bandwidth, and active user accounts). Resource usage can be managed, controlled, and reported providing transparency for both the provider and consumer of the utilized service [9].

CHARACTERISTICS OF CLOUD COMPUTING

SERVICE MODELS

Cloud Computing comprises three different service models, namely Infrastructure-as-a-Service (IaaS), Platform-as-a-Service (PaaS), and Software-as-a-Service (SaaS) [3]. The three service models or layer are completed by an end user layer that encapsulates the end user perspective on cloud services. The model is shown in figure below. If a cloud user accesses services on the infrastructure layer, for instance, she can run her own applications on the resources of a cloud infrastructure and remain responsible for the support, maintenance, and security of these applications herself. If she accesses a service on the application layer, these tasks are normally taken care of by the cloud service provider.

1. **Achieve economies of scale** – increase volume output or productivity with fewer people. Your cost per unit, project or product plummets.
2. **Reduce spending on technology infrastructure**– Maintain easy access to your information with minimal upfront spending. Pay as you go (weekly, quarterly or yearly), based on demand.
3. **Globalize your workforce on the cheap**– People worldwide can access the cloud, provided they have an Internet connection.
4. **Streamline processes**– Get more work done in less time with less people.
5. **Reduce capital costs**–There's no need to spend big money on hardware, software or licensing fees.
6. **Improve accessibility**– You have access anytime, anywhere, making your life so much easier!
7. **Monitor projects more effectively**– Stay within budget and ahead of completion cycle times.
8. **Less personnel training is needed**– It takes fewer people to do more work on a cloud, with a minimal learning curve on hardware and software issues.
9. **Minimize licensing new software**– Stretch and grow without the need to buy expensive software licenses or programs.
10. **Improve flexibility**– You can change direction without serious “people” or “financial” issues at stake.

ADVANTAGES

1. **Price:** Pay for only the resources used.
2. **Security:** Cloud instances are isolated in the network from other instances for improved security.
3. **Performance:** Instances can be added instantly for improved performance. Clients have access to the total resources of the Cloud's core hardware.
4. **Scalability:** Auto-deploy cloud instances when needed.
5. **Uptime:** Uses multiple servers for maximum redundancies. In case of server failure, instances can be automatically created on another server.

International Journal of Innovative Research in Science, Engineering and Technology

(A High Impact Factor, Monthly, Peer Reviewed Journal)

Visit: www.ijirset.com

Vol. 8, Issue 11, November 2019

6. **Control:** Able to login from any location. Server snapshot and a software library lets you deploy custom instances.
7. **Traffic:** Deals with spike in traffic with quick deployment of additional instances to handle the load.

II. RELATED WORKS

1. J. Lahteenmaki, J. Leppanen, and H. Kaijanranta, Interoperability of personal health records - The establishment of the Meaningful Use criteria has created a critical need for robust interoperability of health records. A universal definition of a personal health record (PHR) has not been agreed upon. Standardized code sets have been built for specific entities, but integration between them has not been supported. The purpose of this research study was to explore the hindrance and promotion of interoperability standards in relationship to PHRs to describe interoperability progress in this area. The study was conducted following the basic principles of a systematic review, with 69 articles used in the study. Lagging interoperability has stemmed from slow adoption by patients, creation of disparate systems due to rapid development to meet requirements for the Meaningful Use stages, and rapid early development of PHRs prior to the mandate for integration among multiple systems. Findings of this study suggest that deadlines for implementation to capture Meaningful Use incentive payments are supporting the creation of PHR data silos, thereby hindering the goal of high-level interoperability [4].

2. S. Kikuchi, S. Sachdeva, and S. Bhalla, Applying cloud computing model in PHR architecture - In recent years, some practical and commercial Personal Health Records and some related services such as Google Health [1] and Microsoft HealthVault [2] have been launched. On the other hand, Cloud Computing has matured more and become the major streams to realize a more effective operational environment. However so far, there have been few studies in regards to applying Cloud architecture in the PHR explicitly despite generating volume data. In this paper, we review our trial on the general architecture design by applying the Cloud components for supporting healthcare record areas and clarify the required conditions to realize it [6].

3. M. Bellare, Health Information Privacy, Security, and Your EHR - If your patients lack trust in Electronic Health Records (EHRs) and Health Information Exchanges (HIEs), feeling that the confidentiality and accuracy of their electronic health information is at risk, they may not want to disclose health information to you. Withholding their health information could have life-threatening consequences. To reap the promise of digital health information to achieve better health outcomes, smarter spending, and healthier people, providers and individuals alike must trust that an individual's health information is private and secure.

Your practice, not your EHR developer, is responsible for taking the steps needed to protect the confidentiality, integrity, and availability of health information in your EHR system [10].

4. C. Ng and P. Lee. Revdedup, A Secure Anti-Collusion Data Sharing Scheme for Dynamic Groups in the Cloud - Benefited from cloud computing, users can achieve an effective and economical approach for data sharing among group members in the cloud with the characters of low maintenance and little management cost. Meanwhile, we must provide security guarantees for the sharing data files since they are outsourced. Unfortunately, because of the frequent change of the membership, sharing data while providing privacy-preserving is still a challenging issue, especially for an untrusted cloud due to the collusion attack. Moreover, for existing schemes, the security of key distribution is based on the secure communication channel, however, to have such channel is a strong assumption and is difficult for practice. In this paper, we propose a secure data sharing scheme for dynamic members. Firstly, we propose a secure way for key distribution without any secure communication channels, and the users can securely obtain their private keys from group manager. Secondly, our scheme can achieve fine-grained access control, any user in the group can use the source in the cloud and revoked users cannot access the cloud again after they are revoked. Thirdly, we can protect the scheme from collusion attack, which means that revoked users cannot get the original data file even if they conspire with the untrusted cloud. In our approach, by leveraging polynomial function, we can achieve a secure user revocation scheme. Finally, our scheme can achieve fine efficiency, which means previous users need not to update their private keys for the situation either a new user joins in the group or a user is revoked from the group [12].

International Journal of Innovative Research in Science, Engineering and Technology

(A High Impact Factor, Monthly, Peer Reviewed Journal)

Visit: www.ijirset.com

Vol. 8, Issue 11, November 2019

5. P. Lee, and W. Lou, Advance Security To Cloud Data Storage - The proposed system is an effective and flexible distributed Scheme with explicit dynamic data support to ensure the correctness of user's data in the cloud. To fully ensure the data integrity and save the cloud users computation it is of critical importance to enable public auditing service for cloud data storage, so that users may depend on independent third party auditor to audit the outsourced data. The Third party auditor can periodically check the integrity of all the data stored in the cloud .which provides easier way for the users to ensure their storage correctness in the cloud [19].

III. EXISTING SYSTEM

- ❖ Effective health information exchange needs to be standardized for interoperable health information exchange between hospitals. Especially, clinical document standardization lies at the core of guaranteeing interoperability.
- ❖ It takes increasing amount of time for the medical personnel as the amount of exchanged CDA document increases because more documents means that data are distributed in different documents. This significantly delays the medical personnel in making decisions. Hence, when all of the CDA documents are integrated into a single document, the medical personnel is empowered to review the patient's clinical history conveniently in chronological order per clinical section and the follow-up care service can be delivered more effectively. Unfortunately for now, a solution that integrates multiple CDA documents into one does not exist yet to the best of our knowledge and there is a practical limitation for individual hospitals to develop and implement a CDA document integration technology [18].

Disadvantages of Existing System

- ❖ The HIS development platforms for hospitals vary so greatly that generation of CDA documents in each hospital invariably requires a separate CDA generation system. Also, hospitals are very reluctant to adopt a new system unless it is absolutely necessary for provision of care. As a result, the adoption rate of EHR is very low except for in a few handful countries [36].
- ❖ Unfortunately for now, a solution that integrates multiple CDA documents into one does not exist yet to the best of our knowledge and there is a practical limitation for individual hospitals to develop and implement a CDA document integration technology [19]
- ❖ To establish confidence in HIE interoperability, more HIS's need to support CDA. However, the structure of CDA is very complex and the production of correct CDA document is hard to achieve without deep understanding of the CDA standard and sufficient experience with it [25].

IV. PROPOSED SYSTEM

- ❖ In this paper we present (1) a CDA document generation system that generates CDA documents on different developing platforms and (2) a CDA document integration system that integrates multiple CDA documents scattered in different hospitals for each patient.
- ❖ CDA Generation API generates CDA documents on cloud.
- ❖ CDA Generation Interface uses the API provided by the cloud and relays the input data and receives CDA documents generated in the cloud.
- ❖ Template Manager is responsible for managing the CDA documents generated in the cloud server. Our system uses CCD document templates.
- ❖ CDA Generator collects patient data from hospitals and generates CDA documents in the template formats as suggested by the Template Manager.
- ❖ CDA Validator inspects whether the generated CDA document complies with the CDA schema standard.

International Journal of Innovative Research in Science, Engineering and Technology

(A High Impact Factor, Monthly, Peer Reviewed Journal)

Visit: www.ijirset.com

Vol. 8, Issue 11, November 2019

Advantages of Proposed System

- ❖ Hospital systems can simply extend their existing system rather than completely replacing it with a new system. Second, it becomes unnecessary for hospitals to train their personnel to generate, integrate, and view standard-compliant CDA documents [31].
- ❖ The cloud CDA generation service produces documents in the CDA format approved by the National Institute of Standards and Technology (NIST).
- ❖ If this service is provided for free at low price to hospitals, existing EHR are more likely to consider adoption of CDA in their practices.
- ❖ Interoperability between hospitals not only helps improve patient safety and quality of care but also reduce time and resources spent on data format conversion.

V. MODULES

1. Construction of System Environment:

- ❖ In the first module we develop the Construction of the System Environment to prove our proposed system model. In this module we develop Hospital A, Hospital B, Doctor, Patient/User, Admin and Cloud Modules.
- ❖ In Hospital A, we create the User Authorization with Login Credentials. This module provides the option of Upload the Patient details as XML File in the Cloud with Encrypted and also provides the option to check the status of the uploaded file with the XML Format. The same is followed in the Hospital B too [39].
- ❖ In the Admin part, we provide the Admin Authorization with login Credentials and view pending request of users and doctors. The admin only give Approval to the request by sending secret key to user/doctor to access the file.
- ❖ In cloud Login, view the patient details in the XML format which is acquired from CDA.

2. The CDA Document

- ❖ In this module we develop the CDA document. The HL7 Clinical Document Architecture Release 2 (CDA R2) was approved by American Nation Standards Institute. It is an XML-based document markup standard that specifies the structure and semantics of clinical documents, and its primary purpose is facilitating clinical document exchanges between heterogeneous software systems [42].
- ❖ A CDA document is divided into its header and body. The header has a clearly defined structure and it includes information about the patient, hospital, physician, etc. The body is more flexible than the header and contains various clinical data.
- ❖ Each piece of clinical data is allocated a section and given a code as defined in the Logical Observation Identifiers Names and Codes (LOINC). Different subcategories are inserted in a CDA document depending on the purpose of the document, and we chose the Continuity of Care Document (CCD) because it contains the health summary data for the patient and it is also widely used for interoperability [51].

3. Construction of a Cloud Computing Environment

- ❖ In this module we develop the Cloud computing environment. We use DriveHQ Cloud Service provider to upload our files in the Cloud.
- ❖ In this module, we develop the construction of a Cloud Computing Environment and how multiple CDA documents are integrated into one in our CDA Document Integration System. The standard for this is Korean Standard for CDA Referral and Reply Letters (Preliminary Version). Templates which generate a CDA use CCD part of Consolidated CDA which is released by ONC and made by HL7. However, an actually generated CDA has a form of CDA Referral and Reply Letters.
- ❖ The rationale for CDA document integration is as followed. When CDA-based HIE (Health Information Exchange) is actively used among hospitals, the number of CDA documents pertaining to each patient increases in time. Physicians need to spend a significant portion of their time on reading these documents for making clinical decisions [48].

International Journal of Innovative Research in Science, Engineering and Technology

(A High Impact Factor, Monthly, Peer Reviewed Journal)

Visit: www.ijirset.com

Vol. 8, Issue 11, November 2019

- ❖ At a hospital, the CDA documents to be integrated are processed through our CDA Integration API. The CDA Integration Interface relays each CDA document sent to the cloud to the CDA Parser, which converts each input CDA document to an XML object and analyzes the CDA header and groups them by each patient ID. The CDA Document Integrator integrates the provided multiple CDA documents into a single CDA document. In this process, the data in the same section in the document body are merged [50].
- 4. Integration of CDA Documents via Our Cloud Server**
- ❖ We integrated multiple CDA documents of patient referrals and replies by using the API at our server. The use case scenario and patient data used for integration are shown in this module.
- ❖ We adopted sample patient data provided by the US EHR Certification Program, Meaningful Use. The data does not pertain to an actual person. It is fictional, and available for public access. This module is to show how a client integrating multiple CDA documents by using our API. The sample many clinical documents are shown to be successfully integrated.

V. CONCLUSION

In this project, As the range of rush along supported CDA documents will increase, ability is achieved, however it also brings a drag wherever managing varied CDA documents per patient becomes inconvenient because the clinical data for every patient is scattered in numerous documents. The CDA document integration service from our cloud server adequately addresses this issue by desegregation multiple CDA documents that are generated for individual patients. The clinical information for the patient in question is provided to his/her doctor in written record order per section so it helps physicians to observe evidence-based medication. within the field of document-based health data exchange, the IHE XDS profile is predominant and our cloud ADPS is without delay coupled with the IHE XDS profile. The approach used during this paper is applicable in adopting alternative standards, too, like the EHR Extract supported open EHR. If a hospital sends the content model, admin model, and demographic model to the cloud server, then the server extracts necessary data from every model. Next, it generates AN Extract containment structure that matches with a delegated example and returns the structure to the requested hospital.

VII. FUTURE ENHANCEMENT

It is applicable in adopting other standards, too, such as the EHR Extract based on open EHR. If a hospital sends the content archetype, admin archetype, and demographic archetype to the cloud server, then the server extracts necessary information from each archetype. Next, it generates an Extract containment structure that fits with a designated template and returns the structure to the requested hospital.

REFERENCES

1. Y. Kwak, "International standards for building electronic health record (ehr)," in Proc. Enterprise Netw. Comput. Healthcare Ind., pp. 18–23, Jun. 2005.
2. M. Eichelberg, T. Aden, J. Riesmeier, A. Dogac, and Laleci, "A survey and analysis of electronic healthcare record standards," ACM Comput. Surv., vol. 37, no. 4, pp. 277–315, 2005.
3. T. Benson, Principles of Health Interoperability HL7 and SNOMED. New York, NY, USA: Springer, 2009.
4. J. L. Ahteenmäki, J. Leppänen, and H. Kaijanranta, "Interoperability of personal health records," in Proc. IEEE 31st Annu. Int. Conf. Eng. Med. Biol. Soc., pp. 1726–1729, 2009.
5. R. H. Dolin, L. Alschuler, C. Beebe, P. V. Biron, S. L. Boyer, D. Essin, E. Kimber, T. Lincoln, and J. E. Mattison, "The HL7 Clinical Document Architecture," J. Am. Med. Inform. Assoc., vol. 8, pp. 552–569, 2001.
6. R. H. Dolin, L. Alschuler, S. Boyer, C. Beebe, F. M. Behlen, P. V. Biron, and A. Shabo, "The HL7 Clinical Document Architecture," J. Am. Med. Inform. Assoc., vol. 13, no. 1, pp. 30–39, 2006.
7. M. L. Muller, F. Ückert, and T. Burkle, "Cross-institutional data exchange using the clinical document architecture (CDA)," Int. J. Med. Inform., vol. 74, pp. 245–256, 2005.
8. H. Yong, G. Jinqiu, and Y. Ohta, "A prototype model using clinical document architecture (cda) with a Japanese local standard: designing and implementing a referral letter system," Acta Med Okayama, vol. 62, pp. 15–20, 2008.

International Journal of Innovative Research in Science, Engineering and Technology

(A High Impact Factor, Monthly, Peer Reviewed Journal)

Visit: www.ijirset.com

Vol. 8, Issue 11, November 2019

9. K. Huang, S. Hsieh, Y. Chang, F. Lai, S. Hsieh, and H. Lee, "Application of portable cda for secure clinical-document exchange," J. Med. Syst., vol. 34, no. 4, pp. 531–539, 2010.
10. C. Mart nez-Costa, M. Men arguez-Tortosa, and J. Tom as Fern andez-Breis, "An approach for the semantic interoperability of ISO EN 13606 and OpenEHR archetypes," J. Biomed. Inform., vol. 43, no. 5, pp. 736–746, Oct. 2010.
11. M. Brust, C. Ribeiro, and J. Filho, "Border effects in the simulation of ad hoc and sensor networks," in Computer Modelling and Simulation, 2009. UKSIM '09. 11th International Conference on, March 2009, PP. 180–185.
12. K.G.S. Venkatesan and M. Elamurugaselvam, "Design based object oriented Metrics to measure coupling & cohesion", International journal of Advanced & Innovative Research, Vol. 2, Issue 5, PP. 778 – 785, 2013.
13. M. Matsumoto and T. Nishimura, "Mersenne twister: A 623-dimensionally equidistributed uniform pseudo-random number generator," ACM Trans. Model. Comput. Simul., vol. 8, no. 1, PP. 3–30, Jan. 1998.
14. Sathish Raja and K.G.S. Venkatesan, "Email spam zombies scrutinizer in email sending network infrastructures", International journal of Scientific & Engineering Research, Vol. 4, Issue 4, PP. 366 – 373, April 2013.
15. G. Bianchi, "Performance analysis of the IEEE 802.11 distributed coordination function," IEEE J. Sel. Areas Commun., Vol. 18, No. 3, PP. 535–547, Mar. 2000.
16. K.G.S. Venkatesan, "Comparison of CDMA & GSM Mobile Technology", Middle-East Journal of Scientific Research, 13 (12), PP. 1590 – 1594, 2013.
17. P. Indira Priya, K.G.S.Venkatesan, "Finding the K-Edge connectivity in MANET using DLTRT, International Journal of Applied Engineering Research, Vol. 9, Issue 22, PP. 5898 – 5904, 2014.
18. J. P. Coon, C. P. Dettmann, and O. Georgiou, "Full connectivity: Corners, edges and faces," Journal of Statistical Physics, Vol. 147, No. 4, PP. 758–778, 2012.
19. K.G.S. Venkatesan and M. Elamurugaselvam, "Using the conceptual cohesion of classes for fault prediction in object-oriented system", International journal of Advanced & Innovative Research, Vol. 2, Issue 4, pp. 75 – 80, April 2013.
20. Ms. J.Praveena, K.G.S.Venkatesan, "Advanced Auto Adaptive edge-detection algorithm for flame monitoring & fire image processing", International Journal of Applied Engineering Research, Vol. 9, Issue 22, PP. 5797 – 5802, 2014.
21. Eslami, M. Nekoui, H. Pishro-Nik, and F. Fekri, "Results on finite wireless sensor networks: Connectivity and coverage," ACM Trans. Sen. Netw., vol. 9, no. 4, pp. 51:1–51:22, Jul. 2013.
22. K.G.S. Venkatesan. Dr. V.Khanna, "Inclusion of flow management for Automatic & dynamic route discovery system by ARS", International Journal of Advanced Research in computer science & software Engg., Vol.2, Issue 12, PP. 1 – 9, December – 2012.
23. Needhu. C, K.G.S.Venkatesan, "A System for Retrieving Information directly from online social network user Link ", International Journal of Applied Engineering Research, Vol. 9, Issue 22, PP. 6023 – 6028, 2014.
24. K.G.S. Venkatesan, "Comparison of CDMA & GSM Mobile Technology", Middle-East Journal of Scientific Research, 13 (12), PP. 1590 – 1594, 2013.
25. S. A. de Chaves, R. B. Uriarte, C. B. Westphall, "Toward an Architecture for Monitoring Private Clouds", IEEE Communications Magazine, Vol. 49, no. 2, pp. 130-137, 2011.
26. S. Clayman, A. Galis, C. Chapman, et al., "Monitoring Service Clouds in the Future Internet". Future Internet Assembly, pp. 115-126, 2010.
27. L. A. Laranjeira and G. N. Rodrigues, "Extending the reliability of wireless sensor networks through informed periodic redeployment." in SERE. IEEE, 2012, pp. 167–176.
28. P. Indira Priya, K.G.S.Venkatesan, "Finding the K-Edge connectivity in MANET using DLTRT, International Journal of Applied Engineering Research, Vol. 9, Issue 22, PP. 5898 – 5904, 2014.
29. K Xiaoyong Li, Huadong Ma, Feng Zhou and Xiaolin Gui, "Service Operator-aware Trust Scheme for Resource Matchmaking across Multiple", IEEE Transactions on Parallel and Distributed Systems Volume: 26 Year: 2015, pp.14-24
30. K.G.S. Venkatesan, "Comparison of CDMA & GSM Mobile Technology", Middle-East Journal of Scientific Research, 13 (12), PP. 1590 – 1594, 2013.
31. K.G.S. Venkatesan. Kausik Mondal, Abhishek Kumar, "Enhancement of social network security by Third party application", International Journal of Advanced Research in computer science & software Engg., Vol. 3, Issue 3, PP. 230 – 237, March – 2013.
32. K.G.S. Venkatesan. Kishore, Mukhtar Hussain, "SAT : A Security Architecture in wireless mesh networks", International Journal of Advanced Research in computer science & software Engg., Vol. 3, Issue 3, PP. 325 – 331, April – 2013.
33. Annapurna Vemparala, K.G.S. Venkatesan, "A Reputation based scheme for routing misbehavior detection in MANET'S ", International Journal of computer science & Management Research, Vol. 2, Issue 6, June - 2013.
34. K.G.S.Venkatesan, "Planning in FARS by dynamic multipath reconfiguration system failure recovery in wireless mesh network", International Journal of Innovative Research in computer & comm. Engineering, Vol. 2, Issue 8, August - 2014.
35. A.R. Arunachalam, K.G.S. Venkatesan, Abdul Basith.K.V., M. Sriram, "Traffic Identification Method Engine : An open platform for Traffic classification ", International Journal of Innovative Research in computer & communication Engineering, Vol. 3, Issue 3, PP. 2475 – 2481, March -2015.
36. K.G.S. Venkatesan, AR. Arunachalam, S. Vijayalakshmi, V. Vinotha, "Implementation of optimized cost, Load & service monitoring for grid computing", International Journal of Innovative Research in computer & comm. Engineering, Vol. 3, Issue 2, PP. 864 – 870, February - 2015.
37. R. Karthikeyan, K.G.S. Venkatesan, M.L. Ambikha, S. Asha, "Assist Autism spectrum, Data Acquisition method using Spatio-temporal Model", International Journal of Innovative Research in computer & communication Engineering, Vol. 3, Issue 2, PP. 871 – 877, February - 2015
38. K.G.S. Venkatesan. Dr. V. Khanaa, Dr. A. Chandrasekar, "Autonomous System (AS) for mesh network by using packet transmission & failure detection", Inter. Journal of Innovative Research in computer & comm. Engineering, Vol. 2, Issue 12, PP. 7289 – 7296, December - 2014.

International Journal of Innovative Research in Science, Engineering and Technology

(A High Impact Factor, Monthly, Peer Reviewed Journal)

Visit: www.ijirset.com

Vol. 8, Issue 11, November 2019

39. K.G.S. Venkatesan, Dr. V. Khanaa, "Inclusion of flow management for Automatic & dynamic route discovery system by ARS", International Journal of Advanced Research in computer science & software Engg., Vol.2, Issue 12, PP. 1 – 9, December – 2012.
40. Dr. K.P. Kaliyamerthie, K.G.S. Venkatesan, S. Sriram, N. Vijay, Richard Solomon, "Neighborhood based framework, Active Learning", International Journal of Innovative Research in computer & communication Engineering, Vol. 3, Issue 3, PP. 2535 – 2542, March - 2015.
41. K.G.S. Venkatesan, Dr. Kathir. Viswalingam, N.G. Vijitha, " Associate Adaptable Transactions Information store in the cloud using Distributed storage and meta data manager", International Journal of Innovative Research in computer & communication Engineering, Vol. 3, Issue 3, PP. 1548 – 1555, March - 2015.
42. K.G.S. Venkatesan, Dr. V. Khanaa, Jay Prakash Thakur, Banbari Kumar, "Mining User profile Exploitation cluster from computer program Logs", International Journal of Innovative Research in computer & communication Engineering, Vol. 3, Issue 3, PP. 1557 – 1561, March - 2015.
43. K.G.S. Venkatesan, Dr. V. Khanaa, S.B. Amarnath Reddy, "Network Monitoring using Test Packet Generation", IJSCONLINE, PP. 1-12, March – 2015.
44. K.G.S. Venkatesan, Dr. V. Khanaa, Dr. A. Chandrasekar, "Reduced path, Sink failures in Autonomous Network Reconfiguration System (ANRS) Techniques", International Journal of Innovative Research in computer & communication Engineering, Vol. 3, Issue 3, PP. 2566 – 2571, March - 2015.
45. K.G.S. Venkatesan, Dr. V. Khanaa, Anish Kumar Anbakarasan, Ilampiria Nagarajan , "Safety and Moral Affairs in cyber space : An IT Firm's prospects", International Journal of Innovative Research in computer & communication Engineering, Vol. 3, Issue 7, PP. 6742 – 6751, July - 2015.
46. K.G.S. Venkatesan, R. Resmi, R. Remya, "Anonymizing Geographic routing for preserving location privacy using unlinkability and unobservability", International Journal of Advanced Research in computer science & software Engg., Vol. 4, Issue 3, PP. 523 – 528, March – 2014.
47. Selvakumari. P, K.G.S.Venkatesan, "Vehicular communication using Fvmr Technique", International Journal of Applied Engineering Research, Vol. 9, Issue 22, PP. 6133 – 6139, 2014.
48. K.G.S. Venkatesan, G. Julin Leeya, G. Dayalin Leena, "Efficient colour image watermarking using factor Entrenching method", International Journal of Advanced Research in computer science & software Engg., Vol. 4, Issue 3, PP. 529 – 538, March – 2014.
49. K.G.S. Venkatesan, "Comparison of CDMA & GSM Mobile Technology", Middle-East Journal of Scientific Research, 13 (12), PP. 1590 – 1594, 2013.
50. Annapurna Vemparala, K.G.S. Venkatesan, "A Reputation based scheme for routing misbehavior detection in MANET'S ", International Journal of computer science & Mangement Research, Vol. 2, Issue 6, June - 2013.
51. K.G.S.Venkatesan, "Planning in FARS by dynamic multipath reconfiguration system failure recovery in wireless mesh network", International Journal of Innovative Research in computer & comm. Engineering, Vol. 2, Issue 8, August - 2014.
52. P. Indira Priya, K.G.S.Venkatesan, "Finding the K-Edge connectivity in MANET using DLTRT, International Journal of Applied Engineering Research, Vol. 9, Issue 22, PP. 5898 – 5904, 2014.
53. K.G.S. Venkatesan, "Comparison of CDMA & GSM Mobile Technology", Middle-East Journal of Scientific Research, 13 (12), PP. 1590 – 1594, 2013.
54. H. Kim, H. Lee, W. Kim, Y. Kim, "A Trust Evaluation Model for QoS Guarantee in Cloud Systems", International Journal of Grid and Distributed Computing, vol.3, no.1, pp. 1-10, 2010.