

e-ISSN: 2319-8753 | p-ISSN: 2320-6710

DIA

International Journal of Innovative Research in SCIENCE | ENGINEERING | TECHNOLOGY

INTERNATIONAL JOURNAL OF INNOVATIVE RESEARCH

IN SCIENCE | ENGINEERING | TECHNOLOGY

Volume 9, Issue 11, November 2020

INTERNATIONAL STANDARD SERIAL NUMBER INDIA

Impact Factor: 7.512

9940 572 462

6381 907 438

 \bigcirc

🖂 ijirset@gmail.com





| e-ISSN: 2319-8753, p-ISSN: 2320-6710| <u>www.ijirset.com</u> | Impact Factor: 7.512|

||Volume 9, Issue 11, November 2020||

Learning Tactics and Make Hack-Free Real Time Strategy Games Using AI

Avinash Gume

UG Student, Department of Information Technology, B.K. Birla College of Arts, Science and Commerce (Autonomous),

Kalyan, Maharashtra, India

ABSTRACT: Artificial Intelligence tactics have been successfully applied to several computer games. However, in real time strategy games, traditional AI fails to play at human level because of vast search spaces that they entail. Here we present the real time case-based planning and execution approach designed to deal with RTS games. Also, we are going to learn probabilistic behavior models in RTS. Building a human level AI to beat the human player. In this paper we see how to prevent cheating or hacking in RTS games, Strategies to limits the state exposure to client. Discuss about cheating Hack-free gaming environment using different toolkits. We also have done a public survey about what changes they would love to see an RTS games using AI.

KEYWORDS: RTS, ORTS, Tactical Assault Battles, Hacking, Cheating, Information Exposures to Cheaters, Influencing Maps.

I. INTRODUCTION

AI research in RTS games has a great history. The first RTS games started in early 1990s with the title such as Warcraft, Command and Conquer. Researcher have been working on building bots capable of defeating the best human players, but still have a long way to go. Basically, RTS games are simplified military simulations where the player must defeat the opponent by commanding virtual troops into a battlefield by making strategies in real time.

The goal of this paper is to gain knowledge about RTS games, Evaluation of AI bots, And hack-free RTS game. Also, the public survey has been done to know the opinion about hackers and the interest in the game.

Further in this paper, we will see related work of AI in RTS games, Methodologies, Experiments, Result, And the conclusion of this research paper.

II. RELATED WORK

Previous related work under AI in RTS games are as follows: In [1,16] Buro, M. et al. proposed that AI researched in the area of real-time strategy (RTS) games and describes the current situation of a project whose goals were to implement an RTS game programming environment and to build AI's which could outperform human experts in this challenging and popular domain. In [2] R, B. suggested that in future, the online planner could be extended in several ways to increase the performance and to produce better results. Also approaches on a range of tactical assault problem with different objectives. In [3] Schadd, F. et al. proposed an approach of opponent modeling based on hierarchically structured models. And experiments that test the approached were perform in the RTS game spring. In [4] Dereszynski, E. et al. explored a probabilistic framework, based on hidden Markov models, for learning and reasoning about strategic behavior in RTS games. Also demonstrated an approach by learning behavior models from 331 expert level StarCraft games. In [5] Weber, B. et al. analyzed the domain and identified several of the capabilities required for expert StarCraft gameplay. In [6] Buro, M. discussed about AI challenge in the area of real time strategy games and presented a research plan aimed at improving AI performance in RTS games. In [7] Webb, S. et al. proposing peer to peer(P2P) architecture rather than



| e-ISSN: 2319-8753, p-ISSN: 2320-6710| <u>www.ijirset.com</u> | Impact Factor: 7.512|

||Volume 9, Issue 11, November 2020||

C/S(Client/Server). Also discussed various P2P protocols that prevent cheating. In [8] Chambers, C. et al. proposed the tactics for detecting map-hacking based on bit commitment and explores the tradeoffs in network traffic and information exposure inherent in reducing information exposure on peer-to-peer games. In [9] F. R. Cecin et al. argued that the free MMG supports scalable, cheat-resistant, massively multiplayer RTS games using a lightweight server that assigns the bulk of the game simulation to the clients. Example is FreeMMG Wizard. In [10] Avery, P.(n.d.). et al. described the tactics have been very low level - who to attack and where individual boats should move. And implemented levels of a strategic/tactical hierarchy, representing different planning levels. In [11] Laurens, P. et al. approached to detection of cheating players and a proof-of-concept system designed to detect cheating play through the analysis of player behavior. In [12] Webb, S. et al. stated various state dissemination strategies for online games comparing them based on excess state exposure, user delay perception, and system requirements. In [13,15] Buro, M. et al. mentioned an idea to replace popular but inherently insecure client-side game simulations by server-side game simulations. Only visible part of the game state is sent to the respective clients. So, there are less chance of server getting hacked. In [14] Wintermute, S. et al. the middleware developed by them supports grouping, attention, coordinated path finding, and FSM control of low-level unit behavior. Agents used this system won two out of three categories in the AIIDE 2006 ORTS competition. In [18] Cond, C. et al. described that the structure and behavior of an artificial intelligence bot capable of playing StarCraft which was developed to participate in the AIIDE 2010 StarCraft Competition. In [19] Kim, k. et al. proposed experiments which predicts unknown strategy with 10-fold cross-validation accuracy 99% using 15 minutes of game playing by K-Nearest Neighbor classifier.

III. METHODOLOGY

An online survey was held using Google form. The link of the form was circulated in social media platform. The questionaries in the form were designed to test that any user haves faced any hacker and do they have same interest in the with hackers.

i. Participants

A total of 36 participants data was collected. In which 72.2% (26) were said that they faced hackers and 27.8(10) were said they have not faced any hackers.



Fig (a) response for faced hackers

ii. Measures

Participants where ask to choose do they have same interest in the RTS games with hackers.



| e-ISSN: 2319-8753, p-ISSN: 2320-6710| <u>www.ijirset.com</u> | Impact Factor: 7.512|

||Volume 9, Issue 11, November 2020||



Fig (b) response for interest of the game

IV. EXPERIMENTAL RESULT

The survey data was collected and solved by CHI SQAURE TEST with 0.05 significance level. We checked whether there is relation between $_{hackers}$ and interest in the game.

We choose,

Null hypothesis= There is no significance relation between hackers and interest in the game among participants.

Alternative hypothesis = there is significance relation between hackers and interest in the game among participants.

$X^{2}_{tabular=6.314}$, $X^{2}_{calculated=0.0955}$

The data samples were calculated using CHI SQUARE TEST and the survey analysis resulted that there no significance relation between hackers and relation in the game.

V. COCLUSION

In RTS gams, a user wants a hack-free game. According to survey conducted, most of the user faced hackers but it doesn't affect their interest in RTS games. Researcher has helped to build a strong AI. But still there's lot to improve, solve problems like as per the analysis 72.2% people faced hackers. Also, we discussed the tactics for assault battles in RTS games which increases performance and improve the result.

VI. ACKNOWLEDGEMENT

A special gratitude is conveyed to our Prof. Swapna Augustine Nikale, Department of Information Technology of B. K. Birla College of Arts, Science, Commerce (Autonomous) Kalyan, Thane, Maharashtra, India and thankful to all participants who respond and helped the survey.

REFERENCES

[1] Buro, M. (2003). *Real-Time Strategy Gaines: A New AI Research Challenge*. Edmonton, AB, T6J 2E8, Canada : Department of Computing Science, University of Alberta.

[2] Balla, R.-K. (February 19, 2009). *UCT for Tactical Assault Battles in Real-Time Strategy Games*. Oregon State University. Retrieved from https://ir.library.oregonstate.edu/concern/graduate_thesis_or_dissertations/9306t212p



| e-ISSN: 2319-8753, p-ISSN: 2320-6710| www.ijirset.com | Impact Factor: 7.512|

||Volume 9, Issue 11, November 2020||

- [3] Schadd, F., Bakkes, S., & Spronck, P. (2007). *OPPONENT MODELING IN REAL-TIME STRATEGY GAMES*. Netherland. Retrieved from https://dke.maastrichtuniversity.nl/frederik.schadd/wpcontent/uploads/2013/04/Game-On-07-submission.pdf
- [4] Dereszynski, E., Hosteler, J., Fern, A., Dietterich, T., Hoang, T.-T., & Udarbe, M. (OCTOBER, 2011). Learning Probabilistic Behavior Models in Real-time Strategy Games In AIIDE. Corvallis, Oregon 97331: Association for the Advancement of Artificial. Retrieved from http://web.engr.oregonstate.edu/~afern/papers/aiide11.pdf
- [5] Weber, B. G., Mateas, M., & Jhala, A. (2011). *Building Human-Level AI for Real-Time Strategy Games*. In AAAI Fall Symposium: Advances in cognitive Systems, (vol.11, p. 01. 2011.).
- [6] Buro, M. (2004, July). Call for AI Research in RTS Games. Canada: Proceedings of the AAAI-04 Workshop on Challenges in Game AI (pp. 139-142). AAAI press. Retrieved from https://www.aaai.org/Papers/Workshops/2004/WS-04-04/WS04-04-028.pdf
- [7] Webb, S. D., & Soh, S. (September, 2007). *Cheating in networked computer games A review*. Western Australia: Proceedings of the 2nd international conference on Digital interactive media in entertainment and arts (pp. 105-112).
- [8] Chambers, C., Feng, W.-c., Feng, W.-c., & Saha, D. (June, 2005). *Mitigating Information Exposure to Cheaters in Real-Time*. Proceedings of the international workshop on Network and operating systems support for digital audio and video (pp. 7-12).
- [9] Cecin, F. R., Real, R., Jannone, R. d., & Geyer, C. F. (October, 2004). FreeMMG: A Scalable and Cheat-Resistant Distribution. Brazil: Eighth IEEE International Symposium on Distributed Simulation and Real-Time Applications (pp. 83-90). IEEE. doi:10.1109/DS-RT.2004.21
- [10] Avery, P., & Louis, S. (July, 2010). *Coevolving Influence Maps for Spatial Team Tactics in a*. USA: Proceedings of the 12th annual conference on Genetic and evolutionary computation (pp. 783-790). Retrieved from https://doi.org/10.1145/1830483.1830621
- [11] Laurens, P., Paige, R. F., Brooke, P. J., & Chivers, H. (July, 2007). A Novel Approach to the Detection of Cheating in. UK: 12th IEEE International Conference on Engineering Complex Computer Systems (ICECCS 2007) (pp. 97-106). IEEE. doi:10.1109/ICECCS.2007.11
- [12] Li, K., Ding, S., McCreary, D., & Webb, S. (June, 2004). Analysis of State Exposure Control to Prevent Cheating in. USA: Proceedings of the 14th international workshop on Network and operating systems support for digital audio and video (pp. 140-145). Retrieved from https://doi.org/10.1145/1005847.1005878
- [13] Buro, M. (July, 2002). ORTS: A Hack-Free RTS Game Environment. Princeton: International Conference on Computers and Games (pp. 280-291). Springer, Berlin, Heidelberg. Retrieved from https://link.springer.com/chapter/10.1007/978-3-540-40031-8_19
- [14] Wintermute, S., Xu, J., & Laird, J. E. (June, 2007). *SORTS: A Human-Level Approach to Real-Time Strategy AI*. AIIDE (pp. 55-60). Retrieved from https://www.aaai.org/Papers/AIIDE/2007/AIIDE07-010.pdf
- [15] Ontanon, S., Synnaeve, G., Uriarte, A., Richoux, F., Churchill, D., & Preuss, M. (2013). *1A Survey of Real-Time Strategy Game AlResearch and Competition in StarCraft*. IEEE Transactions on Computational Intelligence and AI in games, 5(4), 293-311. doi:10.1109/TCIAIG.2013.2286295
- [16] Buro, M., & Furtak, T. (August, 2005). ON THE DEVELOPMENT OF A FREE RTS GAME ENGINE. Canada: GameOn'NA Conference (pp. 23-27). Retrieved from https://d1wqtxts1xzle7.cloudfront.net/47304825/ORTS-GAMEON_NA_05.pdf?1468790051=&response-contentdisposition=inline%3B+filename%3DOn_the_development_of_a_free_RTS_game_en.pdf&Expires=1606423074 &Signature=b53pVYkBhoDJDWtf0rXNL4vkn-MTYajZ7Cr0LbeL5srWz56jaz
- [17] Buro, M., & Furtak, T. M. (August, 2005). *RTS Games and Real-Time AI Research*. Canada: GameOn'NA Conference (pp. 23-27). Retrieved from https://d1wqtxts1xzle7.cloudfront.net/47304825/ORTS-GAMEON_NA_05.pdf?1468790051=&response-content-disposition=inline%3B+filename%3DOn_the_development_of_a_free_RTS_game_en.pdf&Expires=1606423220 &Signature=N~pZyQ7YaY7OnxAWgCb3RqOgKDSaR9TD7e8Kfno67hEsnMdOEf



| e-ISSN: 2319-8753, p-ISSN: 2320-6710| www.ijirset.com | Impact Factor: 7.512|

||Volume 9, Issue 11, November 2020||

- [18] Conde, C., Moreno, M., & Martinez, D. C. (n.d.). *Testing real-time artificial intelligence: an experiance with StarCraft game.* Argentina. Retrieved from http://cristianconde.com.ar/site/wp-content/uploads/2013/10/CondeMorenoMartinez-wavi2010.pdf
- [19] Kim, K.-J., & Cho, S.-B. (2011). Server-side Early Detection Method for Detecting Abnormal Players of *StarCraft*. South korea: Science and Technology, 2010(0012876), 2010-0018948. Retrieved from http://citeseerx.ist.psu.edu/viewdoc/download?doi=10.1.1.469.736&rep=rep1&type=pdf
- [20] Bursztein, E., Hamburg, M., Lagarenne, J., & Boneh, D. (May, 2011). OpenConflict: Preventing Real Time Map Hacks in Online Games. 2011 IEEE Symposium on Security and Privacy (pp. 506-520). IEEE. doi:10.1109/SP.2011.28
- [21] Yampolskiy, R. V. (January, 2008). *Detecting and Controlling Cheating in Online Poker*. 2008 5th IEEE Consumer Communications and Networking Conference (pp. 848-853). IEEE. doi:10.1109/ccnc08.2007.198



Impact Factor: 7.512





INTERNATIONAL JOURNAL OF INNOVATIVE RESEARCH

IN SCIENCE | ENGINEERING | TECHNOLOGY





www.ijirset.com