

e-ISSN: 2319-8753 | p-ISSN: 2320-6710

DIA

International Journal of Innovative Research in SCIENCE | ENGINEERING | TECHNOLOGY

INTERNATIONAL JOURNAL OF INNOVATIVE RESEARCH

808

IN SCIENCE | ENGINEERING | TECHNOLOGY

Volume 10, Issue 4, April 2021

INTERNATIONAL STANDARD SERIAL NUMBER INDIA

Impact Factor: 7.512

9940 572 462

 \odot



| e-ISSN: 2319-8753, p-ISSN: 2347-6710| www.ijirset.com | Impact Factor: 7.512|

|| Volume 10, Issue 4, April 2021 ||

DOI:10.15680/IJIRSET.2021.1004165

Surveying & Analysis of Detecting COVID-19 Pneumonia from Chest X-ray Convolutional Neural Network

Prof. Arpitha Martin^[1] Prof Shruthi S^[2]

Department of Information Science and Engineering, RR Institute of Technology, Bengaluru, India^[1] Department of Computer Science and Engineering, RR Institute of Technology, Bengaluru, India^[2]

ABSTRACT : Corona Virus continues to possess its effects on people's lives across the world. The screening of infected persons is a vital step because it is fast and low-cost way. Chest X-ray images play a major crucial role and it is used for examination in the detection of CORONA VIRUS(COVID-19). Here radiological chest X-rays are easily available with low cost only. In this a survey paper, we are using a Convolutional Neural Network(CNN) based solution that will benefit in detection of the Covid-19 Positive patients using radiography chest X-Ray images. To test the efficiency of the solution, we are using public available X-Ray images of Corona Virus-Positive cases and negative cases. Images of Positive Corona Virus patients and pictures of healthy person images are divided into testing images and trainable images. The solution which we are providing will give good results in classification accuracy within the test set-up. Here we are going to develop a GUI application for medical Examination areas. This GUI application can be used on any computer and performed by any medical examiner or technician to determine Corona Virus positive patients using radiography X-ray images. The result will be shown or provided by this application is really fast and done within a few seconds.

KEYWORDS: Deep Learning, CNN, Convolutional neural networks, Deep CNN, Detection

I. INTRODUCTION

The risk of Covid-19 is immense for many, especially in developing nations where billions face energy poverty and rely on polluting forms of energy. The WHO estimates that over 4 million premature deaths occur annually from household air pollution-related diseases including Covid-19. Over 150 million people get infected with Covid-19 on an annual basis especially children under 5 years old. In such regions, the problem can be further aggravated due to the dearth of medical resources and personnel. For example, in Africa's 57 nations, a gap of 2.3 million doctors and nurses exists. For these populations, accurate and fast diagnosis means everything. It can guarantee timely access to treatment and save much needed time and money for those already experiencing poverty.

In recent times, CNN-motivated deep learning algorithms have become the standard choice for medical image classifications although the state-of-the-art CNN-based classification techniques pose similar fixated network architectures of the trial-and-error system which have been their designing principle. U-Net, Seg-Net, and Cardiac-Net are some of the prominent architectures for medical image examination. To design these models, specialists often have a large number of choices to make design decisions, and intuition significantly guides manual search process. Models like evolutionary-based algorithms and reinforcement learning (RL) have been introduced to locate optimum network hyperparameters during training. However, these techniques are computationally expensive, gulping a ton of processing power.

CNNs have an edge over DNNs by possessing a visual processing scheme that is equivalent to that of humans and extremely optimized structure for handling images and 2D and 3D shapes, as well as ability to extract abstract 2D features through learning. The max-pooling layer of the convolutional neural network is effective in variant shape absorptions and comprises sparse connections in conjunction with tied weights. When compared with fully connected (FC) networks of equivalent size, CNNs have a considerably smaller amount of parameters. Most importantly, gradient



| e-ISSN: 2319-8753, p-ISSN: 2347-6710| <u>www.ijirset.com</u> | Impact Factor: 7.512|

|| Volume 10, Issue 4, April 2021 ||

DOI:10.15680/IJIRSET.2021.1004165

based learning algorithms are employed in training CNNs and they are less prone to diminishing gradient problem. Since the gradient-based algorithm is responsible for training the whole network in order to directly diminish an error criterion, highly optimized weights can be produced by CNNs.

II. PROBLEM DESCRIPTION

In efforts for regulating spreading of corona virus, an outsized percent of suspicious cases need to be examined for correct medication and quarantine. Pathogenic research government facility testing provides highest accuracy outcome, even though sometimes it predicts wrong or negative results [4]. Fast & accurate techniques are badly required to overcome this pandemics situation. During this pandemic situation creating model that diagnosis covid gives more advantages to us for following social distance ,as covid virus attacks epithelial cells that are present in respiratory tracks of lungs , we thought of creating model that identifies these cells and predict he is positive or not [3]. Here the model would extract the features like identifying these cells , So giving results even faster than pathogenic test So by increasing the chances of saving life's and time to control the disease by predicting the person results faster than before. After doing survey we concluded on using Deep Convolutional Neural Network (DCNN), a model that mainly focus on classifying radiography X-ray images by using classification techniques of Deep Learning [5]. As the project main motive to save life's, accuracy takes important role for doing this, so by adding more X-ray images for training the model and performing more iterations on the model ,the Deep Convolutional Neural Network(DCNN) accuracy are often improved more for the model [1].

III.RELATED WORK

The process of identifying and detecting COVID virus has become more importance all-around the world for some months. Covid virus has taken the first place for spreading so fast that has become hard to control .Covid has become so hard for detecting as the person are not showing symptoms immediately. Thus it is more important to find new methods to differentiate the covid positive people with normal people to eliminate the possibility . Artificial Learning can be used to examine a person for COVID-19 as an alternative to traditional time-consuming and expensive methods [4]. Even'the there are many papers on covid virus this paper is focused on detecting covid virus using Artificial Learning classification techniques using X-ray pictures and predict the people is positive to covid virus or not. Several research areas have implemented Artificial Intelligence. One of the most advantages of AI is that they are often implemented during a trained model to classify unseen images [3]. In this study, Artificial Intelligence was used to detect whether a patient is positive for covid-virus by analysing their lungs X-ray pictures [3]. Artificial intelligence can also be used to predict the status of person like he is positive to covid or not by using existing evidence. Thus, predicting possibilities within the immediate future can help authorities to adopt the required measures. Wynants et al. mainly stressed on 2 important concepts: the first concept is to get idea of techniques that are used to diagnosis the covid -virus and the second concept is to forecast the number of cases that can come in upcoming days. The paper also suggests that existing models are delicate and unpredictable.COVID-19 Diagnosis Using Deep Learning, the advantages of Machine Learning (ML) are increasing quickly in various fields such as malware detection, mobile malware detection, medicine, and knowledge retrieval. Deeplearning algorithms enable computational models composed of multiple processing layers to find out data representation through several abstraction layers. They trained a computer model to perform classification tasks directly from pictures. According to LeCun et al., deep-learning models feature high accuracies and Aprilimprove human output in certain instances [2].

IV. MATERIALS AND METHODS

a) Data Collection

To validate the proposed method, we require two types of chest related x-ray images they are common xray image and the other one is covid affected patient x-ray image [1]. While chest X-ray images of common category had been collected from a GitHub or from Kaggle dataset which contains some images selected from Chest X-ray dataset. Granting them in a notable number of infected COVID-19 patients universally, but chest x-ray images that are accessible online are not mostly significant and dispersed. Kaggle chest Xray data is a far-fetched popular database containing chest X-ray images of normal or healthy, viral, and bacterial- pneumonia. Positive and mistrust CORONA



| e-ISSN: 2319-8753, p-ISSN: 2347-6710| <u>www.ijirset.com</u> | Impact Factor: 7.512|

|| Volume 10, Issue 4, April 2021 ||

DOI:10.15680/IJIRSET.2021.1004165

VIRUS images were acquired in open available resources. Lungs X-ray images for regular and effected with pneumonia were used from this gathering to generate the up to date database collection.



Figure1: Sample Dataset X-ray images

b) The CNN architecture

This model aims to organize a given chest X-ray image into common or COVID-19 category which contains few various stages gathering, pre-processing, feature selection, feature extraction, training [4]. The detailed information of each stage has been in the following sections. The first stage is gathering, in this process we can collect the overall x-ray images in which it consists of both covid and non-covid x-ray images [6]. Preprocessing refers to all transformation of the image before it is fed to the machine, training a CNN on the images. The Techniques Provided in Data Pre-processing. Data Cleansing.Cleaning "dirty" data [2].Realworld data tend to be incomplete, inconsistent and noisy. Data Integration, combining data from multiple sources, Data Transformation. Constructing data cube, Data Reduction. Reducing representation of data set [5]. Data which tends to be incomplete leads to inconsistency and noise that affects the remaining part of the data containing x-ray attributes. Data cleaning can be adopted to resolve these issues.



Figure 2: Architecture of CNN

A selection algorithm can be seen for presenting new characteristics subsets, along with an approximation measure which tells the different detail subsets [9]. Feature selection is used to simplify the models to make them users to be interpreted, and used to enhanced generalization by decreasing over fitting, avoid the curse of dimensionality [7].

Feature extraction is also involved in minimizing the amount of available sources needed to describe a huge set of information. One of the major problems, while performing or analyzing the complex data is the problem arise from the amount of variables involved in it [4]. By examine of huge amount of the variables we required a huge amount of memory study power, and it also cause a sorting algorithm of over fitting samples and observe poorly to latest samples.



| e-ISSN: 2319-8753, p-ISSN: 2347-6710| <u>www.ijirset.com</u> | Impact Factor: 7.512|

|| Volume 10, Issue 4, April 2021 ||

DOI:10.15680/IJIRSET.2021.1004165



Figure 3:Flow Diagram of Proposed Method

CNN is very efficient algorithm which is used for image processing and pattern recognition. It has some features such as simple structure, less training parameters and adaptable [3]. To training this model we required to indicate input training data source, required data transformation instructions, name of the information allocate that data to be anticipated.

V.CONCLUSION

From the above all paper, it is evident that recent advances have been made in the diagnosis of COVID-19 detection it lacks the early diagnostic tools. Even though there are several methods achieved noticeable advancements with high sensitivity or less false positive. There are many challenges to be addressed, to overcome all these challenges we are proposing Deep CNN method. The reason to choose CNN is that it can extract the spatial from the data using kernels, which other networks are not capable of. The proposed method uses D-CNN for the detection of COVID-19 based on the chest radiography X-ray images. A DCNN is collection of numerous fully connected and thresholding layers, followed by different layers that determines the result.

REFERENCES

- 1. Sakib, S., Tazrin, T., Fouda, M. M., Fadlullah, Z. M., &Guizani, M. (2020). "DL-CRC: Deep LearningBased Chest Radiograph Classification for COVID-19 Detection: A Novel Approach". IEEE Access, 8, 171575-171589.
- Qjidaa, M., Mechbal, Y., Ben-Fares, A., Amakdouf, H., Maaroufi, M., Alami, B., &Qjidaa, H. (2020, June). "Early detection of COVID19 by deep learning transfer" In 2020 International Conference on Intelligent Systems and ComputerVision(ISCV) (pp.1-5)IEEE.
- Padma, T., &Kumari, C. U. (2020, September). "Deep Learning Based Chest X-Ray Image as a Diagnostic Tool for COVID-19". In 2020 International Conference on Smart Electronics and Communication (ICOSEC) (pp.589-592)IEEE.
- 4. Majeed, T., Rashid, R., Ali, D., &Asaad, A. (2020). "Covid-19 detection using CNN transfer learning from X-ray Images". Sarkar, A., Vandenhirtz, J., Nagy, J., Bacsa, D., & Riley, M. (2020). "Identification of images of COVID19 from Chest X-rays using Deep Learning: Comparing COGNEX VisionPro Deep Learning 1.0 Software with Open Source Convolutional Neural Networks".
- 5. Chowdhury, N. K., Rahman, M., Rezoana, N., &Kabir, M. A. (2020). "ECOVNet: An Ensemble of Deep Convolutional Neural Networks Based on EfficientNet to Detect COVID-19 From Chest X-rays".
- De Moura, J., García, L. R., Vidal, P. F. L., Cruz, M., López, L. A., Lopez, E. C., & Ortega, M. (2020). "Deep convolutional approaches for the analysis of Covid-19 using chest X-Ray images from portable devices". IEEEAccess, 8,195594-195607.



Impact Factor: 7.512





INTERNATIONAL JOURNAL OF INNOVATIVE RESEARCH

IN SCIENCE | ENGINEERING | TECHNOLOGY





www.ijirset.com