



e-ISSN: 2319-8753 | p-ISSN: 2347-6710

# IJIRSET

International Journal of Innovative Research in  
**SCIENCE | ENGINEERING | TECHNOLOGY**

# INTERNATIONAL JOURNAL OF INNOVATIVE RESEARCH

IN SCIENCE | ENGINEERING | TECHNOLOGY

Volume 10, Issue 12, December 2021

**ISSN** INTERNATIONAL  
STANDARD  
SERIAL  
NUMBER  
INDIA

Impact Factor: 7.569

 9940 572 462

 6381 907 438

 [ijirset@gmail.com](mailto:ijirset@gmail.com)

 [www.ijirset.com](http://www.ijirset.com)



# Full Stack Mechanism Implemented in Various Platforms

Mr. Akshay Sanjay Yadav<sup>1</sup>, Mr. Mohit Shivaji Shinde<sup>2</sup>, Prof. Anjali S. Gaikwad<sup>3</sup>

Final Year Student, Department of MCA, Bharati Vidyapeeth (Deemed to be University), Pune, Institute of Management, Kolhapur, India

Department of MCA, Bharati Vidyapeeth (Deemed to be University), Pune, Institute of Management, Kolhapur, India

**ABSTRACT:** Abstract: It is a study of the evolution of the complete stack development which is advancement of technology and also introduction of cloud. For a higher understanding what's a full stack development and the way it's implemented in various sectors. The total stack development may be a new evolution and accommodate the user's needs. Around a globe a standard stack is the historical programming practice for many web applications. Today's scenario that the trend is now changing. Full stack development accomplishes the increasing need of the users. The main focus of this study is to style and implement and various platforms as a part of an execution of programs using some emerging JavaScript technologies that include Mongo DB, Express JS, Node.JS and Angular JS. The research paper is specializing in benefits provided by these individual programming platform components are on the increase and might function as one stack. This paper has relevancy in studying the varied platforms taxonomy, execution process working principles and implementation of the MEAN stack components. Bringing these components to figure together through different platforms of various programming languages and outcomes presented during this study.

**KEYWORDS:** Mango DB ,Express JS , Node JS , Angular JS

## I. INTRODUCTION

Full-stack development refers to the event of both front-end (client side) and backend (server side) aspects of the websites. Frontend or client-side is that the interface where visitors or the end-users directly interact with the net applications. Whereas, the backend or the server-side is that the hidden part that doesn't interact with users directly, instead majorly includes the work associated with databases and API progress. Therefore, website development projects that typically require the frontend and backend work to be completed by one developer comes under full-stack development. Full-stack designers are engineers who are capable in building completely fledged sites and web applications by applying different customer side programming dialects outlines. They're well-versed with the event process — from undertaking the UI/UX design and building prototypes to complete development, testing and deployment of the appliance. They also make the applications strong, secure and safe. Full stack development could be a piece of web improvement which comprehensively alludes to the assignments interrelated with creating sites for facilitating by means of intranet or web. it's the advance of a complete application both the side, which we allude to because the customer side, and back-end the server-side. thanks to the presentation of distributed computing there are intense changes within the field of Full Stack development and what it's meant for the turn of events. Distributed computing comprises of various administrations and enjoys many benefits.

## II. TECH STACKS TO USE IN FULL-STACK DEVELOPMENT

**1. LAMP:** LAMP stack is an acronym, wherein L means Linux operating system, A for Apache server, M for My SQL data set server and P for PHP language. This is a work of art and time-test pile of advances, and stays the most well-known method for conveying web applications. Well recognized open-source CMS, for example, Drupal and Word Press use Light. This stack can advantageously deal with dynamic pages wherein the substance changes each time the page loads. Contingent upon your business necessities, you can pick parts. For example, rather than Linux, you can choose Microsoft Windows as the operating system. PHP can be traded for Python or Perl. Since the Light has been around for a really long time, it has a great biological system and a functioning local area of designers who work in it.




Fig.1 LAMP

2.MEAN:

Here M represents for Mongo DB, E represents Express.js, and a represents Angular JS N addresses the cross-stage runtime climate. Since the parts are completely JavaScript, you can utilize a solitary programming language all through the stack, and reuse the code across the whole application. MEAN is free and open-source with a flourishing local area. It is ideal for cloud facilitating since the parts are extensible, adaptable and adaptable. The MEAN stack improvement permits designers to send cloud applications effectively since it incorporates the web server. The information base can scale on-request to oblige transitory use spikes. Assuming you have a solitary group of JavaScript designers, they can work adaptively utilizing MEAN. It is adept for schedules, area finding and planning, and news conglomeration locales.




Fig.2. Perception of M.E.A.N.

3. MERN:

This is as same as MEAN. The fundamental differentiation is Angular JS gets superseded by React. Since the last option utilizes Virtual DOM, the progressions in the web application can be executed without any problem. The MERN stack utilizes JSX, a change of JavaScript, and is ideal for building very good quality, single-page applications with intuitive UIs. The main disadvantage is engineers need to manage restricted centre usefulness since Respond isn't a structure however a library




Fig.3. Concept of MEVN



### III. TECHNOLOGY INVOLVES IN FULL-STACK DEVELOPMENT

Front End: HTML, CSS, JavaScript, jQuery

Back End: PHP, Angular, Node JS, .Net

Database: MySQL, MongoDB, CouchDB, MS SQL

#### 1. HTML/CSS:

- HTML stands for Hypertext terminology
- An HTML file may be a document containing small mark-up tags
- The mark-up tags tell the containing small mark-up tags
- An HTML file must have an html or HTML file extension
- An HTML file may be created employing a simple text editor

Hypertext terminology or HTML and Falling Templates or CSS are two unique dialects that are the premise of constructing pages and applications. While HTML is employed for building the development of a page or a site, CSS characterizes how all the HTML components will show on different gadgets

#### HTML tag:

HTML tag are utilized to depict how the program will show the substance. Three key parts of HTML tag include:

- a. Opening tag
- b. Closing tag
- c. Content

#### CSS syntax

CSS syntax is formed out of a selector and a revelation block. The selector characterizes the HTML component you wish to regulate, though, the assertion block contains the CSS property and depicts the alterations to be disbursed. For e.g. in p, “p” is that the selector and therefore the text in curly braces is that the declaratory.

#### 2.

#### JavaScript

JavaScript is employed in several web content to boost the planning, validate forms, detect, browsers, create cookies and far more. JavaScript is that the most well-liked scripting language on the web Explorer, Firefox, and Opera it's text-based prearranging or artificial language which will be executed on both, customer side and server-side. it's utilized for creating a site more intuitive by adding dynamic elements thereto. JavaScript can control HTML and CSS for understanding, adjusting and approving information.

```
<!doctype html>
<html>
<head>
<title>Addition of Two Numbers</title>
<script>
var firstno = 40;
var secondno = 50;
var sum = firstno+secondno;
document.write("Sum = " + sum);
</script>
</head>
<body>
</body>
</html>
```

Fig 3. JavaScript addition program

Sum = 90

Fig.4.Output of JavaScript Program.



#### IV. SIX FRONT END FRAMEWORKS

##### 1. Angular JS:

It is a JavaScript open-source, frontend system utilized for building single page web applications or SPAs. Within the beyond few years, Angular JS has considered staggering development in its use to be it gives an upfront and fast way for full-stack designers to vary over HTML-based static sites into dynamic one. In Angular JS, the data is assured inside the HTML class and every one the HTML ascribes is extended with Orders. Moreover, the structure oversees written by hand DOM and AJAX stick codes and incorporates them during the applying advancement process. Angular JS likewise diminishes the contrasts between HTML codes given during a report and therefore the prerequisite of the applications just with the help of recent HTML develops.

##### 2. React:

Bootstrap may be a free frontend advancement structure that aides in building responsive and versatile sites or applications. Containing different apparatuses in its stockpile, Bootstrap saves engineers from composing colossal CSS code and hence, diverts useful long periods of designers towards different undertakings, as an example, planning the web site pages.

Bootstrap empowers quicker venture web advancement with insignificant manual endeavours and furthermore offers a good scope of HTML and CSS-based planning layouts particularly for typographies, structures, buttons, tables, routes, pictures, etc for creating intelligent sites. Additionally, frontend designers can use Respond layouts with different JavaScript modules for better outcomes.

##### 3. jQuery:

jQuery is an open-source, little, and light-weight JavaScript library that allows full-stack engineers to possess a "compose less, accomplish more" approach for acting on the communication between the HTML/CSS record and JavaScript. jQuery supports engineers with accomplishing assignments that may require huge countless JavaScript code with a pair of lines of code. Additionally, it works on many cycles, as an example, HTML archive navigating and control, occasion handlings, liveliness, and AJAX communications. jQuery is good for cross-program JavaScript advancement, and is viable with different programs. It works on convoluted components from JavaScript, for instance, AJAX calls and DOM controls for the full-stack engineer.

##### 4. SASS:

SASS is long for "Linguistically Magnificent Templates" — a CSS pre-processor that is utilized for adding exceptional elements like factors, settled standards, inline imports, and mixings into the usual CSS. It is the most trusted, amazing, and dynamic CSS expansion language that makes the coding system simple and productive. Also, it enables the full-stack engineers to keep everything coordinated and assists them with building templates in a matter of seconds. Best of all, it is viable with every one of the forms of CSS, yet the main essential is to have Ruby introduced on your framework.

##### 5. Node.js:

Node.js is a cross-platform runtime climate that assists designers with executing the JavaScript codes outside of the programs. It is a greater amount of a non concurrent, occasion driven JavaScript runtime and not a system or a programming language. Node.js is significantly utilized for making backend frameworks like APIs for sites and applications. It makes versatile organization applications with the assistance of occasion driven, non-hindering I/O models. With Node.js advancement, full-stack engineers can make a lightweight and amazingly effective stage reasonable for information concentrated arrangements that work effectively on different gadgets.

#### V. CONCLUSION

Full stack may be a hybrid concept where visible of a part the web site and under hood combination. Full stack development could be a low code development react build up complex interfaces through simple components, connect them to data on your backend server. Node.JS for creating backend frameworks like API for site and application SASS



where building templates and also a robust CSS extension. jQuery where compose less accomplish more approach. Angular is which develop both client and server software. during this paper researchers are focused on full stack is more beneficial for various platforms.

#### REFERENCES

- [1] "Frontend vs Backend," [Online]. Available: <https://www.geeksforgeeks.org/frontend-vs-backend/>
- [2] "What is Backend Developer? Available: <https://www.guru99.com/what-is-backenddeveloper.html>
- [3] D. Gera, Nov. Available: <http://lazyheap.com/tcp-ip-layers-role-webpagerequest/>
- [4] R. Miller: the overview. [5] "Web stacks: the basics and examples - IONOS." [Online]. Available: <https://www.ionos.com/digitalguide/server/know-how/web-stacks-thebasics-and-examples/>
- [6] "How to Calculate Workplace Productivity." [Online]. Available: <https://www.smartsheet.com/blog/how-calculate-productivity-alllevels-organization-employee-and-software>
- [7] "XMLHttpRequest," 946412782. [Online]. Available: <https://en.wikipedia.org/w/index.php?title=XMLHttpRequest&oldid=946412782>.
- [8] J. Honton, "Full Stack Available: <https://medium.com/better-programming/2020-001-fullstack-pronounced-dead-355d7f78e733> [9]
- [9] <https://www.w3school.com>



**Impact Factor:  
7.569**



# INTERNATIONAL JOURNAL OF INNOVATIVE RESEARCH

IN SCIENCE | ENGINEERING | TECHNOLOGY

 9940 572 462  6381 907 438  [ijirset@gmail.com](mailto:ijirset@gmail.com)



[www.ijirset.com](http://www.ijirset.com)

Scan to save the contact details