

e-ISSN: 2319-8753 | p-ISSN: 2347-6710

EDIA

International Journal of Innovative Research in SCIENCE | ENGINEERING | TECHNOLOGY

INTERNATIONAL JOURNAL OF INNOVATIVE RESEARCH

IN SCIENCE | ENGINEERING | TECHNOLOGY

Volume 10, Issue 12, December 2021

INTERNATIONAL STANDARD SERIAL NUMBER INDIA

Impact Factor: 7.569

9940 572 462

6381 907 438

 \bigcirc



e-ISSN: 2319-8753, p-ISSN: 2347-6710 www.ijirset.com | Impact Factor: 7.569



|| Volume 10, Issue 12, December 2021 ||

DOI:10.15680/IJIRSET.2021.1012066

Malnutrition Analysis Using Skin and Nails Images Based on Machine Learning: A Review

Prof.Anpat R.B¹., Mhaske Vaishnavi Bhagwan², Patil Padmaja Shankarrao³,

Sayyad Siddhika Mansoor⁴

Professor, Department of Computer Engineering, SB Patil College of Engineering, Indapur, India¹

U.G. Student, Department of Computer Engineering, SB Patil College of Engineering, Indapur, India ²³⁴

ABSTRACT: In this project we are elaborating concept of disease detection of human body using nail image of human fingers and analyzing data from the image of basic of nail color. In this project the procedure of disease detection is as follows: The input to the system is a person nail image. The system will process an image of nail and extract feature of nail which is used for disease diagnosis. Here, first training data is prepared using Machine Learning from nail image of patient of specific disease. A feature extracted from input nail image is compared with training data set. In this project we found that color feature of nail image are correctly matched with training set data.

KEYWORDS: Skin Disease and Nail Disease Detection, Machine Learning, Malnutrition, Disease Detection.

I. INTRODUCTION

Malnutrition Inadequate nutrition leads to poor health. Bland diets (sometimes called thin-sliced diets) are described as those that fail to provide an adequate intake of nutrients or on which they contribute to malnutrition. Because of the mix of nutrients that it contains, the composition may be calories, protein, sugars, fat, or minerals; even contains vitamins and minerals. When nutrients are missing, it is called undernourishment; when nutrients are there, it is called overdose. Most commonly malnutrition is used to mean a lack of calories, calcium, or micronutrients. Lack of diet early in pregnancy or before the two-year mark can have long-or short-term effects on children's health and brain growth. (undernourishment, shortness or chronic hunger, can result in) coarse, stunted growth, dry and emaciated skin, bloated and swollen thighs, and distended abdominal Since they don't eat well, malnourished people are most commonly ill and often cold. Symptoms are associated with specific micronutrient deficiencies.

Image processing may be a technique for converting an image into digital form and for performing an action. The final 5 types of images are called Image 5 Formats, that is, flexible image formats, specific graphic interchange formats, switchable image formats, and row images. 16 million different colours are likely to be perceived; while the visual acuity of the human eye limits it to almost the same number of distinct individuals. So, when you apply fingernail polish to a process using PC might be more accurate than looking at it with the naked eye. To observers with relatively high resolution, nearby frequencies, it can appear as though humans have blurry vision. However, PC vision may perceive detail per aspect appropriately. Pathology looks at a lot of areas that are more sophisticated and methodical, patients should be offered in the scheme, because the process is mechanical. The nail writing will be helpful to the patient so they don't have to be in the flesh, because if the doctor isn't selling their appointment then their nail will provide the answers.

It can tell how sick the person is by the patient's skin colour. It's specialised on human fingernail colour analysis. Several diseases, by looking at the fingernails, can be determined. where a picture of a person is recorded in the system To upload a captured image, a selected area of interest is found from the nail in space in the file and manually entered into the region box. In other words, the room for deciding on nail colour choices is then handled more finely in order to derive colour possibilities from nails. The mauve nail-like colouring is perfect for making statements about disease

International Journal of Innovative Research in Science, Engineering and Technology (IJIRSET)



| e-ISSN: 2319-8753, p-ISSN: 2347-6710| <u>www.ijirset.com</u> | Impact Factor: 7.569|

Volume 10, Issue 12, December 2021

DOI:10.15680/IJIRSET.2021.1012066

prediction is to be used by students who are really sympathetic to others in their community. To a certain extent, the method helps their progression in the early stages.

II. PROBLEM STATEMENT

In most developed nations, malnutrition is one of the greatest public health issues. 1/3 out of the estimated malnourished children in the world comes from India, with a rate of approximately 29.4% I had lived in poverty my whole childhood, so I lost all of my motivation and enthusiasm as I grew up. The aim of this study was to see whether there was a connection between academic performance in school and nutritional deprivation in children's nutrition records.

III. LITERATURE SURVEY

[1] Cynthia Hayat,BarensAbian, "The Modeling of Artificial Neural Network of Early Diagnosis for Malnutrition with Backpropagation Method", 2018, this research consisted of 2 phases, which were training phase in which it generated ANN weight by using feed-forward of activation function, and testing phase in which the result of the previous stage was tested to obtain output.

[2] BambangLareno, LilianaSwastina, HusnulMaadJunaidi, "IT Application to Mapping The Potential of Malnutrition Problems", 2018, this paper focus to find a model of IT application that can be used for mapping the potential of malnutrition problems and the rate of utilization of posyandu. The result, the cross-platform information model developed is a web-based core system, with a mobile application-based support system.

[3] AnutoshMaitra, RambhauEknath Rote, NatarajKuntagod, "Managing Child Malnutrition via Digital Enablement: Insights from a Field Trial", 2017, in this paper that malnutrition management requires an integrated digital approach – that not only looks at making data available, but also establishing relationships between various program indicators, overlaying that with socio-economic conditions of the region and family demographics.

[4] Sri Winiarti, Sri Kusumadewi, IzzatiMuhimmah, Herman Yuliansyah, "Determining The Nutrition of Patient Based on Food Packaging Product Using Fuzzy C Means Algorithm", 2017, the result of the decision will give 3 clusters on nutritional status is good nutrition, malnutrition and better nutrition. Mobile apps are used as a reminder of the nutritional value or ingredients contained in the packaging of food products while consuming food. The result of system testing for application of FCM algorithm in this mobile application obtained validation of 80%.

[5] ArchanaAjith, VrindaGoel, "Digital Dermatology Skin Disease Detection Model using Image Processing", 2017, This paper proposes a skin disease detection method based on image processing techniques. This method is mobile based and hence very accessible even in remote areas and it is completely noninvasive to patient's skin. The patient provides an image of the infected area of the skin as an input to the prototype.

[6] Kyamelia Roy, SheliSinhaChaudhuri, "Skin Disease detection based on different Segmentation Techniques", 2019, The outer integument of the human body is skin. The skin pigmentation of human beings varies from person to person and human skin type can be dry, oily, or combination. Such a variety in the human skin provides a diversified habitat for bacteria and other microorganisms. Melanocytes in the human skin, produces melanin which can absorb harmful ultraviolet radiation from sunlight which can damage the skin and result in skin cancer.

[7] Sambit BAKHSHI, "Deep convolutional neural network for face skin diseases identification", 2019, In this paper, author propose an automated facial skin disease method using a pre-trained deep convolutional neural network (CNN). In the beginning, the images are regenerated using some pre-processing image techniques in order to augment the size of our database, collected from different sources and resized to fit the network. These images are then used for training and validation purposes.

[8] TanzinaAfrozRimi, "Derm-NN: Skin Diseases Detection Using Convolutional Neural Network", 2020, This paper is a sandwich between picture handling strategies and machine learning. Where picture preparation has produced the

International Journal of Innovative Research in Science, Engineering and Technology (IJIRSET)

よう 🕅 IJIRSET | e-ISSN: 2319-8753, p-ISSN: 2347-6710| <u>www.ijirset.com</u> | Impact Factor: 7.569|

Volume 10, Issue 12, December 2021


DOI:10.15680/IJIRSET.2021.1012066

picture which is being utilized by CNN to arrange the classes. The preparation information comprises five classes of the skin gives that have been talked about above. We have 73% precision by actualizing our framework on the dermnet dataset of 500 pictures of various diseases. This will end up being an incredible achievement if the further enhancements are finished utilizing a bigger measure of the dataset.

[9] Shih-Hsiung Lee, Chu-Sing Yang, "An Image Preprocessing Method for Fingernail Segmentation in Microscopy Image", 2019, this paper proposes an image preprocessing method, trying to segment different parts of nail: lunula and nail plate. In the data of poor image quality, the lunula may not be presented clearly. In order to maintain the nail image quality, this paper uses microscope to capture nail image. Besides lunula and nail plate, the nail details, such as free edge, cross striation and longitudinal striation, can be seen clearly in the image captured by microscope.

[10] Laura Safira, BudhiIrawan, CasiSetianingsih, K-Nearest Neighbour Classification and Feature Extraction GLCM for Identification of Terry's Nail, 2019, The dataset in this study is taken from Google and also some of the paper that discusses the nail abnormalities. Nail pictures obtained are different from any source. Therefore, the image should be cut just one finger. Because when detecting terry's nail, the disorder usually occurs in all the nails. So we can use one finger. The photos of a nail that has been doing the extraction characteristics using GLCM then will be done using KNN classification. In this case the class will be divided into two classes, healthy and Terry's.

[11] Hongfeng Li a, Yini Pan b ,Jie Zhao c , Li Zhang d, "Skin disease diagnosis with deep learning: A review", 2021, In this paper, author present a review on deep learning methods and their applications in skin disease diagnosis. We first present a brief introduction to skin diseases and image acquisition methods in dermatology, and list several publicly available skin datasets. Then, we introduce the conception of deep learning, and review popular deep learning architectures and popular frameworks facilitating the implementation of deep learning algorithms.



IV. PROPOSED SYSTEM

Fig 1. Block diagram

The main application of this system is to government to minimize malnutrition percentage.

International Journal of Innovative Research in Science, Engineering and Technology (IJIRSET)

入 う は IJIRSET | e-ISSN: 2319-8753, p-ISSN: 2347-6710| <u>www.ijirset.com</u> | Impact Factor: 7.569|

Volume 10, Issue 12, December 2021

DOI:10.15680/IJIRSET.2021.1012066

Patient module:

Upload malnutrition image in this module by patient to check the diseases. Here patient will get the Patient health is critical or not menace disease without any doctor suggestion.

Admin module:

Here admin train the image dataset based on medical related backend for analysis and comparison of upcoming patient images.

Processing module:

Once get the image from patient then proposed algorithm apply the detection process on that image to find out the malnutrition patient or not.

V. CONCLUSION

In presented system, system analyzes the human nail and gives probable disease for person including healthy case. This model gives more accurate results than human eye like subjectivity and resolution power. This may give more accurate result for identifying human health condition using machine learning algorithm.

VI. ACKNOWLEDGEMENT

I wish to express my profound thanks to all who helped us directly or indirectly in making this paper. Finally I wish to thank to all our friends and well- wishers who supported us in completing this paper successfully I am especially grateful to our guide Prof._____ for him time to time, very much needed, valuable guidance. Without the full support and cheerful encouragement of my guide, the paper would not have been completed on time.

REFERENCES

[1] Cynthia Hayat, BarensAbian, "The Modeling of Artificial Neural Network of Early Diagnosis for Malnutrition with Backpropagation Method", 2018.

[2] BambangLareno, LilianaSwastina, HusnulMaadJunaidi, "IT Application to Mapping The Potential of Malnutrition Problems, 2018.

[3] AnutoshMaitra, RambhauEknath Rote, NatarajKuntagod, "Managing Child Malnutrition via Digital Enablement: Insights from a Field Trial", 2017

[4] Sri Winiarti, Sri Kusumadewi, IzzatiMuhimmah, Herman Yuliansyah, "Determining The Nutrition of Patient Based on Food Packaging Product Using Fuzzy C Means Algorithm", 2017.

[5] ArchanaAjith, VrindaGoel, "Digital Dermatology Skin Disease Detection Model using Image Processing", 2017.

[6] Kyamelia Roy, SheliSinhaChaudhuri, "Skin Disease detection based on different Segmentation Techniques", 2019.

[7] Sambit BAKHSHI, "Deep convolutional neural network for face skin diseases identification", 2019.

[8] TanzinaAfrozRimi, "Derm-NN: Skin Diseases Detection Using Convolutional Neural Network", 2020.

[9] Shih-Hsiung Lee, Chu-Sing Yang, "An Image Preprocessing Method for Fingernail Segmentation in Microscopy Image", 2019.

[10] Laura Safira, BudhiIrawan, CasiSetianingsih, K-Nearest Neighbour Classification and Feature Extraction GLCM for Identification of Terry's Nail, 2019.

[11] Hongfeng Li a, Yini Pan b , Jie Zhao c , Li Zhang d, "Skin disease diagnosis with deep learning: A review", 2021.





Impact Factor: 7.569





INTERNATIONAL JOURNAL OF INNOVATIVE RESEARCH

IN SCIENCE | ENGINEERING | TECHNOLOGY





www.ijirset.com