

e-ISSN: 2319-8753 | p-ISSN: 2320-6710

EDIA

International Journal of Innovative Research in SCIENCE | ENGINEERING | TECHNOLOGY

INTERNATIONAL JOURNAL OF INNOVATIVE RESEARCH

808

IN SCIENCE | ENGINEERING | TECHNOLOGY

Volume 10, Issue 1, January 2021

INTERNATIONAL STANDARD SERIAL NUMBER INDIA

Impact Factor: 7.512

9940 572 462

6381 907 438

 \bigcirc

🖂 ijirset@gmail.com





| e-ISSN: 2319-8753, p-ISSN: 2320-6710| <u>www.ijirset.com</u> | Impact Factor: 7.512|

|| Volume 10, Issue 1, January 2021 ||

DOI:10.15680/IJIRSET.2021.1001083

Management of Sandhigatavata (Osteoarthritis) in Ayurveda – A Review

Dr Bikash Raj Ghimire¹, Dr Samichha Neupane², Prof. Sanjay Pokharel³,

Dr Shwetha Kumari Pokharel⁴, Amrita Ghimire⁵

Senior Consultant at National Ayurveda Research and Training Center, Kathmandu Nepal

Consultant District Ayurveda Health centre, Kavre Nepal²

Professor, Nepal Sanskrit University, Dang Nepal³

Asso. Professor, Nepal Sanskrit University, Dang, Nepal⁴

PhD Scholar, Nepal Sanskrit University, Dang, Nepal⁵

ABSTRACT: Ancient health science, *Ayurveda*. A healthy life and longevity is always desirable from it. Today's era 21st century has its advantages but with fast and stressful life style comes disadvantages also .One disadvantage is having unhealthy diet and faulty life style, Around the world osteoarthritis ,osteoporosis obesity and cardiovascular diseases are affecting the health status. The diseases osteoarthritis is a growing public health problem worldwide. Currently it is estimated that over 250 Million people worldwide suffer from this disease. In Ayurveda *Sandhivata* gets its entity in the chapter of *Vata vyadhi* which obviously are co-related with neuromuscular disorder including disease of the joints. It is a type degenerative and articular disorder affecting mainly in the weight bearing joint, in advancing age. Ayurveda recommends healthy life style *through Aahara*, *Vihara*, *Aaushadh*, different kinds of *karmas* to prevent all kind of diseases.

KEYWORDS: Sandhivata, Osteoarthritis, Vatavyadhi, prevention and management.

I. INTRODUCTION

Osteoarthritis which resembles Sandhigatavata is a degenerative joint disorder characterized by degeneration of joint cartilage and adjacent bone that can cause joint pain and stiffness. It begins asymptomatically in the 2nd and 3rd decades and is extremely common by age of 70yrs¹. Almost all persons by age 40 have some path logic change in weight bearing joint. 25% females and 16% males have symptomatic osteoarthritis. Till the age of 55 it occurs equally in both sexes; after 55 the incidence is higher in women². All the disease in the body whether in shakha, kostha or marma pradesha are influenced mainly by vata. Prakupita vata is responsible for several types of disease in body. Sandhi- gata-vata is one such disease in which the vitiated vata localizes in the asthi sandhis of the body. It is a conndition common in the vriddhaawastha coinciding with the vata predominant phase of life. Metabolic and degenerative disease of connective tissue and joint problem are quite affluent today. During different stages of the human life disease prevalence is common due to genetic, infection, infestation, systemic, environmental age related and so on. In Ayurveda Sandhivata gets its entity in the chapter of Vata vyadhi which obviously are co-related with neuromuscular disorder including disease of the joints. This socieconomic disease cripples the human life and has posed a challenge to medical science. Sandhivata is vataja diseases mainly occur due to dhatukshaya (degeneration of tissue) so generally snehana (oleation therapy), swedana (fomentation), mridu samsodhana (mild purification therapy), and *vasti* (enema) etc³. According to modern point of view it is called Osteoarthritis, is most common joint disease of humans and it is also erroneously called as degenerative joint disease. Incidence: - osteoarthritis has reached epidemic proportions in the 21st century, currently it is estimated that over 250 Million people worldwide suffer from this disease. Before 45 years of age it is more common in men, while after 45 years of age it is more common in women. OA is the most common form of arthritis with disease of the knee and hip affecting about 3.8% of people as of 2010. It becomes more common in both sexes as people become older⁴

Pathogenesis:

Ayurveda, the disease Sandhigatavata is discribed under Vatavyadhi in all the Samhitas and Sangraha Granthas. It is mentioned to have the clinical features like swelling in joints and pain during the joint movements. It is said to be



| e-ISSN: 2319-8753, p-ISSN: 2320-6710| <u>www.ijirset.com</u> | Impact Factor: 7.512|

|| Volume 10, Issue 1, January 2021 ||

DOI:10.15680/IJIRSET.2021.1001083

caused by the excessive intake of *vata vrudhi Kara ahara* like *katu, tikta* and *kashaya rasa pradhana dravya* and *ativyayama* (excessive strain or stress to the joints) or *abhighata* (injuries). it is situated in *marma sthana, Madhyama roga marga.* So being a *Vatavyadhi, Sandhigatavata* is *Kastasadhya, Madhyama roga marga,* situation in *Marma Asthi Sandhi*, Vitiation of *Asthi* and *Majja, Dhatukshya, Vriddavastha* also makes it *Kastasadhya⁵*

No clear pathogenesis of *Sandhigatavata* has been described in ayurvedic text but Samprapti of *Vatavyadhis* has been explained in Charaka Samhita chikitsa sthana. Vitiated vata dosha fills up the empty channels of the body thereby resulting in various disorders of either one part (localized) or the whole body (generalized) Ashtang Hridaya frames the Samprapti of Vata Vyadhi like: Dhatukshaya aggravates Vata and same is also responsible to produce *Riktata* of *srotas*. Thus the vitiated vata travels throughout the body and settles in *Rikta Strotas* and further vitiates the *Srotas* leading to the manifestation of *vata vyadhi Samprapti* of *Sandhigatavata* can be understood according to the cause of *vata prakopa*. Two predominant causes of *vata prakopa* have been described in texts, so *Sandhigatavata* occurs either as a result of *Dhatukshaya* or *Margaavaran*. Hence *Sandhigatavata* is classified into two types⁶.

(1) Dhatukshaya Janya Sandhigatavata

(2) Marga Avaran Janya Sandhigatavata

(1) Dhatukshaya Janya Sandhigatavata In old age vata dosha dominates in the body. This lead to Kapha abhava, Also Jathragni and Dhatvagni gets impaired by which dhatus formed is not of good quality2. Reduction of Kapha in Sandhis makes Sandhi Bandhana Shithilata. Ashraya ashrayi sambandha also leads to Asthidhatu kshaya. Asthi being the main participant of the joint, its kshaya leads to Khavaigunya in the joints. In this condition if Nidana Sevana is done it futher produces Vata Prakopa. Vata Prakopa is not corrected by appropriate means at two stage and simultaneously if the person indulges in Asthivaha and Majjavaha stroto dushtikara nidana, the prakupita vata spreads all over the body through these srotas. In the meantime sthanasamshraya of prakupita vata take place in the Khavaigunya yukta Janu Sandhi. This localized vayu due to its Ruksha, Laghu, Kharadi Guna over power and undo all properties of Shleshmaka Kapha producing disease Sandhigatvata⁷.

(2) Aavarana Janya Sandhigatavata Usually Sandhigatavata occurs in weight bearing joints in Sthoola individuals. *Medodhatu* is produced in excess due to Atisnehamsha of Amarasa in such individuals. The excessive Medas produce obstruction for the flow of nutritive materials to the future Dhatus i.e. Asthi, Majja and Shukra leading to their kshaya. The excessive fat deposited all over the body produces margavarana of vata. Prakupita vata due to margavarana starts to circulate in the body. While travelling, it settles in the joint where khavaigunya already exists. After Sthanasamshraya it produces the disease Sandhigata vata⁸.

The disease is comparable with osteoarthritis. It is a degenerative joint disease due to the degradation of the joints, the articular cartilages and subchondral bone. It involves the entire joint including the nearby muscles, underlying bone, ligament, synovium and capsule. OA is joint failure, a disease in which all structures of the joints have undergone pathologic change, often in convert joint failure. This is accompanied by- increasing thickness and sclerosis of the subchondreal bony plate. By outgrowth of osteophytes at the joint margins, by stretching of the articular capsule, by mild synovitis in many affected joint, by weakness of muscles bridging the joint. Commonly affected joint include cervical, lumbo-sacral spine, Hip, Knee, First metatarsal /phalangeal joint (MTP).⁹

II. CLASSIFICATIONS OF OSTEOARTHRITIS

• **Primary OA**: Wear and tear with repeated miner trauma, obesity, aging perse, all centribute of focal degenerative changes in the articular cartilage of joints. Genetic factors, Metabolic disorders, Age-it is a disease of old age, Endocrinal factors, Idiopathic avascular necrosis- it is occasionally seen in alcoholic middle aged men with high serum lipid and altered blood coagubility.

• Secondary OA: May appear at any age and is the result of any previous wear and tear phenomena involving the joint, previous injury dislocation of the Hip, Trauma, Mal- alignments, Inadequate blood supply, Infections of the joint – e.g. pyogenic, tuberculosis, etc. Diseases interfering with the nerve supply of joint, Inflammatory Diseases, Nutritional bone disease-e.g. Rickets in infancy, Osteomalacia in adults. Loading factors: - Obesity, Repeated use of joint-occupational¹⁰.



| e-ISSN: 2319-8753, p-ISSN: 2320-6710| <u>www.ijirset.com</u> | Impact Factor: 7.512|

|| Volume 10, Issue 1, January 2021 ||

DOI:10.15680/IJIRSET.2021.1001083

Ayurvedic Management

treatment is "Vighatana of Samprapati", so the treatment of Sandhigatavata aim are: Agnisamata - mandagni is responsible for the production of all the disease, Vatashamana, Kaphavriddhi – Increase Snigdha guna & khavaigunya is corrected, Rasayana - it is nourishes Dhatus and overcomes Dhatukshaya. Make surrounding tissue strong- Muscles, ligaments and tendons are responsible for the joint stability. So surrounding tissue of the joint must be strong to prevent or cure the Osteoartheitis. If they are weak, joint damage will occur soon even with the minimal load. Treatment of OA should be like that, which makes tissue strong. In Ayurveda, Sandhishula is one of the symptoms of Mamsakshaya and Sandhiphutana. Provide materials which are required for healthy bone structure: - weak bone can't bear even normal load must be healthy. Samprapti Vighatana Anusara: As earlier drugs are having Vata shaman properties. So it decreases the aggravated vata and prevents the affliction of sandhi. Basti, Vatahara Aushadha, Ahara & Vihara Mridu samshodhana, In Ayurveda, the treatment of sandhigatavata is aimed at reducing the vata dosha and to increase the shleshaka kapha so that the joint spaces are adequately lubricated for the free movement of joints. The drugs mentioned in the Ayurveda like Nirgundi, Eranda, Bala, etc.are having excellent vatahara property and they acts as rasayana, balya and kapha vardhaka and help to reduce the vata. Charaka refers to taila as 'marutagana' Taila is mentioed to reduce vata without increasing kapha. It also stabilized the mamsa dhatu. Taila is used as drug of choice in anuvasana Basti. Due to its sneha property it balances the rooksha guna of vayu, due to its ushna guna takes care of the sheethala guna of vaya. Acharya Sushruta mentions snehana (outer/ internal) for management of Sandhigata vata. Asthi dhatu has kharatva which is also combated by taila. Basti Chikitsa is considered the best management of vitiated vata. The panchkarma procedure of Basti has been hailed as 'ardha chikitsa' by acharyas that is, half of the whole treatment Anuvasana Basti is a type of Basti in which Sneha dravya is given by Basti. Matra Basti is type of Basti. It is explained that this type of Basti can given to almost everybody, in all the seasons, without any strict regime of *ahara* and *vihara* and it is *nishpariharya* i.e.it can be given with maximum ease and has no complication thereaafter¹¹.

Management Osteoarthritis: - Lifestyle changes- weight loss & exercise, Physical measures- moderate exercise is beneficial with respect to pain and function, these exercises should occur at least three times per week, Pain Rx Heat can be used to relieve stiffness & cold can be relieve muscle spasms and pain. Non pharmaco therapy: - avoiding activities that overload the joint as evidenced by their causing pain, improving the strength and conditioning of muscles that bridge the joint, so as to physiotherapy is of some help to keep joint moving and build up muscular strength, Middle aged pt's demanding form of weight bearing activity may alleviate all symptoms, Older person: - whose daily constitutionals up & down hills bring on knee joint Correction of misalignment. Anti-oxidants Vit. A, B, C, D, E, K2 etc.to prevent the joint from oxidative damage antioxidants nourish all the tissues. Pharmacotherapy: - In the modern system of medicine, the treatment adopted for the Osteoarthritis includes administration of anti-inflammatory drugs, analgesics for the pain relief. In much extreme cases some surgical procedures like joint replacements are also adopted. Intra articular injection: - glucocorticoids and hyaluronic acid Surgery: - osteotomy (the operation through cutting of the bone) Arthrodesis (fusion of two joint) Exercise of the joint (cutting away/ taking out joint) Manipulation of the joint under anesthesia with Hydrocortisone injection¹²

III. DISCUSSION

Sandhigatavata vis-à-vis Osteoarthritis is a degenerative joint disorder. It is grouped under the Nanatmaja Vatavikara in charak samhita. It has been explained under the name of Sandhigata Anila, Sandhivata, Gulphavata or Khuddavata by different authors. Various Aharaja, Viharaja, Manasa and other Vata prakopaka nidana are mentioned in detail as aetiological factors of Vatavyadhi. Sandhigatavata specially occurs in Vriddhavastha which is Parihanikala in which Dhatukshya takes place which in turn leads to Vataprakopa. Vata and Asthi have Ashrayaashrayi sambandha, which means Vata is situated in Asthi. Vriddha or increased Vata diminishes Sneha from Asthidhatu by its opposite qualities to Sneha, by which Khavaigunya (Rikta-Srotas) occurs in Asthi which is responsible for the pathogenesis of Sandhigatavata. Symptoms of Sandhigatavata are Sandhishula, Sandhishotha, Akunchana prasarana janya vedana, Hanti sandhi gati, Stambha and Atopa described by various authors specially by acharya charka in chikitsasthan. Here, Sandhishula, Sandhishotha are due to Vata prakopa and special type of Shotha i.e. vatapurna driti sparsha or Atopa indicate Vata dominancy. Akunchana prasaranjanya vedana and Hanti sandhi gati occur due to Kaphakshya and Vataprakopa. Symptoms of Sandhigatavata are similar to that of Osteoarthritis i.e. joint pain, swelling, stiffness, disability and crepitation over joint.



| e-ISSN: 2319-8753, p-ISSN: 2320-6710| <u>www.ijirset.com</u> | Impact Factor: 7.512|

|| Volume 10, Issue 1, January 2021 ||

DOI:10.15680/IJIRSET.2021.1001083

IV. CONCLUSION

It is an age related disease and may persist for rest of the life of the patients. However, as compared to side effects and contraindication of the modern medicines so can use *Ayurvedic* drugs of *sandhigatavata* for long period no side effects. Effects of rasayana considering the Ayuredic concepts of Physiology rasayana agent promotes nutrition following modes by direct enrichment of the Nutritional quality of rasa (nutritional plasma)-satavari, milk and ghee and by promoting nutrition. Through improving *Agni* (digestion and metabolism) as *bhallataka,pippali* promoting the Competence of *srotas* (microcirculatory channels in the body) as *guggulu* etc. *Rasayanas* are helpful in maintaining general, promoting longevity, increasing memory, mental Faculties and provide preventive measures for maintaining health as well as strengthening Resistance and immunity against disease.

REFERENCES

1. Osteoarthritis: Diagnosis and Medical/Surgical management; Fourth edition, 2007.

2. API Textbook of Medicine; Siddharth N.Shah, Volume 2; 2008.

3. Nagesh Gandagi, Shubhangi Patil Review Article, A review on Sandhigatavata and its Management Principles, International Journal of Ayurvedic Medicine, 2015, 6 (1), 8-15.

4. Wikipedio encyclopedio. Html, osteoarthritis Available from www. Osteoarthritis.com/wiki/article2016

5, Shastri Kasinath Chaturvedi Gorakhnath, editors.Charak Samhita, vidyodini Hinidi Commentary (chikitsasasthan chapter 28th Verse 37,) Vol. 1 Varanasi: Chaukhambha Bharati Academy; 1989 p.783, 793

6. Charaka Samhita with Vidyotini Hindi Commentary by Pt. Kashinath Shastri and Dr. Gorakhnath Chaturvedi, 2007, Part II.

7. Charaka Samhita with Charak Chandrika – hindi commentary, by Dr.Brahmanand Tripathi, 2008 Vol-2.

8. Sushruta Samhita with Ayurveda – Tattva – Sandipika commentary, by Kaviraja Ambikadutta Shastri, 2011, Part-1.

9. Shastri Ambikadatta, editor. Sushrut samhita, Ayurveda-tattvasandipika Hindi commentary (chikitsa sasthan chapter 4 th Verse8, 9) Vol 1 14. Varanasi: Chaukhambha Sanskrit Sansthan; 1998. P34.

10. Textbook of pathology @ 2005, Harsh Mohan, and The Indian Journal of Pathology £Microbiology chapter 26: Musculoskeletal System; p.875

11. Vats Anurag, Bharadwaj Shreyasi, Sharma Satish, Richa Research Article The Role of Matra Basti with Bala taila in Sandhigatavata w.s.r to Climbing stairs in patients of osteoarthritis-Knee Joint, International Journal of Ayurvedic Medicine,2015,6 (3),262-266.

12. Wikipedio encyclopedio. Html, osteoarthritis Available from www. Osteoarthritis.com/wiki/article2016



Impact Factor: 7.512





INTERNATIONAL JOURNAL OF INNOVATIVE RESEARCH

IN SCIENCE | ENGINEERING | TECHNOLOGY





www.ijirset.com