



IJIRSET

International Journal of Innovative Research in
SCIENCE | ENGINEERING | TECHNOLOGY

e-ISSN: 2319-8753 | p-ISSN: 2320-6710



INTERNATIONAL JOURNAL OF INNOVATIVE RESEARCH

IN SCIENCE | ENGINEERING | TECHNOLOGY

Volume 10, Issue 7, July 2021

ISSN INTERNATIONAL
STANDARD
SERIAL
NUMBER
INDIA

Impact Factor: 7.569



9940 572 462



6381 907 438



ijirset@gmail.com



www.ijirset.com

Environmental Review: Reducing Plastic Waste Using Green, Sustainable Manufacturing

Ashish Pinto¹, Sudeep Kumar Jain¹, Sourabh R¹, Ritvik S Shetty¹, Sudheer²

U.G. Students, Department of Mechanical Engineering, Alva's Institute of Engineering and Technology Moodbidri,
(Affiliated to Vishvesvaraya Technological University, Belgaum) Karnataka, India¹

Faculty, Department of Mechanical Engineering, Alva's Institute of Engineering and Technology, Moodbidri,
Karnataka, India²

ABSTRACT: In addition to being inexpensive, lightweight, and durable, plastic can be easily moulded into a wide range of objects for a variety of uses. The result is that plastic output has grown dramatically over the past 60 years, but current levels of use and disposal are posing an increasing number of environmental problems. The oil and gas industry is a primary source of plastics, which account for around 4% of global production. Approximately 3-4% of that quantity is used to provide the energy necessary to manufacture plastics. Packaging made of plastics is disposable and used only for a year before it is discarded. To mitigate these global impacts, recycling is one of the most useful solutions available today, and it has also become one of the fastest-growing areas of the plastics industry. The amount of waste that must be disposed of can be reduced because recycling reduces oil consumption. The purpose of this section is to briefly examine the effectiveness of recycling in comparison with some other approaches to waste reduction, such as down gauging or product reuse, the use of alternative biodegradable materials, and energy recovery. In today's global environment, resources are scarce and populations are growing rapidly. Climate change threatens the delicate balance of the global ecosystem. In several nations, the recycling of packaging materials has exploded in recent decades as a result of the increased recycling of plastics since the 1970s. Technological innovations and systems are opening a new range of recycling opportunities, and if the public and industries collaborate to divert the majority of plastic waste from landfills over the coming decades, it may be possible to divert the majority of plastic waste from landfills to recycling. Governments and the private sector cooperate.

KEYWORDS: Plastic packaging, waste management, plastics recycling, chemical recycling, and energy recovery are among the topics discussed.

I. INTRODUCTION

Today's global environment is characterized by a shortage of resources and a rapidly growing population. The world becomes unbalanced due to climate changes. There has been a recommendation to establish a new quality management system for products as well as an environmental management system. The primary goal of this initiative is to reduce the amount of environmental damage caused by industries. Due to the expanding demand and limited supply, the cost of energy and resources will always be rising since it is necessary to develop a new production process, i.e. C. Tan., et al. (2002). Further, price trends can scarcely be predicted, so corporations must work within the vast price ranges of energy and resources to produce successfully. The one technique to accommodate price changes consists of transferring marks to clients. The price increase, on the other hand, might necessitate product upgrades. In addition, increasing the efficiency of production, it is possible to achieve through taking steps to reduce the intake of resources making manufacturing a more efficient and effective process, can help to stabilize costs. Nancy Diaz-Elsayed and others (2013). This article's major goal is to bring attention to the producer who is manufacturing the product as a mass product. This article discusses various waste management and green manufacturing strategies that may be used to reduce waste and increase the use of sustainable energy. The benefits of green manufacturing are not only beneficial for the environment but are often beneficial for business as well. Other initiatives to reduce energy and materials used in manufacturing processes are often similar; what's good for the environment is usually good for the financial statement as well.

II. LITERATURE SURVEY

The impact of environmental issues on corporate operations has now been considered strategic its purpose to reduce costs and develop high-quality products. Kleindorfer et al., 2008; atasu et al., 2008. (2005). "Green Operations" (GO) encompasses all aspects of the product development process, from design to production and recycling. The overall goal is to reduce costs associated with product manufacturing, distribution, use, and disposal through eco-design, clean production, recycling, and reuse. Kleiner (1991). This project focuses on products-oriented as well as process-oriented environmental practices, according to environmental management literature. The impact of supply chain activities and products on natural resources (Ferguson and Tokay, 2006); Gilley and others, 2000; the following paragraphs describe the effort Rogers and Tibben-Lembke (2001) made to save the world by deploying environmental technology in downstream supply chains. Companies can comply with environmental regulations by using these two components of GO, Liability costs, legal fees, and fines are reduced (Hunt and Austere, 1990). . In adopting you're on your own, companies taking place and able to capture residual value from products they offer and increase innovation in products by analysing design improvements may be made to returned products points Rogers, Tibben-Lembke, (2001). In the research, the past into GO was focused on determining antecedents (such as lobbying by institutions, regulatory requirements, and customer demands), as well as the effect of those influences on GO adoption. Zhu and colleagues (2011), along with the environmental and business benefits of deploying Rothenberg et al., (2001); Zhu et al., (2007); Min and Galle (2001); Go King (2007). Environmental practices and sustainable operations are viewed as a factor in organizational capability Bowen et al., (2001); Sustainable operations and environmental practices are seen as a factor in organizational effectiveness Bowen et al., (2001); (2011), GO cannot perform effectively without these components Kovacs, (2008); Porter and van der Linde, (1995a). (2011), without which GO will not be able to achieve the goal Kovacs, (2008); Porter and van der Linde, (1995). In Corbett and Klassen's book, the need for GO and a firm's internal capability are cited as indicators of GO's success. (1994); hand field et al., 1997; Lai et al., 2010), complementing each other played by providers remain upstream an unexplored topic (Pagell et al., (2007); Vachon and Klassen, (2007)). According to Lee and Klassen (2008), environmental management capabilities (EMC) are important because the EMC indicates how suppliers can improve their environmental performance. However, all firms were not considered as to how their GO was affected by such a capability. A systematic understanding of the role suppliers play in GO is important and timely, as suppliers can cause immense damage to downstream partners' GO Press, (2001). By implementing green manufacturing practices, having a shorter lifecycle for your product is possible, consequently, it is less expensive. To reduce a negative impact on the environment, enterprises, including those that make electrical consumer products, are attempting used products that need to be remanufactured, recycled, and reused. As a result, both electrical and computer companies have a growing concern regarding the reverse manufacturing problem, which has a direct impact on all stages of a product. Optimal inventory systems are developed to understand the context of related policies and to analyse how cost factors can influence semi-closed supply chains. An overview of the life cycle of a plant Vachon, S., Klassen, R.D., (2007). In addition to Interdictions, incentives, or regulations concerning the handling of electronic waste, several countries at all levels have developed such programs Callahan et al., (1997). These policies provide greater responsibility for environmental responsibility for the producer and consumer (Books et al., 1998). The design of green products has recently received considerable attention. It may be possible to impact the overall Inspecting components and disassembling components at a cost, component Remanufacturing, recycling materials, and repairing defective parts substantially with product design changes A few we have two proposals for a directive on waste electrical and electronic equipment (WEEE) that are already under development. By the European Union, has prompted some manufacturers to modify their adapting product designs and components to incorporate the EOL product reuse concept Toffel, (2002). Zhu et al., (2007) demonstrate that environmental impacts (e.g. air emissions) occur at all phases of a product's life cycle, from extraction to manufacturing to use, reuse, recycling to disposal. Srivastava, (2007) argued that green supply chain management (GSCM) refers to the process of developing products and processes that enhance the environmental impact along the entire supply chain management process from initial raw material extraction to manufacturing, distribution, and end-of-life management. A product's environmental impact (e.g. air emissions) occurs throughout its life cycle, from resource extraction to manufacturing, use, reuse, recycling, and disposal Zhu et al., (2007) An important aspect of green supply chain management (GSCM) is green purchasing, green manufacturing, materials management, green distribution, and green reverse logistics (Hervani et al., 2005). Environmental thinking is incorporated into every stage of the supply chain management, from extracting raw materials to product design to manufacturing processes to delivery of the final products to the consumer Srivastava, (2007). Van Hock and Erasmus (2000) cite the growing field of (GSCM) as an important method for reducing environmental risks and burdens during production and disposal as well as enhancing profitability and competitive advantages. By evaluating the GSCM performance criteria, this purpose aims to reflect both automobile manufacture and

environmental performance in developing countries. This study has contributed to improving the environmental image of automobile manufacturers and enhancing their competitive position worldwide in a context where the automobile industry remains a consumer good in developing countries. Bucks, ET. al., 1998.

III. A GROWTH MANUFACTURER

Green technology, in the modern Global, is the application of environmental science, green chemistry, environmental monitoring, and electronic devices for monitoring, modelling, and conserving the natural environment, and to curb the negative impacts of human activity on the environment and resources. In addition to photovoltaic, wind turbines, and bioreactors, the term can also refer to bioremediation, bio filtration, or desalination technology. During a busy schedule, we do not always have time to read the smallest of print, decipher complex ingredients, or consider alternative options. In today's marketing, the word "natural" has become overused and misused to the point where it has Ineligible all meaning.

Managing the environment

These instruments are used to manage environmental issues. An evaluation of a process's inputs and outputs, which determines its efficiency and waste. Essentially, full cost accounting includes all costs related to material, energy, labour, waste disposal, and other items. In addition, products have a life cycle, the shorter the life cycle, the smaller the impact on the environment. Usually, engineering is divided into three stages: (1) Drafting, conceptualizing, and designing; (2) Construction of the production line and (3) Operations Management (Blanchard and Fabrycky, 1997). This study is designed to develop cost functions in sequence in the context of a systematic engineering process. It is possible to achieve an optimal balance between business and the environment by imposing extended producer responsibility on manufacturers. By designing products so they can be disassembled and remanufactured easily, manufacturers facilitate product recovery and remanufacturing. By using the product life cycle value designer, it becomes possible to select appropriate material and make Implementation of sustainable design measures (including using recyclable materials and the use of complex material or hazard) the reduction of the impact on the Ecosystem. Fishbone, Toffel, (2000); Goel, (2002). An element cost of design Cycle of life. Many factors are influencing the price of a component during design and production, but from the point of view of the product, it is a function that increases with the lifespan of the product.

Sustainable Manufacturing

Concerns over chemical contamination and resource depletion, environmental incidents and disasters, prompted In the 1970s and 1980s, several meetings and reports gave rise to the concept of sustainability. A wise man, Mr David Downfield, noted this in the Brundtland Report in 1987. The authors of the study et.al. (2013). Sustainability in manufacturing refers to determining and reducing the environmental impact of manufacturing. The phrase is sometimes used carelessly today. Nevertheless, sustainability encompasses far more than modifying environmental performance measures in manufacturing systems and processes to achieve greater sustainability. Although this caveat is present, this interpretation is likely to stand. The unsustainable nature of a system can be determined by the rate at which Resource consumption is the responsibility of society and creates Incapable of being transformed by nature that Increasing the nutritional and economic value of wastes. According to strict definitions, sustainability belongs only to closed systems, such as those shown in Fig.1. Subsystems of manufacturing coexist with those of human, ecological, and natural systems. David A. Downfield goes on to write that sustainable manufacturing can't be considered apart from climate and socio-economic systems. The authors (2013) cite several studies. Fundamentals of Design for Sustainability Manufacturing is a business, and by this engineers are well versed at establishing the economic value of engineering solutions for manufacturing. A more challenging engineering and business task is determining environmental and social performance. The production and conversion of input materials into marketable products involves operations and activities that generate sustainability-related impacts. David A. Downfield From the perspective of industrial production, materials, energy, and waste are inputs; the products of the industry, which are usually considered outputs, feed into other natural and industrial systems with consequential impacts on society, the environment, and the economy. The authors of the study et.al. (2013). as shown in Figure 1. Manufacturing as a driver for sustainable development Theodore Downfield It's in ET the Authors, (2013).




Fig. 1 The role of the manufacturing industry in a sustainable system David A. Dornfeld. Et.al., (2013).

Fig 1 The role of the manufacturing in a sustainable system David A. Dornfeld. Et.al., (2013)

Operations that are environmentally sustainable

Zhu et al. (2008) describe GO as an innovative environmental management approach that helps electronics manufacturers ensure compliance with environmental requirements for their Contribution (e.g., A component or metal for electronics) and Results (e.g., Carbon emissions, waste, finished products). Environmental practices focused on products and processes are used at GO to improve financial performance and reduce pollution. Snir, (2001) states that the product-oriented environmental practice of GO, also known as product stewardship, reduces the Taking the environment for granted in product development Utilizing less hazardous and non-renewable materials and considering the environmental impact of product packaging. Lamming and Hampson, (1996); Reinhardt, (1998) advocate the Product components are reused and recycled through eco-design and using the packaging and parts of green cycles. Decant and Altman (1994) discuss the environmental impacts of electronics manufacturing, from the acquisition of raw materials to the end-of-life disposal of products. Christina W.Y.Wong, et.al, (2010) say that such practices are aimed at reducing the amount of environmental damage caused by all parts and components of a product.

Green supply chain management

Supply chain management with green issues is what Hervani et al., (2005) define as GSCM. According to The Chinese and the Russians (2004), Supply chain management extends providing logistics services for suppliers, manufacturers, and customers along this is what is known as closed-loop supply chains. Shevani et al. (2005) state that different things to do related to GSCM exist, We use, remanufacture and recycle all kinds of materials that integrated with designing and procuring green, comprehensive management of the environment, environmental packing, environmentally friendly transport, as well as a wide range of products disposal tactics. A dramatic expansion by a variety of leading automobile manufacturers (Generic Motors, Ford, Daimler Chrysler, Suzuki, Hyundai, and Fiat) into the Asia region is transforming the automobile industry in the global economy Kumar and Bali Subrahmanya, (2010). International studies on energy and environmental policy have disputed the idea of greening the automobile industry. There has been a great deal of interest in green supply chains in the automotive industry. Environment concerns are being addressed all over the world, which means evaluating and measuring results is vital. Olugu et al., (2010). The issue of GSCM performance evaluation has been explored in few studies. To Improving market competition, reducing environmental impacts, and complying with regulatory requirements, it is crucial to apply green concepts to automotive manufacturing Theogonist, (2003). Zhang Thesis of Edwards et al. (2008) in developing countries, the automobile industry is claiming a promising and potentially huge market the reason for this is has access to Following that, there was a huge market joining WTO. The Providing chain of the automobile, however, faces a problem. It has been shown by Zhu et al. (2007) that the Chinese automobile industry has been underdeveloped, and recycling of used cars is not well regarded. To reduce the government of China is responsible for environmental burdens has tightened environmental In Zhu et al., (2007), regulations are discussed. Therefore, Chinese automakers are now looking at Chinese partners Zhang and Peng (2000) share their experiences in GSCM. The Malaysian government has not addressed environmental issues, such as the recovery of end-of-life vehicles Amelia et al., (2009). Due to Malaysia's rapid automobile industry development, automotive manufacturers and the government are forced to comply with GSCM to be concerned environmental issues impacts (2011) Eltayeb et al. Diabat and Govindan (2010) point out that GSCM provides environmental benefits to manufacturers and brings economic benefits to the company.

Green Application

Our day-to-day lives are affected by fuel, which is a non-renewable resource that will run out soon. To solve this problem, a new fuel source is needed. Renewable energy solutions are the only way out, such as solar, wind, tidal, and biodiesel which are green products. Qinghai Zhu, ET. al., 2004 conclude that sustainable energy is an excellent fuel source. Purification of water is important human life is at stake since our most precious resource is water essential we have to, yet the population is increasing growth and oxidative reaction processes, There is no safe water to drink. In terms of water purification, solar distillation has significant advantages Qinghai Zhu, et.al. 2004. All plants can remove CO₂ from the atmosphere and convert it into oxygen, which maintains fresh air inside. By doing this, the air pollution will be lower because more oxygen will be available and less carbon dioxide will be released into the atmosphere. In terms of concept, wastewater treatment and water purification are similar. Considering that they purify water according to its pollution level, sewage treatment is very important. A location with a high water demand is given the least polluted water, while a location with low demand is given the most polluted water. Environmental protection, sustainability, and various other concepts are possible to develop from it. The management of solid waste is the process of purging, consuming, reusing, disposing, and treating solid waste that a government or ruling body undertakes. Conservation of energy involves reducing electricity consumption by utilizing devices that require a smaller amount of energy. Using less electricity means burning fewer fossil fuels to generate it. Qinghai in Y. Zhu, et.al. In 2004,

IV. SUMMARY AND OUTLOOK

Green manufacturing is talked about in this paper; the Article attempted to draw Attention to the reader, green technology uses renewable resources for environmental development. Green manufacturing was also explored in the paper's application and methods. In terms of our everyday and industrial needs, sustainable energy is a better option. Sustainable energy can even be used for manufacturing. In the paper explaining and illustrating the concept of environmental management, the green operations GO was also discussed. As a great tool for enhancing the green image and competitive advantage, the green supply chain enables industries to perform better. Researchers will collaborate soon to identify an element of decision-making that incorporates fixed costs and include a wider array of the green economy can be quantified initiatives during production, including Heating, lighting, and Consumption of pressed air.

REFERENCES

- [1] Books, C., Nilsson, J., Masui, K., Suzuki, K., Rose, C., Lee, B., 1998. An international comparison of product end-of-life scenarios and legislation for consumer electronics. In: Proceedings from the IEEE Symposium on Electronics and Bowen, F., Cousins, P.D., Lamming, R.C., Faruk, A.C., 2001. The role of supply management capabilities in green supply. *Production and Operations Management* 10 (2), 174–189.
- [2] Callahan, J.S., Dunne, R.A., Stanaback, S., 1997. New Jersey County dismantles recycling and emissions problems. *World Wastes* 40 (3), 7–8. Christina W.Y.Wong, Kee-hungLai, Kuo-ChungShang, Chin-ShanLu, T.K.P.Leung, Green operations and the moderating role of environmental management capability of suppliers on manufacturing firm performance, *Int. J. Production Economics* 140 (2012) 283–294.
- [3] Christmann, P., 2000. Effects of “best practices” of environmental management on cost advantage: the role of complementary assets. *Academy of Management Journal* 43 (4), 663–680.
- [4] Chun-Jen Chung, Hui-Ming Wee, Green-component life-cycle value on design and reverse manufacturing in the semi-closed supply chain, *Int.J.Production Economics* 113 (2008)528-545
- [5] Corbett, C.J., Klassen, R.D., 2006. Extending the horizons: environmental excellence as key to improving operations. *Manufacturing and Service Operations Management* 8 (1), 5–22.
- [6] David A. Dornfeld, I. S. Jawahir, Andres F. Clarens, A Review of Engineering Dechant, K., Altman, B., 1994. Environmental leadership: from compliance to competitive advantage. *Academy of Management Executive* 8 (2), 7–20.
- [7] Ferguson, M.E., Toktay, L.B., 2006. The effect of competition on recovery strategies. *Production and Operations Management* 15 (3), 351–368.
- [8] Handfield, R.B., Walton, S.V., Seegers, L.K., Melnyk, S.A., 1997. ‘Green’ value chain practices in the furniture industry. *Journal of Operations Management* 15 (3), 293–315.
- [9] Hunt, C.B., Auster, E.R., 1990. Proactive environmental management: avoiding the toxic trap. *Sloan Management Review* 31 (2), 7–18
- [10] Karl R. Haapala, Fu Zhao, Jaime Camelio, John W. Sutherland, Steven J. Skerlos Karthik Ramani, Devarajan Ramanujan, William Z. Bernstein, Fu Zhao, John Sutherland, Carol Handwerker, Jun-ki Choi, Harrison Kim,

- Deborah Thurston, Integrated Sustainable Life Cycle Design: A Review, *Journal of Mechanical Design*, Vol 132 September 2010
- King, A., 2007. Cooperation between cooperation and environmental groups: a transaction cost perspective. *Academy of Management Review* 32 (3), 889–900.
- [11] Kovacs, G., 2008. Corporate environmental responsibility in the supply chain. *Journal of Cleaner Production* 16 (15), 1571–1578.
- [12] Lai, K.H., Lun, Y.H.V., Wong, C.W.Y., Cheng, T.C.E., 2011. Green shipping practices in the shipping industry: conceptualization, adoption, and implications. *Resources Conservation and Recycling* 55 (6), 559–566.
- [13] Lee, S.-Y., Klassen, R.D., 2008. Drivers and enablers that foster environmental management capability in small- and medium-sized suppliers in supply chains. *Production and Operations Management* 17 (6), 573–586.
- [14] Min, H., Galle, W.P., 2001. Green purchasing purchases of US firms. *International Journal of Operations and Production Management* 21 (9), 1222–1238.
- [15] Nancy Diaz-Elsayed, Annabel Jondral, Sebastian Greinacher, David Dornfeld, Gisela Lanza, Assessment of lean and green strategies by simulation of manufacturing systems in discrete production environments, *CIRP Annals – Manufacturing Technology* 62 (2013) 475–478.
- [16] Qinghua Zhua, Joseph Sarkis, Relationships between operational practices and performance among early adopters of green supply chain management practices in Chinese manufacturing enterprises, *Journal of Operation Management* 22 (2004) 265–289.
- [17] Pagell, M., Krumwiede, D. W., Sheu, C., 2007. Efficacy of environment and supplier relationship investments—moderating effects of the external environment. *International Journal of Production Economics* 45 (9), 2005–2028.
- [18] Porter, M.E., van der Linde, C., 1995a. Green and competitive: ending the stalemate. *Harvard Business Review* 73 (5), 120–134. Porter, M.E., van der Linde, C., 1995b. Toward a new conception of the environment–competitiveness relationship. *Journal of Economic Perspectives* 9 (4), 97–118.
- [19] Press, L., 2001. Are they dirty chains? Purchasing and greener manufacturing. *Journal of Business Ethics* 34 (34), 345–359.
- [20] Research in Sustainable Manufacturing, *Journal of Manufacturing Science & Engineering*, Vol 135, August 2013 review. *International Journal of Management Review* 9 (1), 53–80.
- [21] Rogers, D., Tibben-Lembke, R., 2001. An examination of reverse logistics practices. *Journal of Business Logistics* 22 (2), 129–148.
- [22] Ru-Jen Lina, Rong-Huei Chen, Thi-Hang Nguyen, Green supply chain management performance in automobile manufacturing industry under uncertainty, *Procedia - Social and Behavioral Sciences* 25 (2011) 233 – 245.
- [23] Russo, M.V., Fouts, P.A., 1997. A resource-based perspective on the corporate environment- mental performance and profitability. *Academy of Management Journal* 40 (3), 534–559.
- [24] Sarkis, J., Zhu, Q.H., Lai, K.H., 2011. An organizational theoretic review of green supply chain management literature. *International Journal of Production Economics* 130 (1), 1–15.
- [25] Srivastava, S.K., 2007. Green supply-chain management: state-of-the-art literature the Environment, p. 19–24.
- [26] Toffel, M.W., 2002. End-of-Life Product Recovery: Prior Research and Future Directions. Haas School of Business, University of California, Berkeley. Working Paper, <http://www.toffel.com>. Vachon, S., Klassen, R.D., 2007. Supply chain management and environmental technologies: the role of integration. *International Journal of Production Research* 45 (2), 401–423.
- [27] Van Hock, R.I., Erasmus, 2000. From reversed logistics to green supply chains. X.C.Tan, F.Liu, H.J.Cao, H. Zhang, A decision-making framework model of cutting fluid selection for green manufacturing and a case study, *Journal of Materials Processing Technology* 129 (2002) 467–470.
- [28] Zhu, Q., Joseph, S., Lai, K.H., 2007. Green supply chain management: pressures, practices, and performance within the Chinese automobile industry. *Journal of Cleaner Production* 15, 1041–1052. [29] Zhu, Q.H., Sarkis, J., Lai, K.H., 2007. Initiatives and outcomes of green supply chain management implementation by Chinese manufacturers. *Journal of Environmental Management* 85 (1), 179–189.
- [29] Zhu, Q.H., Sarkis, J., Lai, K.H., 2007. Initiatives and outcomes of green supply chain management implementation by Chinese manufacturers. *Journal of Environmental Management* 85 (1), 179–189.



**Impact Factor:
7.569**



INTERNATIONAL JOURNAL OF INNOVATIVE RESEARCH

IN SCIENCE | ENGINEERING | TECHNOLOGY

 **9940 572 462**  **6381 907 438**  **ijirset@gmail.com**



www.ijirset.com

Scan to save the contact details