

e-ISSN: 2319-8753 | p-ISSN: 2320-6710



IN SCIENCE | ENGINEERING | TECHNOLOGY

Volume 10, Issue 5, May 2021



Impact Factor: 7.512

ijirset@gmail.com







||Volume 10, Issue 5, May 2021||

DOI:10.15680/IJIRSET.2021.1005162

# **Robot Helping to Fight Covid-19**

Neelu Singh<sup>1</sup>, Pravin Matlane<sup>2</sup>, Divya Bawankar<sup>3</sup>, Nehal Borkar<sup>4</sup>, Krunali Rarokar<sup>5</sup>,

Prof. Pankaj Shende<sup>6</sup>

Department of Electronics Engineering, K. D. K. College of Engineering Nagpur, Maharashtra, India 1,2,3,4,5,6

**ABSTRACT:** This paper describes the unfolding role of robotics in healthcare and allied areas with special concerns relating to the management and control of the spread of the novel coronavirus disease 2019 (COVID-19). The primary use of such robots is to minimize person-to-person contact and to ensure cleaning, sterilization and support in hospitals. This will result in minimizing the risk of life to medical staff and doctors taking an active role in the management of the COVID-19 pandemic. This project describes in hospital how to control a robot using mobile through Bluetooth communication, some features about technology of Bluetooth, components of the mobile and robot. We present a review of robots controlled by smartphone via moving the robot upward, downward, left and right side by the android application such as Arduino, bluetooth module. We are using Arduino software to interface the Bluetooth module which is wireless technology. According to commands received from android phone the robot motion can be controlled.

KEYWORDS: medical robots, COVID-19, coronavirus pandemic, multifunction, Bluetooth communication

# 1. INTRODUCTION

- The World Health Organization (WHO) on January 30, 2020 publicly announced the COVID-19 pandemic as a "global emergency" because of the rapidity at which it had spread worldwide [1].
- The virus COVID-19 has unereved worldwide economies leading to a stock market crash in many countries. Since, the
  first collection of cases identified in Wuhan City, China, in December 2019, the coronavirus pandemic has rapidly
  spread across China as well as over the borders, causing multiple incidents in nearly all countries of the world except
  Antarctica as shown in figure below.




Figure 1. Total worldwide deaths due to COVID-19 per million per people

# International Journal of Innovative Research in Science, Engineering and Technology (IJIRSET)



| e-ISSN: 2319-8753, p-ISSN: 2320-6710| www.ijirset.com | Impact Factor: 7.512|

||Volume 10, Issue 5, May 2021||

#### DOI:10.15680/IJIRSET.2021.1005162

- According to the WHO's condition report 127 published on May 26, 2020, so far, 5,404,512 confirmed cases have been reported worldwide with 343,514 casualties [5].
- This project paper aims to designing a robot that can be operated using smartphone. The controlling of a robot is done by wireless technology like bluetooth.

# II.ROBOT FOR HOSPITAL SCOPE

- To avoid physical contact.
- To supply foods to various patients.
- For saving the time.
- To cleaning the hospital.
- This robot will helpful in hospital small clinic and pharmacy.
- Reduced the number of covid-19 patients.

#### III.METHODOLOGY

- In our project we are using four 12v 30 rpm dc motor which will help to give motion to are project, this four motor is drive by motor drive 1298n which is motor driver this motor drive operate motor to move and motor drive is interface with Arduino.
- We are using 12v lithium-ion battery as power supply for the project.
- The motor drive has four pins which used to operate the motor is connect to Arduino the motor drive has twice power supply port which is 12v and 5v 12v and ground is for power supply to motor drive and 5v and ground is for providing power to Arduino.
- To operate our project wireless for that we are using hc05 Bluetooth module which help to operate are project wireless via Bluetooth, this module has a range of 10 meters as given by the description of the module hc05 has six pin in six pin we are using four out of six which as rx tx vcc gnd this pin is interface with Arduino the hc05 is operate on Bluetooth device we need download app in are handset and power on connect the hc05 now we can operate the hc05.
- Next we using UV light (ultraviolet light) this light emitting radiation will help to kill germs and bacteria's UV light whenever in contact with any bacteria's or germs is stop reproduce them UV light operate on 220 ac for this we are using 12v dc to 220 converter which convert 12vdc to 220 ac UV light we fix inside of front side of the project.
- Next is floor cleaning for that we are using 12v 100 rpm dc motor we connect with cleaning thing in touch with surface whenever the motor is rotate then the cleaning thing also will rotate due to Cleaning thing is contact with surface the floor will clean.



||Volume 10, Issue 5, May 2021||

# DOI:10.15680/IJIRSET.2021.1005162




Figure 1 block diagram of purpose system

# IV.ADVANTAGES

- Cost Effectiveness.
- Improve Quality Assurance
- Avoid person to person contact
- Cleaning the hospital
- Supply foods to various patients.
- Social distance maintenance during covid-19 pandemic.
- For saving the time.
- Easy of handling and maintenance

# V.REQUIREMENTS OF ROBOT

- Safety:-Safety is the most important advantage of utilizing robotics.
- Speed:- Robots don't get distracted or need to take breaks.
- Consistency:- Robots never need to divide their consciousness between a multitude of things.
- Perfection:- Robots will always deliver quality.



||Volume 10, Issue 5, May 2021||

# DOI:10.15680/IJIRSET.2021.1005162

# **VI.RESULTS**

- This device can run anyone just need to on the power supply and connect to smartphone.
- Before you connect you should download the app which is already available on Google appstore after complete the download open the app.
- Turn on the bluetooth of your smartphone and connect hc05 bluetooth module.
- Now device is ready to use.




FIGURE 2 BLUETOOTH RC CAP APP INTERFACE



||Volume 10, Issue 5, May 2021||

#### DOI:10.15680/IJIRSET.2021.1005162

```
1 #include int val;
2 int nb;
3 void setup() { // put your setup code
 here, to run once:
      Serial.begin(9600);
 pinMode(9,0UTPUT); pinMode(8,0UTPUT);
 pinMode(7,0UTPUT); pinMode(6,INPUT);
      } // put your main code here, to
 run repeatedly:
6 void loop()
 { if(Serial.available()>0) { int
 data= Serial.read(); Stop();
 digitalWrite(8,LOW);
 digitalWrite(6,HIGH);
 digitalWrite(7,LOW); } else
 if(data=='L') { digitalWrite(9,LOW);
 digitalWrite(8,HIGH);
 digitalWrite(6,LOW);
 digitalWrite(7,HIGH); } else
  digitalWrite(6,LOW);
  digitalWrite(7,HIGH); } else
  if(data=='F') { digitalWrite(9,LOW);
  digitalWrite(8,HIGH);
  digitalWrite(6,HIGH);
  digitalWrite(7,LOW); } else
  if(data=='B') { digitalWrite(9,HIGH);
  digitalWrite(8,LOW);
  digitalWrite(6,LOW);
  digitalWrite(7,HIGH); } } void
  Stop() { digitalWrite(9,LOW);
  digitalWrite(8,LOW);
  digitalWrite(6,LOW);
  digitalWrite(7,LOW);
```

Figure 3:- coding used in the project



||Volume 10, Issue 5, May 2021||

# DOI:10.15680/IJIRSET.2021.1005162



Figure 4 :- FINAL OUTPUT OF THE PROJECT



||Volume 10, Issue 5, May 2021||

# DOI:10.15680/IJIRSET.2021.1005162




Figure 5:- WORKING MODEL OF PROJECT

# International Journal of Innovative Research in Science, Engineering and Technology (IJIRSET)



| e-ISSN: 2319-8753, p-ISSN: 2320-6710| <u>www.ijirset.com</u> | Impact Factor: 7.512|

||Volume 10, Issue 5, May 2021||

#### DOI:10.15680/IJIRSET.2021.1005162

#### VII.CONCLUSION

The current pandemic reveals how much our activities are contingent on human-to-human physical contact. Effective management of COVID-19 can significantly decreasing the number of infected patients and casualties as witnessed in the case of the Chinese outbreak. Since, it has currently extinguish to be a global challenge, technologically advanced countries can aid others by donating support equipment and robotic infrastructure to enable a good outcome in controlling this disease. This project reduced the number of COVID-19 patients. It also provide to cleaning the hospital and supply foods to various patients.

#### REFERENCES

- WHO . Report of the WHO-China Joint Mission on Coronavirus Disease 2019 (COVID-19) WHO; Geneva, Switzerland: 2020.
- 2. Ayan Maity, Avijit Paul, Priyanka Goswami, Ankan Bhattacharya. Android Application Based Bluetooth Controlled Robotic Car. International Journal of Intelligent Information Systems. Vol. 6, No.5,2017,pp.6266.doi:10.11648/j.ijiis.20170605.12
- 3. Next-Generation UV: Evaluation of a Robotic Ultraviolet-C Room Disinfection Device oct 2017 by Jennifer Cadnum, BS.1; Christina Piedrahita, BS2; Annette Jencson, BSMT(ASCP)SM, CIC2; J.
- 4. Design of a Low-Cost Indoor Navigation System for food Delivery Robot Based on Multi-Sensor information Fusion by Yunlong Sun 1, Lianwu Guan 1,\*, Zhanyuan Chang 2,\*, Chuanjiang Li 2 and Yanbin Gao 1. Sensors 2019, 19, 4980; doi:10.3390/s19224980.
- 5. World Health Organization Coronavirus Disease 2019 (COVID-19) Situation Report, 127. [(accessed on 27 May 2020)];2020 Available online: <a href="https://www.who.int/docs/default-source/coronaviruse/situation-reports/20200526-covid-19-itrep-127.pdf?sfvrsn=7b6655ab">https://www.who.int/docs/default-source/coronaviruse/situation-reports/20200526-covid-19-itrep-127.pdf?sfvrsn=7b6655ab</a> 8
- 6. Zeashan Hameed Khan 1, Afifa Siddique 2, Chang Won Lee 3. Robotics utilization for healthcare digitization in global COVID-19 management. Int. J. Environ. Res. Public Health 2020, 17, 3819.
- 7. Itty Mathew, MLS3 and Curtis J. Donskey Taylor, R.H.; Kazanzides, P.; Fischer, G.S.; Simaan, N. Medical Robotics and Computer-Integrated Interventional Medicine; Elsevier: Amsterdam, The Netherlands, 2020; pp. 617–672.
- 8. Bouteraa, Y.; Ben Abdallah, I.; Ghommam, J. Task-space region-reaching control for medical robot manipulator. Comput. Electr. Eng. 2018, 67,629–645,doi:10.1016/j.compeleceng.2017.02.004.
- 9. Zhang Y., Lu M. A review of recent advancements in soft and flexible robots for medical applications. Int. J. Med. Robot. Comput. Assist. Surg. 2020;16 doi: 10.1002/rcs.2096.
- 10. Huang, C.; Wang, Y.; Li, X.; Ren, L.; Zhao, J.; Hu, Y.; Zhang, L.; Fan, G.; Xu, J.; Gu, X.; et al. Clinical features of patients infected with 2019 novel coronavirus in Wuhan, China. Lancet 2020, 395, 497–506,doi:10.1016/s0140-6736(20)30183-5.
- 11. Balasubramanian, S.; Chenniah, J.; Balasubramanian, G.; Vellaipandi, V. The era of robotics: Dexterity for surgery and medical care: Narrative review. Int. Surg.J.2020, 7, 1317, doi:10.18203/2349-2902.isj20201057.
- 12. Vänni, K.J.; Salin, S.E.; Kheddar, A.; Yoshida, E.; Ge, S.S.; Suzuki, K.; Cabibihan, J.-J.; Eyssel, F.; He, H. A Need for Service Robots Among Health Care Professionals in Hospitals and Housing Services. Appl. Evolut.Comput. 2017, 10652, 178–187, doi:10.1007/978-3-319-70022-9\_18.









**Impact Factor:** 

# INTERNATIONAL JOURNAL OF INNOVATIVE RESEARCH

IN SCIENCE | ENGINEERING | TECHNOLOGY







📵 9940 572 462 🔊 6381 907 438 🖂 ijirset@gmail.com

