



e-ISSN: 2319-8753 | p-ISSN: 2347-6710

IJIRSET

International Journal of Innovative Research in
SCIENCE | ENGINEERING | TECHNOLOGY



INTERNATIONAL JOURNAL OF INNOVATIVE RESEARCH

IN SCIENCE | ENGINEERING | TECHNOLOGY

Volume 11, Issue 4, April 2022

ISSN INTERNATIONAL
STANDARD
SERIAL
NUMBER
INDIA

Impact Factor: 8.118



9940 572 462



6381 907 438



ijirset@gmail.com



www.ijirset.com

Emotions Monitoring in Software Professionals

K.Pranay Krishna¹, B.Manasa²

U.G. Student, Department of Computer Engineering, JB Institute of Engineering and Technology, Telangana, India¹

U.G. Student, Department of Computer Engineering, JB Institute of Engineering and Technology, Telangana, India²

ABSTRACT: Today, Many ailments are exacerbated by stress. Smartphones, smartwatches, and smart bracelets have recently become an important part of our lives and are widely used. This brings up the question of whether mobile phones and wearable sensors are capable of detecting and mitigating stress. This study examines current efforts to identify stress in daily life using smartphones and wearable technology. Although there are many studies on stress detection in a controlled laboratory environment, the number of studies on stress detection in daily life is limited. Segments and displays work based on the physiological modality used and the context in which they are intended. Be Offices, campuses, cars, and occasional everyday situations. We will also talk about possible treatments, off-road strategies, and research barriers. The study reveals increased levels of employee stress that can be used to improve the work outcomes and employee satisfaction of a particular organization. The solution is to take various measures during employee breaks to ensure maximum satisfaction and improved work quality depending on the degree of stress in the work atmosphere.

KEYWORDS: Stress detection, Monitoring employees, Stress level, Anxiety level, Self-esteem, Personal Health.

I. INTRODUCTION

Behavior modification systems play an important role in detecting stress levels that destabilize our socio-economic lifestyle. Stress, according to the World Health Organization (WHO), is a psychological illness that affects one out of every four participants. Human stress causes both emotional and socio-economic problems, lack of openness in the workplace, poor relationships, depression, and death in difficult situations. This requires the provision of counseling services to help stressed people cope with stress. It is impossible to avoid stress, but precautions can help. Currently, only medical and physiological experts can determine if people are depleted (emphasis One of the most popular strategies for detecting stress is based on its form. This approach is fully dependent on personal answers. People explain anxiety to explain whether they are worried or traditionally measured. Stress automatic identification reduces health problems and improves social happiness. This uses physiological signals to access the requirements of scientific equipment to automate stress level identification in humans. Radiation identifiers are highlighted in several documents as they may be an important social contribution to improving the views of life people. Currently, in industrial sectors, new summits in the market have established products for new technologies and markets. During this survey, we saw the staff's stress level to raise the poles. Despite the fact that the organization of UN agencies will provide employee psychological design plans, the problem usually arises from management. Companies, particularly personnel from banks and software firms, must collaborate on your computer throughout the day of the specific cabin. Employees who frequently use computers in the workplace and their daily lives and are seeking free time and entertainment are becoming more anxious. There is an urgent need to make employees aware of the level of stress and to be able to participate in the various activities offered by the software house when a certain level is exceeded. Apart from the traditional method of using questionnaires and exams, this stress detector eliminates manual and traditional terminology.

II. RELATED WORK

Input-based stress detection is an irreplaceable addition to today's society where depression has reached an astonishing rate. These approaches, however, are parameter-limited and mostly based on theory. This work establishes the foundation for identifying and assessing emotional stress states utilizing video tape-recorded facial signals. Through a range of external and internal pressures, a thorough experimental approach has been devised to induce a variety of systematic emotional states (neutral, calm, tension/anxiety). To more accurately assess emotional expression, the study focused mostly on involuntary and semi-spontaneous facial signals.

1. MOTIVATION:

Today's people today will be easier, physical and emotional stress. The RAGUS Group asked for worldwide research on 15 countries. It turned out that employment levels have been attracted attention over the past two years. According to a survey, China has the largest working stress. Stress was always part of our lives, but excessive chronic and spiritual stress can cause large health problems. That's why some people have taken their lives. This growth condition is a threat to human health and quality. Therefore, it is important to recognize stress before becoming serious. According to traditional psychologists, stress can be proved by interviews, surveys, and surveys. Employee burden awareness is the topic of this research. Collect data with a questionnaire and interview approach, and then build stress detectors for those who were working on computers for more than 5 hours as part of their work and occupation. This survey helps many companies and their employees recognize stress.

2. ORIGIN OF STRESS:


Stress arousal is mediated by two mechanisms: alarm response and adaptation. When employees face unusual or unexpected threats in the workplace, they respond with more physical activity. The second factor is adaptability. Anxiety also occurs when things don't work as you're used to at work. Stress can also be divided into two types: physical and mental. Using Computers in the Workplace According to our research, both physical and mental stress are affected by stress. However, stress (damage), body (body), and brain are simultaneously (mentally) faced with long hours of computer work. There is one story to emphasize. This may be due to the physical environment or mental illness of the individual's way of working. This stumbling block can be traced back to family history.

3. REASONS AND EFFECTS OF HIGH STRESS LEVELS IN INDIVIDUALS WORKING IN ORGANIZATION:


Workplace stress has reached frightening proportions. There are several forms of stress, and the causes are numerous. Employee's job satisfaction and motivation significantly deteriorated.

1. Overburdening at work
2. Time limitations
3. Filthy atmosphere
4. Managerial Lack of oversight
5. Continuous upkeep on machines and systems.

A real-time non-intrusive video is taken in this system, which determines a person's emotional state by evaluating their facial expression. It recognizes a unique emotion in each video frame and makes a conclusion on the stress level based on the hours of footage taken sequentially. The system utilizes a strategy that enables the system to train a model and compare differences in predicting characteristics.

**III. METHODOLOGY****EXISTING SYSTEM:**

Based on the analysis of facial expressions, an existing system for stress detection has been built. The technology is non-intrusive and may operate in real time. This system is made up of Image Processing and Machine Learning Techniques. Other research on this topic is based on numerous physical signals and visual aspects to assess a person's stress while he is working. However, these measures are intrusive and uncomfortable in practice. Each sensor's data is compared to a stress index, which is a threshold value used to detect stress.

**PROBLEM STATEMENT:**


Working with computers is always demanding and exhausting. With the introduction of wireless technology and the increase in the number of users, the use of computers is increasing rapidly. Computer work seems to be part of the work of every worker in every industry. This leads to stress, one of the most worrisome illnesses of the century, as a result of the impact on those who use computers. Stress is associated with various illnesses and poor work performance around the world. This study focuses on the role that computer work plays in increasing and adding anxiety to our lives. Calculates a person's stress level based on various inputs. This study produces output in the form of a symbol that indicates whether a particular person is in the "alarm stress zone." To acquire reliable findings, several factors were evaluated. We are trying to develop a model that recognizes the level of anxiety in order to develop a solution to reduce the factors that contribute to employee stress. A viable model for stress detection is provided, taking into account all conditions.

PROPOSED SYSTEM:

Stress detection technique based on appearance expression analysis. When an IT professional sits in front of the camera, the system is able to identify facial expressions and run in real-time. A camera is used to record the employee's near front view when he is working in front of the computer. The captured video is separated into portions of equal length, and a set of similar number of picture frames are taken and inspected from each segment. The image detection process comprises calculating the variance in the location of the brow from its mean position. The displacement of the eyebrows from their original position is explained by looking at the image of the eyebrow coordinates. If an employee is found to be stressed during a previously split period, a stress detection decision is made for the employee working on the computer and the knowledge gained uses a deep learning approach. Used to do. The stress detection engine scans the binary image from the top left to capture the coordinates of the forehead. The stress detection engine scans the binary image from the top left to capture the coordinates of the forehead. The offline shift calculation sub module uses the detected eyebrow coordinates to calculate the eyebrow shift, followed by a distributed shift calculation. The classifier sub module is trained offline to detect the presence of emotions. The degree of coverage is ultimately determined by the combination and selection of individual frames.



IV. SYSTEM ARCHITECTURE




ADVANTAGES:

1. This output is a transformed image or a report based on image analysis.
2. The Stress Detection System assists employees in dealing with the situations that cause stress by providing proactive stress management solutions.
3. We will take pictures of the employees at regular intervals, and then the traditional survey forms will be sent to the staff.

ANALYSIS:

The main purpose of this research article is to investigate the stress levels of people working in software houses who are facing various problems (physical and healthy) in their busy working hours and daily life. Surveys are used to collect information from software companies. An interview is also planned. The data extracted from these surveys will be displayed in this report. Table 3 shows the percentage of workers who responded to the survey and how they responded to the interview. When asked if they were exposed to physical or emotional stress at work, 93% of respondents answered "yes". The study took into account working hours, pupil contraction, internal temperature, heart rate, blood pressure, and facial expressions in 75 patients. The input value used. The input was then applied to an ANFIS model with 150 rules and the model was trained.

V. EXPERIMENTAL RESULTS



VI. CONCLUSION

As a result, we implemented the paper G. Giannakakis, D. Manousos, F. Chiarugi, "Stress and anxiety detection using facial cues from videos," IEEE January 2017 and used the implementation and conclusion to predict stress in employees by observing the captured images of authenticated users, making the system secure. When the authenticate user logs in after a certain time interval, the picture is automatically recorded. Based on certain common conversion and image processing processes, the acquired pictures are utilised to determine the user's stress. The system will next assess the stress levels using Machine Learning methods, yielding more efficient outcomes.

REFERENCES

- [1] G. Giannakakis, D. Manousos, F. Chiarugi, "Stress and anxiety detection using facial cues from videos," Biomedical Signal processing and Control", vol. 31, pp. 89- 101, January 2017.
- [2] Nisha Raichur, Nidhi Lonakadi, Priyanka Mural, "Detection of Stress Using Image Processing and Machine Learning Techniques", vol.9, no. 3S, July 2017.
- [3] U. S. Reddy, A. V. Thota and A. Dharun, "Machine Learning Techniques for Stress Prediction in Working Employees," 2018 IEEE International Conference on Computational Intelligence and Computing Research (ICIC), Madurai, India, 2018, pp. 1-4.
- [4] AL., D. G. (2015). Stress in Pakistani Working Women . Journal of Culture, Society and Development , 58-65.
- [5] Neil Schneiderman, G. I. (2016). STRESS AND HEALTH: Psychological, Behavioral, and Biological Determinants. HHS Public access , 607-628.
- [6] AL., B. A. (2016). Depression and anxiety: a snapshot of the situation. International Journal of Neuroscience and Behavioral Science 4 , 32-36.
- [7] Evans G. and Johnson D. (2000). 'Stress and Open office Noise', Journals of Applied Psychology 85, pp779-783.
- [8] . <http://www.mayoclinic.com/invoke.cfm?id=HQO1442>
- [9] Stress: Medline Plus, 30 Dec. 2009, www.nlm.nih.gov/medlineplus/stress.html
- [10] Daniel C. Ganster and Bronson T. Mayes, maccelline R, Fusilier (1986). 'Role of Social Support in the Experience of Stress at work', Journal of Applied psychology. Vol.71/no.1 pp102-110.
- [11] French & Caplan (1973): A Comparative look at Stress and strain in police man, Job Stress In Police Office, Identifying stress Reduction Technique Washington, DC, Us Government Printing Office.
- [12] Chemers, M.M., R.B. Hays, F. Rhodewalt and J. Wysocki (1985). 'A person-environment analysis of job stress: a contingency model explanation', Journal of Personality and Social Psychology, 49, 628-35.
- [13] [www.adguide.com\(2001\)](http://www.adguide.com(2001))
- [14] <http://ezinecinnenet.com/?Stress+management+the+work+place;+Handling+work+stress+and+id>.
- [15] Joseph Varghese (1988). ' Behavioral Psychological Consequences of stress and its antecedent factors': Journal of Applied Psychology
- [16] Chand P and Sethi A.S (1997). 'Organisational factors in development of work stress'. Indian Journal of industrial Relations 32(4) pp453-462
- [17] Taki Ravikant Bhokare, P. e. (2018). Survey Paper Detecting Stress of users on Social Interactions on Social networks. International Journal of Innovative Research in Science, , 337-341
- [18] Wickens, C.D., & Dixon, S.R. (2002). Pilot control of multiple-UAVs: Predicting performance through operator workload and task interference models.
- [19] Aftab, H., & Javeed, A. (2012). The impact of job stress on the counter-productive work behavior (CWB) A Case Study from the financial sector of Pakistan. Interdisciplinary journal of contemporary research in business, 4(7), 590-604.



**Impact Factor:
7.569**



INTERNATIONAL JOURNAL OF INNOVATIVE RESEARCH

IN SCIENCE | ENGINEERING | TECHNOLOGY

 **9940 572 462**  **6381 907 438**  **ijirset@gmail.com**



www.ijirset.com

Scan to save the contact details