

e-ISSN: 2319-8753 | p-ISSN: 2347-6710

EDIA

### International Journal of Innovative Research in SCIENCE | ENGINEERING | TECHNOLOGY

# INTERNATIONAL JOURNAL OF INNOVATIVE RESEARCH

IN SCIENCE | ENGINEERING | TECHNOLOGY

Volume 11, Issue 8, August 2022

INTERNATIONAL STANDARD SERIAL NUMBER INDIA

### Impact Factor: 8.118

9940 572 462

6381 907 438

 $\bigcirc$ 





| e-ISSN: 2319-8753, p-ISSN: 2320-6710| <u>www.ijirset.com</u> | Impact Factor: 8.118|

Volume 11, Issue 8, August 2022

[DOI:10.15680/IJIRSET.2022.1108137]

### IDENTIFICATION OF STRUCTURAL CLONES USING ASSOCIATION RULE AND CLUSTERING

\*R.Udayakumar, Professor, Computer science and IT

rsukumar2007@gmail.com

Abstract -Code clones are similar program structures of considerable size and significant similarity. Simple clone set formed by similar code fragments in software. The problem is the huge number of simple clones typically reported by clone detection tools. We observed that recurring patterns of simple clones - so-called structural clones - often indicate the presence of interesting design-level similarities. We propose a technique to detect some specific types of structural clones from the repeated combinations of co-located simple clone. We find the patterns of co-occurring clones in different files using the frequent item set mining (FIM) technique. Finally, we perform file clustering to detect those clusters of highly similar files that are likely to contribute to a design-level similarity pattern. We implement the structural clone detection technique in a tool called CCFinder. Detection of clones provides several benefits in terms of maintenance, program understanding, reengineering and reuse.

*Keywords* - *Design concepts, maintainability, reengineering and reusable software.* 

### 1 INTRODUCTION

Code clones are similar program structures of considerable size and significant similarity. Several studies suggest that as much as 20-50 percent of large software systems consist of cloned code. Knowing the location of clones helps in program understanding and maintenance. The detection and subsequent resolution of clones by refactoring, Function calls, macros and templates etc., however, promises decrease in maintenance costs and code size.

In the past decade, clone detection and resolution has got considerable attention from the software engineering research community and many clone detection tools clone detection has been focused on detecting similar code fragments - so-called simple clones. We observed that recurring patterns of simple clones often indicate the presence of interesting higherlevel similarities that we call Structural clones whose unification not only brings more size reduction, but also helps in understanding the design of the system for better maintenance and enhancement.The future limitation of considering only simple clones is known in the field. The main problem is the huge number of simple clones typically reported by clone detection tools. There have been a number of attempts to move beyond the raw data of simple clones.We observed that at the core of the structural clones, often there are simple clones that coexist and relate to each other in certain ways. We proposed a technique to detect some specific types of structural clones from the repeated combinations of colocated simple clones. We implemented the structural clone detection technique in a tool called CCFinder, implemented in C++. It has its own token-based simple clone detector. Our structural clone detection technique works with the information of simple clones, which may come from any clone detection tool. It only requires the



| e-ISSN: 2319-8753, p-ISSN: 2320-6710| <u>www.ijirset.com</u> | Impact Factor: 8.118|

Volume 11, Issue 8, August 2022

|DOI:10.15680/IJIRSET.2022.1108137|

knowledge of simple clone sets and the location of their instances in programs. As structural clones often represent some domain or design concepts, their knowledge helps in program understanding, and their detection opens new options for design recovery that are both practical and scalable. Representing these repeated program structures of large granularity in a generic form also offers interesting opportunities for reuse and their detection becomes useful in the reengineering of legacy systems for better maintenance.

We can find clone patterns in different units of code, either methods or classes or components or modules, gaining useful insights into the cloning situation at different levels of abstraction. We have initially tried this approach at file level, by finding the frequently occurring clone patterns in different files and analyzing those patterns, with promising results.Detecting the frequently co-occurring clone classes in different files, we can isolate the groups of files that have strong similarity with each other. This is achieved by a clustering algorithm that we have devised for this particularproblem. These clusters of highly similar files form basic structural clones.

The remainder of this paper is organized as follows: In Section 2, we define types of structural clones-higher level similarities in programs. Section 3 describes our detecting structural clones with data mining. Section 4 describes the implementation of CCfinder. Section 5 describes a mechanism to create generic representation of structural clones found in the system for better maintenance and reuse. Section 6 presentsthe related work in higherlevel similarities and design recovery. Section 8 concludes the paper and presents future work.

### 2Structural clones- higher level Similarities in programs

We describe in detail the phenomenon of higher level similarities, which we call structural clones. We define structural clones as similar program structures that can be analyzed hierarchically, at many levels of abstraction, with similar code fragments at the bottom of such hierarchy. Locating these higher level similarities can have significant value for program understanding, evolution, reuse, and reengineering.

## **2.1 From Simple Clones toStructural Clones**

We primarily focus on similarity patterns representing design concepts or solutions that can be of significant importance in the context of understanding, maintaining, reengineering or reusing programs. We use the term structural clone to mean similar program structures that are configurations of lower-level similar program entities. Therefore, our structural clones may form a hierarchy of clones, with cloned code fragments at the bottom level.

### 2.1.1File-Level Structural Clone



Fig 1- File level Structural clone



| e-ISSN: 2319-8753, p-ISSN: 2320-6710| www.ijirset.com | Impact Factor: 8.118|

Volume 11, Issue 8, August 2022

[DOI:10.15680/IJIRSET.2022.1108137]

Functions shown in the same shade are clones of each other (e.g., *staff\_fn1*, *task\_fn1*, *project\_fn1*). The

Relationship between the functions is 'same file', which holds between fragments of the same file, regardless of the order in which they appear. The three host files *editStaff.php*, editTask.php and *editProject.php* perform similar tasks, but belong to three different modules (i.e., Staff module, Task module, and Project module). Provided these structural clones cover a substantial portion of the host files, we can consider the three files as abstract entities that are clones of each other, as discussed in the previous section. This illustrates how the concept of structural clones helps us to move from smaller entities (in this case, functions) to larger entities (in this case, files). These files can now be considered as entities in forming a higher level structure.

### 2.1.2A Module Level Structural Clone



Fig 2 – Module Level Structural clone According to the definition, structural clones of higher granularity can be made up ofstructural clones of lower granularity. For example, a module-level structural clone can consist of filelevel structural clones. Such a situation is illustrated by the structural clone found in a web

portal implementation, as shown in Figure 2. In this portal, files belonging to each module are stored in a separate folder. Each module contains a set of files providing module-specific implementation of certain common functionalities (e.g., create, display, edit. delete). When the module functionalities are similar, each of these common files ends up being file-level structural clones of their counterparts in other modules. One such case was the basis for previous example. At a larger granularity, the modules Staff, Task and Project can be considered structural clones where each structure has four files create[M].php. display[M].php,edit[M].php,delete[M].php([M] =Staff, Task, Project) as entities and the relationship 'same folder' among the entities (relationships are not shown in figure). Note thatthe module Project does not carry a deleteProject.php file. Still, there was enough similarity among Project and other modules to consider all of them as structural clones of each other.

## **2.1.3Multiple Structural Clones in the Same File**



Fig 3 – Multiple Structural Clones in the same file

Multiple Structural clones can also exist in the single file fig 2 shown The four structural clonesare structures of code fragments that are



| e-ISSN: 2319-8753, p-ISSN: 2320-6710| <u>www.ijirset.com</u> | Impact Factor: 8.118|

Volume 11, Issue 8, August 2022

[DOI:10.15680/IJIRSET.2022.1108137]

part of the different templates representing various hashed associative containers. Each structural clone covers a significant part of the template it belongs to; hence we can consider these templates as 'abstract entities' (ignoring their internal structure) and form a clone class of four clones at the next higher level. Furthermore, if the two templates present in one file are joined to each other with the 'same file' relationship, we have a structural clone class of two structures, one in each file. Raising the level of abstraction by one more step, we observed that the two templates present in each file cover the files significantly, so the files can also be considered as 'abstract entities', forming a clone class of two cloned files.

### 2.1.4Crosscutting StructuralClones

Structural clones can crosscut files (or classes, modules etc.), as the example in Figure 4 shows. This example involves three PHP files belonging to a Web portal module that supports two similar crosscutting features. This results in two structural clones, each consisting of code fragments belonging to one of the two crosscutting features.





### 2.1.5Structural Clones Based onInheritance Hierarchy

The relationship(s) between entities of a structural clone can vary widely. In objectoriented systems, a set of entities related by inheritance can be used to define a structural clone. We found such a case in the Buffer library (java.nio.\*) Figure 5 shows two instances (out of seven) of the structural clone, each consisting of seven Java classes. More information on the structure of the Buffer library, and how 'feature combinatorics' problem gave rise to this structure.



Fig 5 – Structural Clones based on hierarchy

# **3Detecting Structural clones with Data mining**

This section focuses on our approach to detect some specific types of structural clones from the bottom up analysis of similarities using a data mining technique similar to the well-known market basked analysis. This analysis builds on the detection of simple clones discussed in the previous chapter. Weintroduce an iterative approach for the detection of structural clones



| e-ISSN: 2319-8753, p-ISSN: 2320-6710| <u>www.ijirset.com</u> | Impact Factor: 8.118|

Volume 11, Issue 8, August 2022

[DOI:10.15680/IJIRSET.2022.1108137]

by moving from the low-levelsimilarities to the higher level similarities. To raise the level of analysis, we useabstraction of entities based on clone coverage. The higher level entities that have significantlow-level cloning are grouped together. These groups of entities form the basic similarityblocks for the next higher level analysis.

### **3.1Finding Recurring Patterns of SimpleClone Classes**

Here we describe the detection of patterns of simple clones in a file - the first level ofstructural clones. The same technique can be applied to detect structural clones at other levels, as will be described later. An example of this format is shown in Figure 6. After detecting simple clone classes in asystem, the data of simple clone classes is organized in terms of files represented by their IDs. The first data row says that the file with file ID 12 contains three clone instance from each of the clone classes 15, 28, 38, and 40. The interpretation is likewise for the other data rows.

FILE ID	clone classes present
12	9, 9, 9, 15, 28, 38, 40
13	12, 15, 40, 41, 43, 44, 44
14	9, 9, 9, 12, 15

#### Fig 6 - Simple clone classes listed per file

To detect the recurring patterns of simple clones in different files, we apply the "marketbasket analysis" technique from the data mining domain. The idea behind this technique is tofind the items that are usually purchased together by different customers from a departmentalstore. These patterns of clone classes will act as the

unique representation for a groupof files, and depending upon its significance in terms of files' coverage, will lead toidentifying groups of highly similar files. This will be the next level of structural clones.Market basket analysis is done with "frequent itemset mining (FIM)". The difference betweenour problem and the standard problem for frequent itemset mining is that in FIM, the items ina transaction are considered unique, whereas in our data, one file may contain multipleinstances of the same clone class. We can normalize the data by removing by doing so, we miss out the important information, as multiple occurrences of the instances of same clone class in different files is a valid pattern of clones. For example, 9, 9, 9, 15 is avalid clone pattern represented in File 12 and File14 in Figure 6

Mining all frequent itemsets returns many frequent itemsets that are subsets of bigger frequentitemsets. The correct solution in our case is to perform "Frequent Closed Itemset Mining" (FCIM), where only those itemsets are reported which are not subsets of any bigger frequent itemset.One of the parameters for FCIM is the support count, which means the number of files that contain the detected pattern of simple clonesIn our case, we havehard coded the support to be 2, so that it will report a clone pattern, even if it is present onlyin 2 files, as it could be still be significant for maintenance based on its size. The output from FCIM is in the format shown in Figure 7. Each row represents one frequentclone pattern along with its support count, indicating the number of files containing this clone

FREQUENT CLONE PATTERN	SUPPORT
9,9,9,15	2
60 44 40 42 3 49 59 63	4

Fig 7 - frequent clone patterns with support count



| e-ISSN: 2319-8753, p-ISSN: 2320-6710| <u>www.ijirset.com</u> | Impact Factor: 8.118|

Volume 11, Issue 8, August 2022

[DOI:10.15680/IJIRSET.2022.1108137]

FCIM only deals with detecting frequent patterns. These clone patterns can also be considered as unrestricted gapped clones, where any numberof gaps are allowed with arbitrary size and ordering. More work is required to isolate clonepatterns where the gaps are small and the clones are more cohesive, to have more meaningfulgapped clones. Finding gapped clones in this way also provide the flexibility to detect rearrangedgapped clones, where the cloned parts can occur in arbitrary order and should notnecessarily be arranged in the same way. In figure 8 algorithms for finding clone pattern

ALGORITHM FOR FINDING FILES CONTAINING THE CLONE PATTERN		
For each clone pattern:		
<ul> <li>Take the first clone class</li> </ul>		
<ul> <li>List all files that contain instances of this clone class</li> </ul>		
<ul> <li>For each clone class in this list:</li> </ul>		
<ul> <li>If it does not contain all the clones of the pattern,</li> </ul>		
<ul> <li>prune it from the list</li> </ul>		
• Output the list		

Fig 8 – Algorithm for finding Simple Clone pattern

### **3.2 Clustering Highly Cloned Files**

To measure file coverage by a clone pattern, we calculate two metrics, namely the FilePercentage Coverage (FPC), which indicates the percentage of a file covered by a clonepattern, and the File Token Coverage (FTC), which tells the number of tokens in a filecovered by the clone pattern. These metrics are calculated for each file containing the clonepattern. One complication here is that some clones may overlap in a file, as discussed

earlier, so we cannot simply add up the size of all clones in a pattern to find the file coverage. The clustering based onthese values and other also parameters can be made totally customizable to suit the needs of the different users. Currently, we let the user specify a minimum FPC and FTC value toindicate the significance of a cluster. The cluster will be considered significant even if one filehas the FPC or FTC value greater than threshold values. The expected output is to find all thesignificant clusters that cover maximum number of files and no file is preferably repeated intwo clusters.



Fig 9 - Algorithm for cluster pruning

Step 1 of the algorithm says that we remove from consideration all those clusters where nofile passes the minimum criteria of FPC and FTC values. These are clusters where very small clones exist between files. In step 2, we sort clusters based on their support count. When thesupport count of two or more clusters is same, the clusters are sorted based on the maximumFPC value of the constituent files. Steps 3 and 4 prune clusters. These clusters of highly similar files give us the next level of structural clones that we call *fileclone classes* or FCC.



| e-ISSN: 2319-8753, p-ISSN: 2320-6710| <u>www.ijirset.com</u> | Impact Factor: 8.118|

Volume 11, Issue 8, August 2022

[DOI:10.15680/IJIRSET.2022.1108137]

### **4 TOOL IMPLEMENTATION**

CCFinder implements the structural clone detectiontechniques presented in this paper. CCFinder is writtenin C++, and it has its own token-based simple clone detector[6]. For frequent closed item sets mining (FCIM), we areusing the algorithm from [21].For manipulation of clones' data, CCFinder makes useof the STL containers from the standard C++ library. Theoutput from CCFinder is generated in the form of textfiles so that any visualization tool developed in the futurecan easily interface with Clone Miner.For performance evaluation, we ran CCFinder on fullJ2SE 1.5 source code.3 consisting of 6,558 source files in370 directories, 625,096 LOC (excluding comments and blanklines), and 70,285 methods, using different values of minimumclone size. For forming FCSets and MCSets, a value of50 tokens is used for the clustering parameter minLen, wherethe Len is measured in terms of tokens. Likewise, forminCover, a value of 50 percent is used in all cases. The testswere run on a Pentium IV machine with 3.0 GHz processorand 1GB RAM.Each time it took around two to three minutesto run the whole process from finding simple clones to theanalysis of files, methods, and directories for structuralclones

### 5 Structural Clones in Software Maintenance and reuse

To improve the design of the legacy systems, re-structuring various or refactoring techniquescan be applied [Opd92] [Fow99]. Analysis of structural clones is helpful in locating placeswhere high-level duplication is present, which can be restructured or refactored.For redesigning the system to enhance maintainability of the legacy code, we propose some

Structural clone based techniques. A good starting point is to analyze the file clone classes (i.e., groups of cloned files). After choosing file clone classes for refactoring, simple clones or method clones within those groups of files can be more easily refactored because of thecontext information. It may also be possible to apply several small refactoringsimultaneously, for example moving together several cloned methods to the parent class, orsimply changing the inheritance structure to remove duplicates. Having only the knowledgeof simple clones, possibility of making such bigger changes is not very apparent, and one has to go step by step, with the risk of missing the bigger picture altogether. Analysis can also be done at code fragments, methods, or directories level, depending on howintense the cloning is and how major reengineering is practical. The other analysis featuresbuilt inside Clone Analyzer, such as the structural clone configurability and the Diff featurecan aid the user in the finer details of refactoring. This proposed method is somewhat general due to the varying objectives; it gives a basic framework for the analysis process.

### **6 Related works**

Clone detection tools produce an overwhelming volume of simple clones' data that is difficult to analyze in order to finduseful clones. This problem prompted different solutions that are related to our idea of detecting structural clones. Clone detection techniques using Program DependenceGraphs (PDG). In addition to the simple clones, these tools can also detect noncontiguous clones, where the segments of a clone are connected by control and data dependency information links. Such clones also fall under the premise of structural clones.



| e-ISSN: 2319-8753, p-ISSN: 2320-6710| <u>www.ijirset.com</u> | Impact Factor: 8.118|

Volume 11, Issue 8, August 2022

[DOI:10.15680/IJIRSET.2022.1108137]

While our technique detects structural clones with segments related to each other based only on their colocation, with or without information links, the PDG-based techniques relate them using the information links only. Moreover, the clustering mechanism in Clone Miner, to identify groups of highlysimilar methods, files, or directories based on their contained clones, is missing from these techniques.

PR-Miner is another tool that discovers implicit programming rules using the frequent item set technique. Compared to structural clones found by Clone Miner, these programming rules are much smaller entities, usually confined to a couple of function calls within a function. The work by Ammon's et al. is also similar, finding the frequent interaction patterns of a piece of code with an API or an ADT, and representing it in the form of a state machine. These frequent interaction patterns may appear as a special type of structural clone, in which the dynamic relationship of cloned entities is considered. Similar to Clone Miner, this tool also helps in avoiding update anomalies, though only in the context of anomalies to the frequent interaction patterns.

### 7Conclusions

We emphasized the need to study code cloning at a higher level. We introduced the concept of structural clone as a repeating configuration of lower-level clones. We presented a technique for detecting structural clones. The process starts by finding simple clones (that is, similar code fragments). Increasingly higher-level similarities are then found incrementally using data mining technique of finding frequent closed item sets, and clustering. We implemented the structural clone detection technique in a tool called Clone Miner. While Clone Miner can also detect simple clones, its underlying structural clone detection technique can work with the output from any simple clone detector. Structural clone information leads to better program understanding, maintenance, reengineering and reuse.

#### REFERENCE

- Kalaiprasath, R; Elankavi, R; Udayakumar, R; , Cloud security and compliance-a semantic approach in end to end security, International Journal on Smart Sensing and Intelligent Systems, V-10, I-5, PP:482-494, 2017.
- [2] Elankavi, R; Kalaiprasath, R; Udayakumar, R; , Wireless Zigbee Network Cluster-Capacity Calculation and Secure Data Conveyance Using Indegree, International Journal on Smart Sensing and Intelligent Systems, V-10, I-5, PP:174-185, 2017.
- [3] Kalaiprasath, R; Elankavi, R; Udayakumar, R; , A New Approach for Cloud Data Security: From Single to Cloud-of-Clouds, International Journal on Smart Sensing and Intelligent Systems, V-10, I-5, PP:604-613, 2017.
- [4] Elankavi, R; Kalaiprasath, R; Udayakumar, R; , Data Mining with Big Data Revolution Hybrid, International Journal on Smart Sensing and Intelligent Systems, V-10, I-5, PP:560-573, 2017.
- [5] Elankavi, R; Kalaiprasath, R; Udayakumar, Dr R; , A fast clustering algorithm for highdimensional data, International Journal Of Civil Engineering And Technology (Ijciet), V-8, I-5, PP:1220-1227, 2017.
- [6] Gajmal, Yogesh M; Udayakumar, R; , Blockchain-based access control and data sharing mechanism in cloud decentralized storage system, Journal of web engineering, PP:1359–1388-1359–1388, 2021.
- [7] Gajmal, Yogesh M; Udayakumar, R; , A Bibliometric Analysis of Authentication based



| e-ISSN: 2319-8753, p-ISSN: 2320-6710| <u>www.ijirset.com</u> | Impact Factor: 8.118|

Volume 11, Issue 8, August 2022

DOI:10.15680/IJIRSET.2022.1108137

Access Control in Cloud using Blockchain, Library Philosophy and Practice, PP:0\_1-16, 2021.

- [8] Shirke, S; Udayakumar, R; , Robust lane identification by using EW-CSA based DCNN, J. of Critical Reviews, V-6, PP:18-21, 2019.
- [9] Subhash, Ligade Sunil; Udayakumar, R; , A BIG SHARK ADAPTION ALGORITHM BASED RESOURCE ALLOTMENT APPROACH IN CLOUD COMPUTING ENVIRONMENT, PalArch's Journal of Archaeology of Egypt/Egyptology, V-17, I-7, PP:5374-5379, 2020.
- [10] Gajmal, Yogesh M; Udayakumar, R; Privacy and utility-assisted data protection strategy for secure data sharing and retrieval in cloud system, Information Security Journal: A Global Perspective, V-31, I-4, PP:451-465, 2022.
- [11] Gajmal, Yogesh M; Udayakumar, R; , Analysis of Authentication based Data Access Control Systems in Cloud, PalArch's Journal of Archaeology of Egypt/Egyptology, V-17, I-7, PP:5319-5328, 2020.
- [12] Shirke, Suvarna; Udayakumar, R; Evaluation of crow search algorithm (CSA) for optimization in discrete applications, 2019 3rd International Conference on Trends in Electronics and Informatics (ICOEI), PP:584-589, 2019.
- [13] Shirke, Suvarna; Udayakumar, Ramanathan; , A novel region-based iterative seed method for the detection of multiple lanes, International Journal of Image and Data Fusion, V-11, I-1, PP:57-76, 2020.
- [14] Shirke, Suvarna; Udayakumar, R; Fusion model based on entropy by using optimized DCNN and iterative seed for multilane detection, Evolutionary Intelligence, PP:44940, 2022.
- [15] Shirke, Suvarna; Udayakumar, R; , Hybrid optimisation dependent deep belief network for lane detection, Journal of Experimental & Theoretical Artificial Intelligence, V-34, I-2, PP:175-187, 2022.

- [16] Subhash, Ligade Sunil; Udayakumar, R; , Sunflower whale optimization algorithm for resource allocation strategy in cloud computing platform, Wireless Personal Communications, V-116, PP:3061-3080, 2021.
- [17] Subhash, Ligade Sunil; Udayakumar, R; , A Supremacy–Responsive Resource Distribution Technique for Controlled Workflow Implementation in Cloud Surroundings, Solid State Technology, V-63, I-5, PP:7662-7669, 2020.
- [18] Sindhu, Velagapudi Swapna; Lakshmi, Kavuri Jaya; Tangellamudi, Ameya Sanjanita; Lakshmi, C; , A Deep Learning Approach For Detecting Type 2 Diabetes Mellitus, 2022 International Conference on Computer Communication and Informatics (ICCCI), PP:44936, 2022.
- [19] Priyan, Siluvayan; Udayakumar, R; Mala, Pitchaikani; Prabha, Mariappan; Ghosh, Ananya; , A sustainable dual-channel inventory model with trapezoidal fuzzy demand and energy consumption, Cleaner Engineering and Technology, V-6, PP:100400, 2022.
- [20] Elankavi, R; Kalaiprasath, R; Udayakumar, R; , Potential Exploitation of Broadcasting System Using Multiple Smart Directional Antennas-Help of Sensor Network, International Journal of Mechanical Engineering and Technology (IJMET), V-8, I-6, PP:678-687, 2017.
- [21] Udayakumar, R; Kalam, Muhammad Abul; , Sentiment Analysis Using Machine Learning Algorithms, Mathematical Statistician and Engineering Applications, V-71, I-3s2, PP:1186– 1200-1186–1200, 2022.
- [22] GAJMAL, YOGESH M; UDAYAKUMAR, R; , Data Access Controls in Cloud: A Survey., International Journal of Pharmaceutical Research (09752366), V-12, I-4, 2020.
- [23] Udayakumar, R; Khanaa, V; Kaliyamurthie, KP; , Optical ring architecture performance evaluation using ordinary receiver, Indian Journal of Science and Technology, V-6, I-6,



| e-ISSN: 2319-8753, p-ISSN: 2320-6710| <u>www.ijirset.com</u> | Impact Factor: 8.118|

Volume 11, Issue 8, August 2022

DOI:10.15680/IJIRSET.2022.1108137

PP:4742-4747, 2013.

- [24] Udayakumar, R; Khanaa, V; Kaliyamurthie, KP; , Performance analysis of resilient ftth architecture with protection mechanism, Indian Journal of Science and Technology, V-6, I-6, PP:4737-4741, 2013.
- [25] Udayakumar, R; Khanaa, V; Saravanan, T; , Synthesis and structural characterization of thin films of sno2 prepared by spray pyrolysis technique, Indian Journal of Science and Technology, V-6, I-S6, PP:4754-7, 2013.
- [26] Udayakumar, R; Khanaa, V; , Health monitoring system for induction motors, Int. J. Eng. Comput. Sci, V-2, I-4, PP:1117-1122, 2013.
- [27] Udayakumar, R; Khanaa, V; , Quantum Computers-A Revolution InComputing, Quantum, V-8, I-4, PP:33-36, 2013.
- [28] Khanaa, V; Udayakumar, R; , Protecting privacy when disclosing information: k anonymity and its enforcement through suppression, database, V-1, I-2, 2012.
- [29] Khanaa, V; Udayakumar, R; , Hybrid Fuzzy Approches for Networks, International Journal of Innovative Research in science, Engineering and Technology, V-12, I-3, PP:24-31, 2012.
- [30] Udayakumar, R; Khanaa, V; Saravanan, T; Saritha, G; , Cross layer optimization for wireless network (WIMAX), Middle-East Journal of Scientific Research, V-16, I-12, PP:2013, 2012.
- [31] Udayakumar, R; Thooyamani, KP; Khanaa, V; , Coarse-Grained Parallel Genetical Gorithm to Solve the Shortest Path Routing Problem Using Genetic Operators, Middle-East Journal of Scientific Research, V-15, I-12, PP:1651-1654, 2013.
- [32] Khanaa, V; Udayakumar, R; , Efficient Pc Controlled By Hand Movement Using Mems Sensor Mouse, Indian Journal of science and Technology, V-12, I-6, PP:1438-1442, 2012.

- [33] Udayakumar, R; Khanaa, V; , Sixth Sense Technology, International Journal Of Engineering And Computer Science, V-2, I-4, 2013.
- [34] Udayakumar, R; Thooyamani, KP; Khanaa, V; , Secure Incentive Protocol for Multi-Hop Wireless Network with Limited Use of Public Key Cryptography, Middle-East Journal of Scientific Research, V-20, I-11, PP:1651-1656, 2014.
- [35] Udayakumar, R; Kaliyamurthie, KP; Khanaa, TK; , Data mining a boon: Predictive system for university topper women in academia, World Applied Sciences Journal, V-29, I-14, PP:86-90, 2014.
- [36] Udayakumar, R; Saravanan, T; , Tailored Image District Processing Precision Andwritten Appreciation, Middle-East Journal of Scientific Research, V-20, I-11, PP:1615-1625, 2014.
- [37] Udayakumar, R; Thooyamani, KP; , Khanaa, Deploying site-to-site VPN connectivity: MPLS Vs IPSec, World Applied Sciences Journal, V-29, I-14, 2014.
- [38] Udayakumar, R; Thooyamani, KP; , Random projection based data perturbation using geometric transformation, World Applied Sciences Journal, V-29, I-1, PP:24-31, 2014.
- [39] Thooyamani, KP; Khanaa, V; Udayakumar, R; , Wide area wireless networks-IETF, Middle-East Journal of Scientific Research, V-20, I-12, PP:2042-2046, 2014.
- [40] Khanaa, V; Thooyamani, KP; Udayakumar, R; , Modelling Cloud Storage, World Applied Sciences Journal, V-29, 2014.
- [41] Khanaa, V; Thooyamani, KP; Udayakumar, R; , Elliptic curve cryptography using in multicast network, World Applied Sciences Journal, V-29, 2014.
- [42] Khanaa, V; Thooyamani, KP; Udayakumar, R; , Two factor authentication using mobile phones, World Applied Sciences Journal, V-29, I-14,



| e-ISSN: 2319-8753, p-ISSN: 2320-6710| <u>www.ijirset.com</u> | Impact Factor: 8.118|

Volume 11, Issue 8, August 2022

DOI:10.15680/IJIRSET.2022.1108137

PP:208-213, 2014.

- [43] Khanaa, V; Thooyamani, KP; Udayakumar, R; , Patient monitoring in gene ontology with words computing using SOM, World Applied Sciences Journal, V-29, 2014.
- [44] Kaliyamurthie, KP; Parameswari, D; Udayakumar, R; , Malicious packet loss during routing misbehavior-identification, Middle-East Journal of Scientific Research, V-20, I-11, PP:1413-1416, 2014.
- [45] Udayakumar, R; Saritha, G; Saravanan, T; , Modelling and Simulation of Electromechanical Systems Working with Nonlinear Frictional Loads and Controlled by Subordinated Control System of Coordinates, Middle-East Journal of Scientific Research, V-20, I-12, PP:1918-1923, 2014.
- [46] Saravanan, T; Saritha, G; Udayakumar, R; , Cassette Steganography for Entrenched Metaphors in Squashed Videos, Middle-East Journal of Scientific Research, V-20, I-12, PP:2475-2478, 2014.
- [47] Udayakumar, R; Khanaa, V; Saravanan, T; , Energy Demand Management Motor Control Using Multilevel Inverter, Middle-East Journal of Scientific Research, V-20, I-12, PP:2613-2619, 2014.
- [48] Thooyamani, KP; Khanaa, V; Udayakumar, R; , Wireless cellular communication using 100 nanometers spintronics device based VLSI, Middle-East Journal of Scientific Research, V-20, I-12, PP:2037-2041, 2014.
- [49] Saravanan, T; Srinivasan, V; Udayakumar, R; , Images segmentation via Gradient watershed hierarchies and Fast region merging, Middle-EastJournal of Scientific Research, ISSN, V-9233, I-15, PP:12, 2012.
- [50] Saravanan, T; Srinivasan, V; Udayakumar, R; , Image Segmentation via Gradient Watershed Hierarchies and Fast Region Merging, Middle-East Journal of Scientific Research, V-15, I-12, PP:1680-1683, 2013.

- [51] Udayakumar, R; Khanaa, V; , Quantum Computers-A Revolution InComputing, Quantum, V-8, I-4, PP:33-36, 2013.
- [52] Khanaa, V; Udayakumar, R; , Hybrid Fuzzy Approches for Networks, International Journal of Innovative Research in science, Engineering and Technology, V-12, I-3, PP:24-31, 2012.
- [53] Khanaa, V; Udayakumar, R; , Efficient Pc Controlled By Hand Movement Using Mems Sensor Mouse, Indian Journal of science and Technology, V-12, I-6, PP:1438-1442, 2012.
- [54] Udayakumar, R; Thooyamani, KP; Khanaa, V; , Secure Incentive Protocol for Multi-Hop Wireless Network with Limited Use of Public Key Cryptography, Middle-East Journal of Scientific Research, V-20, I-11, PP:1651-1656, 2014.
- [55] Kalaiprasath, R; Elankavi, R; Udayakumar, R; , A New Approach for Cloud Data Security: From Single to Cloud-of-Clouds, International Journal on Smart Sensing and Intelligent Systems, V-10, I-5, PP:604-613, 2017.
- [56] Udayakumar, R; Saravanan, T; , Tailored Image District Processing Precision Andwritten Appreciation, Middle-East Journal of Scientific Research, V-20, I-11, PP:1615-1625, 2014.
- [57] R., Kalaiprasath; R., Elankavi; R., Udayakumar; , Cloud Information Accountability (CIA) framework ensuring accountability of data in cloud and security in end to end process in cloud terminology, International Journal of Civil Engineering and Technology, V-8, I-4, PP:376-385, 2017.
- [58] R., Kalaiprasath; R., Elankavi; R., Udayakumar; , Cloud computing security towards end to end terminology, International Journal of Pure and Applied Mathematics, V-115, I-8 Special Issue, PP:637-641, 2017.
- [59] R., Elankavi; R., Kalaiprasath; R., Udayakumar; , Potential exploitation of broadcasting system using multiple smart directional antennas -help



| e-ISSN: 2319-8753, p-ISSN: 2320-6710| <u>www.ijirset.com</u> | Impact Factor: 8.118|

Volume 11, Issue 8, August 2022

DOI:10.15680/IJIRSET.2022.1108137

of sensor network, International Journal of Mechanical Engineering and Technology, V-8, I-6, PP:678-687, 2017.

- [60] R., Elankavi; R., Kalaiprasath; R., Udayakumar; , A fast clustering algorithm for highdimensional data, International Journal of Civil Engineering and Technology, V-8, I-5, PP:1220-1227, 2017.
- [61] Kalaiprasath, R; Elankavi, R; Udayakumar, R; , Integrating Multiple Smart Directional Antennas for Full Potential Exploitation of Broadcasting System, International Journal of Science and Research, V-5, I-1, PP:1398-1403, 2016.
- [62] Udayakumar, R; , Media Cloud: An Open Cloud Computing Middleware for Content Management, Journal of Chemical and Pharmaceutical Sciences, V-5, I-2, PP:382-395, 2012.
- [63] Udayakumar, R; , A modified collage steganography using modified fuzzy C-means algorithm on images, International Journal of Innovative Research in Computer and Communication Engineering, V-7, I-1, PP:83-89, 2012.
- [64] Udayakumar, R; , Computer Simulation of Polyamidoamine Dendrimers and Their Complexes with Cisplatin Molecules in Water Environment, Computer Simulation, V-2, I-4, 2014.
- [65] Thooyamani, KP; Udayakumar, R; A Study on Fraud Detection Techniques: Credit Card, Journal of Computer Science and Applications, V-9, I-9, PP:1398-1403, 2007.
- [66] Rao, Kanamarlapudi Venkata Srinivasa; Udayakumar, Ramanathan; Khanaa, Velu; , An Efficient Authentication Method For Smart Card Verification In Online, Advances in Science, Technology and Engineering Systems Journal V, V-2, I-4, PP:133-138, 2017.
- [67] Udayakumar, R; Khanaa, V; Saravanan, T; , Energy Demand Management Motor Control Using Multilevel Inverter, Middle-East Journal of Scientific Research, V-20, I-12, PP:2613-

2619, 2014.

- [68] Kaliyamurthie, KP; Udayakumar, R; , The Relationship between Semaphores and Telephony Using Saros, EUROSIAN JOURNAL OF SCIENCE AND TECHNOLOGY, V-7, I-1, PP:77-89, 2020.
- [69] Subhash, Ligade Sunil; Udayakumar, R; , A BIG SHARK ADAPTION ALGORITHM BASED RESOURCE ALLOTMENT APPROACH IN CLOUD COMPUTING ENVIRONMENT, PalArch's Journal of Archaeology of Egypt/Egyptology, V-17, I-7, PP:5374-5379, 2020.
- [70] Subhash, Ligade Sunil; Udayakumar, R; , A Supremacy–Responsive Resource Distribution Technique for Controlled Workflow Implementation in Cloud Surroundings, Solid State Technology, V-63, I-5, PP:7662-7669, 2020.
- [71] Udayakumar, R; Khanaa, KP Kaliyamurthie; Geo, AV Allin; , Heterogenous Patterns in Database Using Mining, 2014.
- [72] Udayakumar, R; , INFLUENCE OF WAR IN THE WORKS OF GEORGE ORWELL AND HAROLD PINTER, European Journal of Molecular & Clinical Medicine, V-7, I-3, PP:4902-4905, 2020.
- [73] Udayakumar, Rajangam; Prema, Durairaj; Kamaraj, Malaiyandi; , ANTIMICROBIAL ACTIVITY OF ETHANOLIC RHIZOME EXTRACT OF CURCUMA AMADA ROXB.(MANGO GINGER), , 2015.
- [74] Udayakumar, R; Kalam, Muhammad Abul; , Sentiment Analysis Using Machine Learning Algorithms, Mathematical Statistician and Engineering Applications, V-71, I-3s2, PP:1186– 1200-1186–1200, 2022.
- [75] GAJMAL, YOGESH M; UDAYAKUMAR, R; , Data Access Controls in Cloud: A Survey., International Journal of Pharmaceutical Research (09752366), V-12, I-4, 2020.
- [76] Kothari, Kesar M; Udayakumar, R; Karthikeyan,



| e-ISSN: 2319-8753, p-ISSN: 2320-6710| <u>www.ijirset.com</u> | Impact Factor: 8.118|

### Volume 11, Issue 8, August 2022

[DOI:10.15680/IJIRSET.2022.1108137]

Ram; Raj, Nikitha; , Modeling of the Manifold Configuration for Maximum Efficiency in a Hydraulic Machine, International Journal of Fluid Machinery and Systems, V-13, I-1, PP:136-149, 2020.

[77] Udayakumar, R; Shah, Vivek J; Venkatesh, Sai Vijay; , Performance and Emission Characteristics of Biodiesel from Rapeseed and Soybean in CI Engine, Intelligent Manufacturing and Energy Sustainability: Proceedings of ICIMES 2019, PP:209-219, 2020.





Impact Factor: 8.118





# INTERNATIONAL JOURNAL OF INNOVATIVE RESEARCH

IN SCIENCE | ENGINEERING | TECHNOLOGY





www.ijirset.com