

e-ISSN: 2319-8753 | p-ISSN: 2347-6710

EDIA

International Journal of Innovative Research in SCIENCE | ENGINEERING | TECHNOLOGY

INTERNATIONAL JOURNAL OF INNOVATIVE RESEARCH

IN SCIENCE | ENGINEERING | TECHNOLOGY

Volume 11, Issue 2, February 2022

INTERNATIONAL STANDARD SERIAL NUMBER INDIA

Impact Factor: 7.569

9940 572 462

6381 907 438

 \bigcirc







e-ISSN: 2319-8753, p-ISSN: 2320-6710 www.ijirset.com | Impact Factor: 7.569

Volume 11, Issue 2, February 2022

DOI:10.15680/IJIRSET.2022.1102097

GLOBAL WARMING

Dr. Renu Durgapal

Associate Professor, Department of Zoology, Government MS Girls College, Bikaner, India

ABSTRACT: Global warming is the long-term heating of Earth's climate system observed since the pre-industrial period (between 1850 and 1900) due to human activities, primarily fossil fuel burning, which increases heat-trapping greenhouse gas levels in Earth's atmosphere. The term is frequently used interchangeably with the term climate change, though the latter refers to both human- and naturally produced warming and the effects it has on our planet. It is most commonly measured as the average increase in Earth's global surface temperature. Since the pre-industrial period, human activities are estimated to have increased Earth's global average temperature by about 1 degree Celsius (1.8 degrees Fahrenheit), a number that is currently increasing by 0.2 degrees Celsius (0.36 degrees Fahrenheit) per decade. It is unequivocal that human influence has warmed the atmosphere, ocean, and land. Since the Industrial Revolution, the global annual temperature has increased in total by a little more than 1 degree Celsius, or about 2 degrees Fahrenheit. Between 1880—the year that accurate recordkeeping began—and 1980, it rose on average by 0.07 degrees Celsius (0.13 degrees Fahrenheit) every 10 years. Since 1981, however, the rate of increase has more than doubled: For the last 40 years, we've seen the global annual temperature rise by 0.18 degrees Celsius, or 0.32 degrees Fahrenheit, per decade.

KEYWORDS: global warming, earth, climate, temperature, industrial, revolution, greenhouse gas

I. INTRODUCTION

Global warming occurs when carbon dioxide (CO_2) and other air pollutants collect in the atmosphere and absorb sunlight and solar radiation that have bounced off the earth's surface. Normally this radiation would escape into space, but these pollutants, which can last for years to centuries in the atmosphere, trap the heat and cause the planet to get hotter. These heat-trapping pollutants-specifically carbon dioxide, methane, nitrous oxide, water vapor, and synthetic fluorinated gases-are known as greenhouse gases, and their impact is called the greenhouse effect. Though natural cycles and fluctuations have caused the earth's climate to change several times over the last 800,000 years, our current era of global warming is directly attributable to human activity-specifically to our burning of fossil fuels such as coal, oil, gasoline, and natural gas, which results in the greenhouse effect. In the United States, the largest source of greenhouse gases is transportation (29 percent), followed closely by electricity production (28 percent) and industrial activity (22 percent).Curbing dangerous climate change requires very deep cuts in emissions, as well as the use of alternatives to fossil fuels worldwide. The good news is that countries around the globe have formally committed—as part of the 2015 Paris Climate Agreement-to lower their emissions by setting new standards and crafting new policies to meet or even exceed those standards. The not-so-good news is that we're not working fast enough. To avoid the worst impacts of climate change, scientists tell us that we need to reduce global carbon emissions by as much as 40 percent by 2030. For that to happen, the global community must take immediate, concrete steps: to decarbonize electricity generation by equitably transitioning from fossil fuel-based production to renewable energy sources like wind and solar; to electrify our cars and trucks; and to maximize energy efficiency in our buildings, appliances, and industries.[1]

II. DISCUSSION

Scientists agree that the earth's rising temperatures are fueling longer and hotter heat waves, more frequent droughts, heavier rainfall, and more powerful hurricanes.In 2015, for example, scientists concluded that a lengthy drought in California—the state's worst water shortage in 1,200 years—had been intensified by 15 to 20 percent by global warming. They also said the odds of similar droughts happening in the future had roughly doubled over the past century. And in 2016, the National Academies of Science, Engineering, and Medicine announced that we can now confidently attribute some extreme weather events, like heat waves, droughts, and heavy precipitation, directly to climate change.The earth's ocean temperatures are getting warmer, too—which means that tropical storms can pick up more energy. In other words, global warming has the ability to turn a category 3 storm into a more dangerous category 4 storm. In fact, scientists have found that the frequency of North Atlantic hurricanes has increased since the early



| e-ISSN: 2319-8753, p-ISSN: 2320-6710| <u>www.ijirset.com</u> | Impact Factor: 7.569|

Volume 11, Issue 2, February 2022

DOI:10.15680/IJIRSET.2022.1102097

1980s, as has the number of storms that reach categories 4 and 5. The 2020 Atlantic hurricane season included a recordbreaking 30 tropical storms, 6 major hurricanes, and 13 hurricanes altogether. With increased intensity come increased damage and death. The United States saw an unprecedented 22 weather and climate disasters that caused at least a billion dollars' worth of damage in 2020, but 2017 was the costliest on record and among the deadliest as well: Taken together, that year's tropical storms (including Hurricanes Harvey, Irma, and Maria) caused nearly \$300 billion in damage and led to more than 3,300 fatalities. The impacts of global warming are being felt everywhere. Extreme heat waves have caused tens of thousands of deaths around the world in recent years. And in an alarming sign of events to come, Antarctica has lost nearly four trillion metric tons of ice since the 1990s. The rate of loss could speed up if we keep burning fossil fuels at our current pace, some experts say, causing sea levels to rise several meters in the next 50 to 150 years and wreaking havoc on coastal communities worldwide.Each year scientists learn more about the consequences of global warming, and each year we also gain new evidence of its devastating impact on people and the planet. As the heat waves, droughts, and floods associated with climate change become more frequent and more intense, communities suffer and death tolls rise. If we're unable to reduce our emissions, scientists believe that climate change could lead to the deaths of more than 250,000 people around the globe every year and force 100 million people into poverty by 2030.[2,3]

Global warming is already taking a toll on the United States. And if we aren't able to get a handle on our emissions, here's just a smattering of what we can look forward to:

- Disappearing glaciers, early snowmelt, and severe droughts will cause more dramatic water shortages and continue to increase the risk of wildfires in the American West.
- Rising sea levels will lead to even more coastal flooding on the Eastern Seaboard, especially in Florida, and in other areas such as the Gulf of Mexico.
- Forests, farms, and cities will face troublesome new pests, heat waves, heavy downpours, and increased flooding. All of these can damage or destroy agriculture and fisheries.
- Disruption of habitats such as coral reefs and alpine meadows could drive many plant and animal species to extinction.
- Allergies, asthma, and infectious disease outbreaks will become more common due to increased growth of pollen-producing ragweed, higher levels of air pollution, and the spread of conditions favorable to pathogens and mosquitoes.

Though everyone is affected by climate change, not everyone is affected equally. Indigenous people, people of color, and the economically marginalized are typically hit the hardest. Inequities built into our housing, health care, and labor systems make these communities more vulnerable to the worst impacts of climate change—even though these same communities have done the least to contribute to it.[4,5]

III. RESULTS

In recent years, China has taken the lead in global-warming pollution, producing about 26 percent of all CO2 emissions. [12,13] The United States comes in second. Despite making up just 4 percent of the world's population, our nation produces a sobering 13 percent of all global CO2 emissions—nearly as much as the European Union and India (third and fourth place) combined. And America is still number one, by far, in cumulative emissions over the past 150 years. As a top contributor to global warming, the United States has an obligation to help propel the world to a cleaner, safer, and more equitable future. Our responsibility matters to other countries, and it should matter to us, too. We've started. But in order to avoid the worsening effects of climate change, we need to do a lot more—together with other countries—to reduce our dependence on fossil fuels and transition to clean energy sources.Under the administration of President Donald Trump (a man who falsely referred to global warming as a "hoax"), the United States withdrew from the Paris Climate Agreement, rolled back or eliminated dozens of clean-air protections, and opened up federally managed lands, including culturally sacred national monuments, to fossil fuel development. Although President Biden has pledged to get the country back on track, years of inaction during and before the Trump administration—and our increased understanding of global warming's serious impacts—mean we must accelerate our efforts to reduce greenhouse gas emissions.[6,7]

Despite the lack of cooperation from the Trump administration, local and state governments made great strides during this period through efforts like the American Cities Climate Challenge and ongoing collaborations like the Regional Greenhouse Gas Initiative. Meanwhile, industry and business leaders have been working with the public sector,



| e-ISSN: 2319-8753, p-ISSN: 2320-6710| www.ijirset.com | Impact Factor: 7.569

Volume 11, Issue 2, February 2022

DOI:10.15680/IJIRSET.2022.1102097

creating and adopting new clean-energy technologies and increasing energy efficiency in buildings, appliances, and industrial processes.[10,11] Today the American automotive industry is finding new ways to produce cars and trucks that are more fuel efficient and is committing itself to putting more and more zero-emission electric vehicles on the road. Developers, cities, and community advocates are coming together to make sure that new affordable housing is built with efficiency in mind, reducing energy consumption and lowering electric and heating bills for residents. And renewable energy continues to surge as the costs associated with its production and distribution keep falling. In 2020 renewable energy sources such as wind and solar provided more electricity than coal for the very first time in U.S. history.President Biden has made action on global warming a high priority. On his first day in office, he recommitted the United States to the Paris Climate Agreement, sending the world community a strong signal that we were determined to join other nations in cutting our carbon pollution to support the shared goal of preventing the average global temperature from rising more than 1.5 degrees Celsius above preindustrial levels. (Scientists say we must stay below a 2-degree increase to avoid catastrophic climate impacts.) And significantly, the president has assembled a climate team of experts and advocates who have been tasked with pursuing action both abroad and at home while furthering the cause of environmental justice and investing in nature-based solutions.[8,9]

IV. CONCLUSIONS

While we can't win the fight without large-scale government action at the national level, we also can't do it without the help of individuals who are willing to use their voices, hold government and industry leaders to account, and make changes in their daily habits.By taking a few easy steps: Make conserving energy a part of your daily routine and your decisions as a consumer. When you shop for new appliances like refrigerators, washers, and dryers, look for products with the government's ENERGY STAR[®] label; they meet a higher standard for energy efficiency than the minimum federal requirements. When you buy a car, look for one with the highest gas mileage and lowest emissions. You can also reduce your emissions by taking public transportation or carpooling when possible. And while new federal and state standards are a step in the right direction, much more needs to be done. Voice your support of climate-friendly and climate change preparedness policies, and tell your representatives that equitably transitioning from dirty fossil fuels to clean power should be a top priority—because it's vital to building healthy, more secure communities. You don't have to go it alone, either. Movements across the country are showing how climate action can build community, be led by those on the front lines of its impacts, and create a future that's equitable and just for all.[14,15]

REFERENCES

- 1. IPCC AR6 WG1 2021
- 2. ^ IPCC SR15 Ch1 2018, p. 54: These global-level rates of human-driven change far exceed the rates of change driven by geophysical or biosphere forces that have altered the Earth System trajectory in the past...
- 3. ^ Our World in Data, 18 September 2020
- 4. ^ IPCC AR6 WG1 Technical Summary 2021, p. 59: The combined effect of all climate feedback processes is to amplify the climate response to forcing...
- 5. ^ IPCC SRCCL 2019, p. 7: Since the pre-industrial period, the land surface air temperature has risen nearly twice as much as the global average temperature (high confidence). Climate change... contributed to desertification and land degradation in many regions (high confidence).; IPCC SRCCL 2019, p. 45: Climate change is playing an increasing role in determining wildfire regimes alongside human activity (medium confidence), with future climate variability expected to enhance the risk and severity of wildfires in many biomes such as tropical rainforests (high confidence).
- 6. ^ IPCC SROCC 2019, p. 16: Over the last decades, global warming has led to widespread shrinking of the cryosphere, with mass loss from ice sheets and glaciers (very high confidence), reductions in snow cover (high confidence) and Arctic sea ice extent and thickness (very high confidence), and increased permafrost temperature (very high confidence).
- 7. ^ USGCRP Chapter 9 2017, p. 260.
- A EPA (19 January 2017). "Climate Impacts on Ecosystems". Archived from the original on 27 January 2018. Retrieved 5 February 2019. Mountain and arctic ecosystems and species are particularly sensitive to climate change... As ocean temperatures warm and the acidity of the ocean increases, bleaching and coral die-offs are likely to become more frequent.
- 9. ^ Cattaneo et al. 2019; UN Environment, 25 October 2018.
- 10. ^ IPCC AR5 SYR 2014, pp. 13–16; WHO, Nov 2015: "Climate change is the greatest threat to global health in the 21st century. Health professionals have a duty of care to current and future generations. You are on the front line in



| e-ISSN: 2319-8753, p-ISSN: 2320-6710| <u>www.ijirset.com</u> | Impact Factor: 7.569|

Volume 11, Issue 2, February 2022

DOI:10.15680/IJIRSET.2022.1102097

protecting people from climate impacts – from more heat-waves and other extreme weather events; from outbreaks of infectious diseases such as malaria, dengue and cholera; from the effects of malnutrition; as well as treating people that are affected by cancer, respiratory, cardiovascular and other non-communicable diseases caused by environmental pollution."

- 11. ^ IPCC SR15 Ch1 2018, p. 64: Sustained net zero anthropogenic emissions of CO₂ and declining net anthropogenic non-CO₂ radiative forcing over a multi-decade period would halt anthropogenic global warming over that period, although it would not halt sea level rise or many other aspects of climate system adjustment.
- 12. ^ IPCC AR6 WG1 Technical Summary 2021, p. 71
- 13. ^ United Nations Environment Programme 2021, p. 36: "A continuation of the effort implied by the latest unconditional NDCs and announced pledges is at present estimated to result in warming of about 2.7 °C (range: 2.2–3.2 °C) with a 66 per cent chance."
- 14. ^ IPCC SR15 Ch2 2018, pp. 95–96: In model pathways with no or limited overshoot of 1.5 °C, global net anthropogenic CO₂ emissions decline by about 45% from 2010 levels by 2030 (40–60% interquartile range), reaching net zero around 2050 (2045–2055 interquartile range); IPCC SR15 2018, p. 17, SPM C.3:All pathways that limit global warming to 1.5 °C with limited or no overshoot project the use of carbon dioxide removal (CDR) on the order of 100–1000 GtCO2 over the 21st century. CDR would be used to compensate for residual emissions and, in most cases, achieve net negative emissions to return global warming to 1.5 °C following a peak (high confidence). CDR deployment of several hundreds of GtCO2 is subject to multiple feasibility and sustainability constraints (high confidence).; Rogelj et al. 2015; Hilaire et al. 2019
- 15. ^ United Nations Environment Programme 2019, p. xxiii, Table ES.3; Teske, ed. 2019





Impact Factor: 7.569





INTERNATIONAL JOURNAL OF INNOVATIVE RESEARCH

IN SCIENCE | ENGINEERING | TECHNOLOGY





www.ijirset.com