



e-ISSN: 2319-8753 | p-ISSN: 2347-6710

IJIRSET

International Journal of Innovative Research in
SCIENCE | ENGINEERING | TECHNOLOGY

INTERNATIONAL JOURNAL OF INNOVATIVE RESEARCH

IN SCIENCE | ENGINEERING | TECHNOLOGY

Volume 11, Issue 1, January 2022

ISSN INTERNATIONAL
STANDARD
SERIAL
NUMBER
INDIA

Impact Factor: 7.569

9940 572 462

6381 907 438

ijirset@gmail.com

www.ijirset.com



Event Management using End-to-End Image Encryption: A Review

Omkar Sisodia, Priyanka Bade, Pujari Ashwini, Dr. Hemant Jadhav

Dept. of Computer Engineering, Pune University, Shri Chhatrapati Shivaji Maharaj College of Engineering,
Ahmednagar, India

Dept. of Computer Engineering, Pune University, Shri Chhatrapati Shivaji Maharaj College of Engineering,
Ahmednagar, India

Dept. of Computer Engineering, Pune University, Shri Chhatrapati Shivaji Maharaj College of Engineering,
Ahmednagar, India

Dept. of Computer Engineering, Pune University, Shri Chhatrapati Shivaji Maharaj College of Engineering,
Ahmednagar, India

ABSTRACT: Encryption-then-Compression (EtC) systems are used to securely transmit images over an untrusted channel provider, and a novel grayscale-based block scrambling image encryption method is developed to improve the security of EtC systems. This approach is intended to make encryption-then-compression (EtC) systems more secure. In comparison to the new encryption technology, the suggested scheme allows for smaller block sizes and a greater number of blocks. Despite the fact that the original image has three colour channels, photos encrypted using the suggested method contain less colour information due to the usage of grayscale images to encrypt the data. These features boost security against threats like jigsaw puzzle solvers and brute-force attacks, among other things. Apart from that, despite the fact that the encrypted photos do not include any colour information, it enables for colour sub-sampling, which can improve the compression speed of the images. In a test, encrypted photographs were posted to and later downloaded from social networking sites, and the findings demonstrated that using advanced compression algorithms, the suggested strategy is successful for ETC systems while still keeping excellent compression performance.

KEYWORDS: Event Management, image compression, non-local network, attention mechanism.

I. INTRODUCTION

A system of encryption followed by compression (and so on) with JPEG compression has been proposed and is now being tested for use on social networking sites and cloud photo storage services. Color-based image encryption techniques for EtC systems, on the other hand, are unable to provide the same level of resistance against colour sub-sampling as colour sub-sampling utilised for JPEG compression because an encrypted image is a full-color image. The grey scale-based pictures encryption approach, which encrypts a full-color image and converts it to a grey scale image, has been proposed to address this issue. Even if grey scale-based picture encryption can be employed to avoid the impacts of colour sub-sampling, colour sub-sampling procedures cannot be considered since the grey scale-based image is made up of RGB components and thus cannot be considered.

Furthermore, compression performance drops dramatically when compared to color-based picture encryption. It has been proposed that the quantization table for grey scale-based images, as well as the grey scale-based image encryption created from YCbCr components, provide greater compression performance. The operation of colour sub-sampling, on the other hand, has not been considered.

The colour sub-sampling operation for grey scale-based picture encryption is discussed and considered in this study as it relates to grey scale-based image encryption. Rather than generating the image from RGB components, the grey scale-based image is formed by first converting a full-color image in RGB colour space to YCbCr colour space. Color subsampling can be used to create greyscale-based images, which can then be printed. We also go over the scenario and requirements that must be met for picture encryption to be effective. The gains in compression performance and



robustness to colour sub-sampling that have been gained through this study are evaluated using Rate-Distortion (R-D) curves.

II. LITERATURE SURVEY

In Intra Block Copy in HEVC Screen Content Coding Extensions Of 2017 by authors Xiaozhong Xu, Shan Liu, Tzu-Der Chuang, Yu-Wen Huang, Shaw-Min Lei, Krishnakanth Rapaka, Chao Pang, Vadim Seregin, Ye-Kui Wang, and Marta Karczewicz It can be concluded that This tool is very efficient for coding of screen content video in that repeated patterns in text and graphics rich content occur frequently within the same picture. Having a previously reconstructed block with equal or similar pattern as a predictor can effectively reduce the prediction error and therefore improve coding efficiency.

In Conditional Probability Models for Deep Image Compression Fabian Of 2018 Fabian Mentzer Eirikur Agustsson* Michael Tschannen Radu Timofte Luc Van Gool In this paper, author focus on the latter challenge and propose a new technique to navigate the rate-distortion trade-off for an image compression auto-encoder. The main idea is to directly model the entropy of the latent representation by using a context model: A 3D-CNN which learns a conditional probability model of the latent distribution of the auto-encoder.

In Efficient Nonlinear Transforms for Lossy Image Compression Of 2018 by author Johannes Ballé It can be concluded that Authors assess the performance of two techniques in the context of nonlinear transform coding with artificial neural networks, Sadam and GDN. Both techniques have been successfully used in state-of-the-art image compression methods, but their performance has not been individually assessed to this point. Together, the techniques stabilize the training procedure of nonlinear image transforms and increase their capacity to approximate the (unknown) rate-distortion optimal transform functions. Besides comparing their performance to established alternatives, we detail the implementation of both methods and provide open-source code along with the paper.

In Interference Reduction by Millimeter Wave Technology for 5G-Based Green Communications Of 2018 by authors TIN-YU WU AND TSE CHANG It can be concluded that The primary goal of this paper is the optimization of data transmissions and connections between 5G base stations (BSs) as well as the improvement of access technologies and transmission methods in consideration of massive multi-input multi-output, a key technology in 5G networks. In order to reach an access technology supported by multiple BSs and small cells, we use 5G millimetre wave (mm Wave), due to its high directivity and sensitivity to blockage, to enhance the connection system.

In Learning Convolutional Networks for Content-weighted Image Compression Of 2019 by authors Mu Li, Wangmeng Zuo, Shuhang Gu, Debin Zhao, David Zhang It can be concluded that In this paper, motivated by that the local information content is spatially variant in an image, we suggest that: (i) the bit rate of the different parts of the image is adapted to local content, and (ii) the content aware bit rate is allocated under the guidance of a content weighted Importance map. The sum of the importance map can thus serve as a continuous alternative of discrete entropy estimation to control compression rate.

III. OPEN ISSUES

Lot of work has been done in this field because of its extensive usage and applications. In this section, some of the approaches which have been implemented to achieve the same purpose are mentioned. These works are majorly differentiated by the algorithm for image encryption compression systems.

The purpose of our proposed system is to ensure the confidentiality of an image through encryption while giving access to watermarking-based reliability security services in both encrypted and compressed domains. As illustrated in system architecture, it relies on two main procedures: image protection and image reliability verification.

At the protection stage, bit-substitution watermarking, JPEG-LS and AES in its CBC mode are jointly conducted so as to protect. This procedure allows the insertion of two messages, and that will be readable from the image encrypted bit stream and from the image compressed bit stream, respectively. Both messages contain security attributes that assess the image reliability. The embedding and the extraction of each message depend on two watermarking keys: in the compressed domain and in the encrypted domain. On its side AES is parameterized with the encryption key.

IV. PROPOSED SYSTEM DIAGRAM




Fig. Working Of Model.




Fig. Proposed Model.

V. CONCLUSIONS

The implications of colour subsampling on grayscale-based picture encryption for electronic toner cartridge systems were investigated in this work. Following a description of the scenario and criteria for picture encryption, a demonstration was given. Furthermore, we recommended that the luminance and sub-sampled chrominance components be combined to create a grayscale-based image. To investigate compression performance and robustness against colour subsampling, a large number of images were compressed and decompressed with colour sub-sampling ratios of 4:4:4 and 4:2:0. The results showed that adding colour subsampling to grayscale-based picture encryption does not affect compression performance and that grayscale-based image encryption is robust against colour subsampling.

REFERENCES

1. J. Vincent, W. Pan, and G. Coatrieux, "Privacy protection and security in eHealth cloud platform for medical image sharing," in Proc. 2nd Int. Conf. Adv. Technol. Signal Image Process. (ATSIP), Mar. 2016, pp. 93–96.
2. D. Bouslimi and G. Coatrieux, "A crypto-watermarking system for ensuring reliability control and traceability of medical images," Signal Process., Image Common., vol. 47, pp. 160–169, Sep. 2016.
3. J. C. Dagadu and J. Li, "Context-based watermarking cum chaotic encryption for medical images in telemedicine applications," Multimedia Tools Appl., vol. 77, no. 18, pp. 24289–24312, Sep. 2018.



4. Z. Qian, X. Zhang, Y. Ren, and G. Feng, "Block cipher based separable reversible data hiding in encrypted images," *Multimedia Tools Appl.*, vol. 75, no. 21, pp. 13749–13763, Nov. 2016.
5. C. V. Kumar, V. Natarajan, K. Nirmala, T. Balasubramanian, K. R. Rao, and S. Krishnan, "Encrypted separable reversible watermarking with authentication and error correction," *Multimedia Tools Appl.*, vol. 78, no. 6, pp. 7005–7027, Mar. 2019.
6. S. Haddad, G. Coatrieux, M. Cozic, and D. Bouslimi, "Joint watermarking and lossless JPEG-LS compression for medical image security," *IRBM*, vol. 38, no. 4, pp. 198–206, Aug. 2017.
7. C. Lakshmi, K. Thenmozhi, J. B. B. Rayappan, and R. Amirtharajan, "Encryption and watermark-treated medical image against hacking disease—An immune convention in spatial and frequency domains," *compute. Methods Programs Biomed.*, vol. 159, pp. 11–21, Jun. 2018.
8. X.-J. Tong, P. Chen, and M. Zhang, "A joint image lossless compression and encryption method based on chaotic map," *Multimedia Tools Appl.*, vol. 76, no. 12, pp. 13995–14020, Jun. 2017.
9. H. Ga and W. Zeng, "Image compression and encryption based on wavelet transform and chaos," *compute. Opt.*, vol. 43, no. 2, pp. 258–263, Apr. 2019.
10. Z. Qian, H. Xu, X. Luo, and X. Zhang, "New framework of reversible data hiding in encrypted JPEG bitstreams," *IEEE Trans. Circuits Syst. Video Technol.*, vol. 29, no. 2, pp. 351–362, Feb. 2019.



Impact Factor:
7.569



INTERNATIONAL JOURNAL OF INNOVATIVE RESEARCH

IN SCIENCE | ENGINEERING | TECHNOLOGY

 9940 572 462  6381 907 438  ijirset@gmail.com



www.ijirset.com

Scan to save the contact details