

e-ISSN: 2319-8753 | p-ISSN: 2347-6710

TEDIA

International Journal of Innovative Research in SCIENCE | ENGINEERING | TECHNOLOGY

INTERNATIONAL JOURNAL OF INNOVATIVE RESEARCH

IN SCIENCE | ENGINEERING | TECHNOLOGY

Volume 11, Issue 7, July 2022

INTERNATIONAL STANDARD SERIAL NUMBER INDIA

Impact Factor: 8.118

9940 572 462 🔊

6381 907 438





Volume 11, Issue 7, July 2022

| DOI:10.15680/IJIRSET.2022.1107172 |

Wastewater Treatment Using Lemna Minor

Chidambara Das, Geena Susan Abraham, Jerril Joseph Biju, Chris Merin Varghese

U G Students, Department of Civil Engineering, St Thomas College of Engineering and Technology Kozhuvalloor,

Chengannur, Kerala, India

Assistant Professor, Department of Civil Engineering, St Thomas College of Engineering and Technology

Kozhuvalloor, Chengannur, Kerala, India

ABSTRACT: Water body can be contaminated when it is exposed to high volume of wastewater and high concentration of contaminants. It is necessary to treat effluent before discharging into waterbody, also to treat the wastewater sustainably. Phytoremediation potential of lemna minor was studied for a period of 14 days to investigate the removal of pollutants in surface water with a special reference to heavy metals lead and cadmium. Sample water was collected from Sasthamkotta lake. The characteristics of wastewater before phytoremediation was analyzed and noted as initial value. After that the sample was treated with Lemna minor for 14 days and the physico chemical characteristics were analyzed at 7th and 14th day. The study showed that treatment with Lemna minor provides good removal efficiency of pollutants. The main aim of this wastewater treatment is to produce an effluent that minimal additional controls are needed to manage any human health, agricultural and environmental risks. Lemna minor waste water treatment provides genuine solutions for these problems.

KEYWORDS: Phytoremediation, Lemna minor, Physico chemical parameters

I. INTRODUCTION

Water is an essential element of life. Providing clean and pure water is the base of development of a country.In today's world where the development ,industrialization ,colonization all lead to the vast majority of pollution ,water is being affected drastically. There are so many pollutants present in wastewater that are harmful for human health and the environment.Common sources of waste water effluents are from industries ,houseboats,domestic wastes ,commercial wastes ,medical wastes ,mining ,E wastes etc. Some of the wastes increase the presence of heavy metals in water .Cadmium ,mercury,lead and arsenic which are in WHO's list of 10 substances of important public concern ,are particularly susceptible to heavy metal poisoning. Heavy metals can bind to and disrupt the function of critical biological components. These heavy metals can be commonly found in mining, industrial wastes, automobile wastes, lead batteries, fertilizers, paints, ad other products. Entrance of those heavy metals in the body of humans lead to different health problems such as cancer, kidney problems, nausea and high blood pressure in general. Health problems will bring for the healthy person as they are carcinogenic in small concentrations. Leachate from landfill through the water flow is gradually affecting the groundwater particularly that of Pb and Cd that is extremely high.Hazardous heavy metal pollution of waste water is one of the most important environmental problems throughout the world, to meet the increased more stringent environmental regulations a wide range of treatment technologies such as chemical precipitation, coagulation, flocculation, floatation, ion exchange and membrane filtration have been developed for heavy metal removal from wastewater. They require high cost and non eco friendly, as well as conventional method of disinfecting water are economically infeasible and also people reluctant to use chemicals as disinfectants. But treatment using lemna minor and disinfection methods are cost effective and eco friendly for sustainable development and water can be used for domestic purposes like cleaning ,flushing etc. The main objective of this treatment method is to determine the efficiency of lemna minor to absorb heavy metals, and to convert the polluted lake water to domestic usable water.

II. RELATED WORK

Parthiban I, Porchelvan P, Ramasamy T and Shyamala gowri studied the coagulation ,flocculation,sedimentation and cleansing methodology utilizing neem and tulsi seed as an Eco accommodating characteristic coagulant and disinfectant water. S Vanitha ,NVN Nampoothiri , C Sivapragasam, Anitha Menon studied an experimental study on lemna minor (duckweed) for improving pond water quality,from the experimental studies conducted it was understood that the lemna minor plant can efficiently removes 75% phosphate from pond water. Akbarsha Manaf,Bhavana R M

International Journal of Innovative Research in Science, Engineering and Technology (IJIRSET)



e-ISSN: 2319-8753, p-ISSN: 2347-6710 www.ijirset.com | Impact Factor: 7.569

Volume 11, Issue 7, July 2022

| DOI:10.15680/IJIRSET.2022.1107172 |

,Haritha R, Sruthy A P and Suja S Nair cited the characteristics of lemna minor (duckweed) and its effect on wastewater treatment. They clearly state that treatment using lemna minor is cost effective and eco friendly

III. METHODOLOGY

3.1 Study area

Sasthamkotta region of Sasthamkotta lake in the Kollam district of kerala was selected for the study.Sasthamkotta lake is known as freshwater lake .This area is selected because this lake is a source of drinking water over more than 5lakh people in kollam district.The water and environmental pollution has put the biggest fresh water lake in kerala at risk.According to wetland conservation and management rules the water bodies listed under Ramsar convention centre are not to be polluted,but in case of Sasthamkotta lake various Governmental ,private bodies and people living closely to the lake have been polluting and encroaching the lake .Water sample was collected from a depth of 30cm from the surface in lake region and poured to the bottle without making bubbles.

3.1 Material used

Lemna minor (Duckweed): They are small floating aquatic plants found worldwide and often seen growing in thick, blanket-like mats on still or slow moving, nutrient-rich fresh or brackish waters. Duckweed species are adapted to a wide variety of geographic and climatic zones. Duckweeds grow at water temperatures between 6 and 33°C. A duckweed leaf is flat and ovoid. Many species have adventitious roots which function as a stability organ and which tend to lengthen as mineral nutrients in water are exhausted. For this study a sufficient amount of lemna minor was collected and farmed.



3.2 Procedure adopted:

Fig.3.1 Lemna Minor

Collected water sample was initially analyzed for parameters such as pH, Dissolved oxygen, Chlorides, BOD and COD. Concentration of lead and cadmium on the water sample was also analyzed using Atomic Absorption Spectroscopy.

Plastic tubs of round shape of 8 liter capacity were used for the experimental setup. Plastic tubs were properly washed and dried with tissue. All the tubs were filled with the waste water.Lemna minor (duckweed) was collected from our nearby aquarium and washed with distilled water to avoid any contamination. Duckweed was applied over the water sample (8 liter each). Amount of duckweed is based on the water surface area. Samples were taken after 7 and 14 days separately and analyzed for pH, BOD, Dissolved oxygen, Chlorides, COD, concentration of lead and cadmium.



Volume 11, Issue 7, July 2022

DOI:10.15680/IJIRSET.2022.1107172

IV. EXPERIMENTAL RESULTS AND DISCUSSION

4.1 Characteristics of water sample collected

The water sample was analyzed for pH, Chlorides, COD, BOD, Lead and Cadmium before treatment and the observed result were tabulated in Table 4.1

Sl.No	Parameters	Observed value	
1	рН	6.72	
2	Chlorides	438mg/l	
3	Dissolved Oxygen	2 mg/l	
4	BOD	6.9 mg/l	
5	COD	20.12 mg/l	
6	Lead	0.483 mg/l	
7	Cadmium	0.04 mg/l	

Table.4.1 Water sample parameters before treatment

4.2 Analysis of water sample after duckweed treatment

Water parameters were assessed after 7 and 14 days of treatment. The level of pollution of water was found out by determining DO (Dissolved Oxygen), BOD (Biological Oxygen Demand), COD (Chemical Oxygen Demand) and amount of Heavy metals like Lead & Cadmium .The observed values of different parameters after duckweed treatment is given below.

Sl.No	Parameters	Obtained value after 7 days	Obtained value after 14 days
1	рН	7.03	7.21
2	Chlorides	261 mg/l	183mg/l
3	Dissolved oxygen	5mg/l	7.1mg/l
4	BOD	5.7mg/l	4.7mg/l
5	COD	14.01mg/l	7.92mg/l
6	Lead	0.275mg/l	0.009mg/l
7	Cadmium	0.03mg/l	0.002mg/l



Volume 11, Issue 7, July 2022

| DOI:10.15680/IJIRSET.2022.1107172 |





Fig 4.1 Analysis of pH








Fig 4.3 Analysis of Lead Concentration



||Volume 11, Issue 7, July 2022||

| DOI:10.15680/IJIRSET.2022.1107172 |




Fig 4.4 Analysis of Cadmium Concentration




Fig 4.5 Analysis of Dissolved Oxygen




Fig 4.6 Analysis of Chemical Oxygen Demand




Volume 11, Issue 7, July 2022

DOI:10.15680/IJIRSET.2022.1107172









V. CONCLUSION

The water pollution of the Sasthamkotta lake is due the effluents from domestic and industrial sewage into the lake. As a result, the water is highly polluted, so this water is not fit for domestic needs. The poor quality of the water can cause adverse environmental problems. Common Duckweed (lemna minor) can be used to lower the amount of heavy metals like Lead and Cadmium. It has the property to reduce levels of COD (Chemical Oxygen Demand), BOD (Biological Oxygen Demand), Chloride content and to improve DO level (Dissolved Oxygen). From the results of study it was found that the Duckweeds have the ability to decrease the levels of Chloride by 52.795%, Lead by 98.136%, Cadmium by 95%, COD level by 60.636%, BOD level 31.884% and increase of DO by 70.83%. This shows the phytoremediation potential of duckweed.

よう JIRSET | e-ISSN: 2319-8753, p-ISSN: 2347-6710| <u>www.ijirset.com</u> | Impact Factor: 7.569|

Volume 11, Issue 7, July 2022

| DOI:10.15680/IJIRSET.2022.1107172 |

Table 5.1 Comparison of permissible limits and obtained values

Parameters	Permissible Limits	Obtained value
pH	6.5-7.5	7.21
Chlorides	250 mg/l	183 mg/l
Dissolved Oxygen	4-8 mg/l	7.2 mg/l
BOD	1-2ppm (very good),3-5ppm (medium clean),6-9ppm(organic matter),above 10ppm (very polluted)	4.7 mg/l
COD	10 ppm	7.92 mg/l
Lead	0.015 mg(0.010 mg or less safe)	0.009mg/l
Cadmium	0.005 mg	0.002mg/l

REFERENCES

- 1. Akbarsha Manaf ,Bhavana R M ,Haritha R, Sruthy A P, Suja S Nair 'Waste water Treatment using duckweed and comparative study of disinfection methods'.IJERT Volume 06 Issue 4 April 2019.
- 2. Abhshek Sinha, Kamal Nabh Tripathi, A Review of feasibility of use of duckweed treatment of sludge water, IRJET Volume 06 March 2019.
- 3. Bhutiani R , Rai N , Kumar N, Rausa M and Ahamad F 'Treatment of Industrial waste water using hyacinth and Duckweed , A comparative study 'Environment Conservation Journal October 2019.
- 4. C Anjali, D Srinivasa Murthy, Dr D V S Bhagavanulu 'A Study on the Impact of water hyacinth in improving the wastewater properties 'IJCIET Volume 8- October 2017.
- 5. Dr George Chackacherry, Prof K V Jayakumar, Sashthamkotta freshwater lake kerala : Management issues , research paper -January 2011.
- 6. Fenglian Fu, Qi Wang 'Removal of heavy metals ions from wastewater' A review 96 1028- 1029, March 2019.
- 7. Guoke Chen, Yang Fang ,Jun Huang 'Duckweed systems for eutrophic water purification through converting water nutrients to high starch biomass : comparative evaluation of three different genera' Royal society of chemistry 2018.
- Nur Izzah Hamna Abdul Aziz, Marlia Mohd Hanafiash ,Nasrun Hisyam Halim and Putri Amylin Sofea Fidri 'Phytoremediation of COD from Sewage waste water by Lemna minor 1 ,Centella asiatica ' Applied Sciences 2020.
- 9. Parthiban L,Porchelvan P,Ramasamy T,Shyamala Gowri 'Clarification and Disinfection of Water using Natural herbs Azadirachta Indica and Ocimum Sanctum',Journal of chemical and pharmaceutical sciences january 2017
- 10. S Mohammed Irshad ,Cashing in on Natural Resource Mismanagement :A study on depleting sasthamkotta fresh water lake in kerala ,Natural Resources and Conservation 2015.
- 11. Solomon Mulaw Sahel ,Neway Belachew ,Haftu Gebretsadik ,Giday Gebregziabher ' The effect of Bottle Scratches and lime juice on Natural Solar radiation Disinfection techniques on different bacterial colonies at shoa robit and surrounding rural kebeles December 2018.
- 12. S Vanitha ,NVN Nampoothiri,C Sivapragasam,Anitha Menon M 'An experimental study on duckweed for improving pond water quality',IJSER May 2013





Impact Factor: 8.118





INTERNATIONAL JOURNAL OF INNOVATIVE RESEARCH

IN SCIENCE | ENGINEERING | TECHNOLOGY





www.ijirset.com