



e-ISSN: 2319-8753 | p-ISSN: 2347-6710

# IJIRSET

International Journal of Innovative Research in  
**SCIENCE | ENGINEERING | TECHNOLOGY**



# INTERNATIONAL JOURNAL OF INNOVATIVE RESEARCH

IN SCIENCE | ENGINEERING | TECHNOLOGY

Volume 11, Issue 7, July 2022

**ISSN** INTERNATIONAL  
STANDARD  
SERIAL  
NUMBER  
INDIA

Impact Factor: 8.118



9940 572 462



6381 907 438



ijirset@gmail.com



www.ijirset.com

# A SHORT ASSESSMENT ON “TABLETS” AND IT’S TYPES

**Shubham Kumar, Dr. Kaushal Kr chandual, Dr.Gaurav Kumar Sharma, Ms. Sarita Sharma**

B.Pharma Student(4th year), Department of Pharmacy, Mewar University Gangrar, Chittorgarh, India

Dean, Department of Pharmacy, Mewar University Gangrar, Chittorgarh, India

HOD, Department of Pharmacy, Mewar University Gangrar, Chittorgarh, India

Counselor, Department of Pharmacy, Mewar University Gangrar, Chittorgarh, India

**ABSTRACT:** Medicines are not only a science; it is also an art. It does no longer consist of compounding capsules and plasters; it deals with the very methods of life, which need to be understood earlier than they may be guided. Pharmaceutical oral solid dosage varieties have been used broadly for a long time mainly due to their convenience of administration and their suitability for delivery for systemic effects. The tablets can be made without delay from powders or from granules pellets, or from film-coated a couple of units. Tablets are now the most popular dosage form, accounting for some 70% of all moral pharmaceutical preparations produced. Tablets may be described as strong pharmaceutical dosage varieties containing drug substances with or without appropriate diluents and organized by using either compression or moulding methods. Hence, tablets can be widely labeled as compressed capsules and moulded tablets. Compressed tablets can be further categorised as directly compressible tablets, chewable capsules and pill triturates etc.

**KEYWORDS:** Binders, Coated Tablets, Compression, Granulation, Ingredients.

## I. INTRODUCTION

Solid medicaments may also be administered orally as powders, pills, cachets, capsules or tablets. These dosage types incorporate a quantity of drug which is given as a single Unit and they are acknowledged jointly as solid unit dosage forms, even in the case of Sustained action preparations which, technically, incorporate the equal of several Normal doses of drug. The stringent components requirements of modern Medicaments, the many advantages of pill and pill medication, coupled With expanding health offerings and the dedication want for large- scale Economic manufacture, have led to a steady decline in the prescribing of powders And capsules. Tablets and capsules, on the different hand, currently account for nicely over Two third of the total range and price of drug treatments produced all over the world. Tablets are solid dosage form which is the conventional as nicely as have many advantages over other dosage forms. Tablets are the most popular dosage form; about 70% of the complete medicines are dispensed in the shape of tablet. Tablets had different shapes, sizes, as properly as weight depending on medicinal supplies and the meant mode of administration. In this paper the some blessings as well as some risks of tablets, the fundamental ingredients that are often discovered itabets, techniques of tablet instruction and the quite a number sorts of the drugs are quickly reviewed.



## Definition

According to the Indian Pharmacopoeia Pharmaceutical capsules are solid, flat orbiconvex dishes, unit dosage form, prepared by using compressing a capsules or amixture of drugs, with or without diluents. Tablet is described as a compressed stable dosage shape containing medicaments with or except excipients. They range in form and range extensively measurement and weight, depending on amount of medicinal substances and the meant mode of administration.

## Properties of Tablets

- Should be dependent product having its very own identification while being free of defects such as chips, cracks, discoloration and contamination.
- Should have power to withstand the rigors of shocks encountered in its production, packaging, delivery and dispensing.
- Should have the bodily stability to maintain its bodily attributes over time.
- Must be in a position to launch the medicament agent(s) in the physique in a predictable and reproducible manner.
- Must have a suitable chemical stability over time so as no longer to allow alteration of the medicinal agent.

## II. INGREDIENTS

In addition to energetic ingredients, tablet consists of a range of inert substances acknowledged as additives or excipients. Different excipients are: S.no. Ingredients

Examples

- Diluents Calcium Phosphate; Carboxymethylcellulose Calcium; Cellulose; Dextrin; Lactose; Microcrystalline Cellulose; PR gelatinized Starch; Sorbitol; Starch
- Binders Acacia; Alginic Acid; Carboxymethylcellulose; Cellulose; Dextrin; Gelatin; Liquid Glucose; Magnesium Aluminum Silicate; Maltodextrin; Methylcellulose; Povidone; Sodium Alginate; Starch; Zein.
- Lubricants Calcium Stearate; Glyceryl Palmitostearate; Magnesium Oxide; Poloxamer; Polyvinyl Alcohol; Sodium Benzoate; Sodium Lauryl Sulfate; Sodium Stearyl Sulfate; Stearic Acid; Talc; Zinc Stearate
- Glidant Magnesium Trisilicate; Cellulose; Starch; Talc; Tribasic Calcium Phosphate.
- Anti –adherents Corn Starch; Metallic Stearate; Talc
- Disintegrants Alginic Acid; Carboxymethylcellulose; Cellulose; Colloidal Silicon Dioxide; Croscarmellose Sodium; Crospovidone; Potassium Polacrilin; Povidone
- Coloring agents FD&C or D&C Dyes or Lake Pigments



8.Flavoring agents Ethyl Maltol; Ethyl Vanillin; Menthol; Vanillin

9.Absorbents Kaolin; Magnesium Aluminum Silicate; Tricalcium Phosphate

9) Absorbents: The inclusion of absorbents in a tablet formulation is necessary if the product includes a substance with an excessive affinity to water. Hygroscopic materials, if present, render the combination moist and hard to handle for the duration of manufacture.

### III. PREPARATION OF TABLETS

Tablets are prepared through three methods

- 1) Wet granulation method
- 2) Dry granulation method
- 3) Direct compression

#### Wet Granulation Method

It is the most frequent and extensively used method. This technique entails a range of steps like weighing of ingredients, mixing, granulation, and screening of damp pass, drying, lubrication and compression of tablets. The major active ingredient, diluent, disintegrant are blended together, and then it is allowed to ignore through the sieve (sifting). Solutions of the binding agent are delivered to the initial combination with stirring. The amount of binding agent added should be sufficient, in order to avoid over wetting of the tablet.

If the powder is no longer wetted properly, the granules will be too gentle and can be broken down for the duration of lubrication, which is tough in the course of compression of tablet. Tray drying is most common approach of drying the tablet granules. Tray drying was the most broadly used method of drying tablet granulations in the past, which might be changed by using fluid-bed dryers as a novel approach. After drying the granules, they are allowed to pass by fluid-bed dryer as a new approach. After drying the granules they are allowed to pass through the screen; typically 60-100 mesh nylon cloth is used. After dry granulation, lubricant is delivered as excellent powder, which is required for suitable filling of the die cavity.

#### Dry Granulation Method

This method is used for pill preparation, in case pill substances are noticeably sensitive to moisture, or unable to withstand multiplied temperatures throughout drying, slugging may be used to form the granules. Dry granulation or double compression, generally eliminates various steps, which involves slugging of the powder mass. The active ingredient, diluent and lubricant are blended together, to structure the slug. Thus, the compressed slug is surpassed through the mesh or through the mill, and the remaining lubricant is delivered to the granulation, blended suitable and compressed to shape the capsules.

#### Direct Compression

Direct compression entails direct compressing the powdered drug into tablets. Direct compression is adopted, if drug constitutes major portion of pill whole weight. Tablets containing 25% or less of drug supplies can be formulated, with an appropriate diluent which acts as a service or automobile for the drug. Tablets organized with the aid of above method are subjected to compression machine which may additionally be single station or more than one stations.

### IV. TYPES OF TABLETS

1. The a range of kinds of drugs described as per comply with :-

#### a. Compressed Tablets

Compressed drugs signify a considerable share of tablets that are clinically used to provide systemic administration of therapeutic agents both in a of the uncoated nation (i.e., in their simplest form) or in a covered state. These pills are designed to provide rapid disintegration in the gastric fluid following ingestion hence, allowing fast release of



the drug and, ultimately, systemic absorption of the dosage form. Compressed pills are formed with the aid of compression of powdered, crystalline, or granular materials into the required geometry via the application of high pressures, using metal punches and die. In addition to the Active Pharmaceutical Ingredient(s) (APIs), compressed capsules normally include a range of pharmaceutical excipients e.g., bulking agents, disintegrants, binders, lubricants, controlled-release polymers and different miscellaneous adjuncts such as colourants and flavourants which serve distinctive and specialised reason for the duration of pill manufacture, storage, and use. Examples of compressed drugs consist of tablets for oral, buccal, sublingual, or vaginal administration.

#### **b. Sugar Coated Tablet**

These are compressed pills that have been lined with focused sugar solution to improve patient's compliance, extend aesthetic appeal, masks objectionable tastes or odours, enlarge stability and/or regulate the launch of therapeutic agent(s). Sugarcoating was as soon as pretty frequent however misplaced industrial appeal due to the time and understanding required in the coating process, the increase in dimension and weight of lined tablets, excessive value of procedure validation and shipping.

#### **c. Film Coated Tablets**

Film-coated tablets are conventional pills covered with a skinny layer of polymer (e.g., hydroxypropyl methylcellulose, hydroxypropyl cellulose) or a combination of polymers (e.g., Eudragit E100) capable of forming a skin-like film. The movie is usually colored and additionally affects the same common characteristics as sugar coating with the delivered gain of being greater durable, much less bulky, and much less time-consuming to apply. By its composition, the coating is designed to spoil and expose the core tablet at the desired location in the gastrointestinal tract.

Advances in material science and polymer chemistry have made these coatings the first desire for system scientists. Examples of Film-coated tablets consist of Curefenac a hundred – Diclofenac potassium USP 100mg (Unicure Pharmaceutical Ltd), Valsartan 320mg Film-coated Tablets (Actavis UK Ltd), etc.

#### **d. Effervescent Tablets**

Effervescent drugs are uncoated capsules that commonly contain natural acids (such as tartaric or citric acid) and sodium bicarbonate in addition to the medicinal substance or API. They react swiftly in the presence of water via releasing carbon dioxide which acts as a disintegrator to produce both a drug suspension or an aqueous solution. These tablets are prepared by way of compressing granular effervescent salts (organic acid and bicarbonate) with the medicinal substances. A ordinary instance of this tablet kind is Ca C1000 Sandoz effervescent tablet (Novartis).

#### **e. Enteric Coated Tablets**

Enteric-coated pills are compressed drugs that have delayed-release properties. They are covered with polymeric resources (such as cellulose acetate phthalate/cellulose acetate butyrate; hydroxypropylmethylcellulose succinate; and methacrylic acid copolymers) that withstand answer in gastric fluid but fall apart and permit drug dissolution and absorption in the intestine. Enteric coatings are specifically employed when the drug substance is inactivated or destroyed by using gastric acid (e.g., erythromycin) or is especially hectic to the gastric mucosa (e.g., non-steroidal anti-inflammatory drugs) or when pass by of the stomach substantially enhances drug absorption. Example of enteric-coated tablets consists of Lofnac one hundred – Diclofenac sodium delayed-release pill USP 100mg (bliss GVS Pharma Ltd), Ecotrin pills and caplets (GlaxoSmithKline Beecham).

#### **f. Chewable Tablets**

Chewable tablets are huge sized capsules which are hard to swallow and thus, are chewed inside the buccal cavity prior to swallowing. They are specially beneficial for administration of giant capsules to children and adults who have subject swallowing conventional capsules or antacid formulations in which the dimension of the tablet is usually large and the neutralisation efficacy of the pill is associated to particle size within the stomach.

Chewable pills are not conventionally used if the drug has problems regarding style acceptability. Examples of chewable pills include Danacid – compound magnesium trisilicate pill B.P. (Dana Pharmaceuticals Limited), Gestid – tasty chewable antacid (Ranbaxy) etc.

#### **g. Buccal and Sublingual Tablets**

Buccal and sublingual drugs are small, flat, oval tablets that are supposed to be dissolved in the buccal pouch (buccal tablets) or beneath the tongue (sublingual tablets) for absorption via the oral mucosa to produce a systemic effect. These tablets are employed to acquire both fast absorption into the systemic circulation e.g. glyceryl trinitrate sublingual capsules or, alternatively, to enable oral absorption of pills that are destroyed with the aid of the gastric juice.

### **2. Molded Tablets**

**a. Hypodermic Tablets:** These are one type of sterile preparations. In these tablets are dissolved in the WFI or sterile water to inject before the authentic injection in the hypodermic cavity. They are meant to be added in WFI of sterile water to structure a clear solution which is to be injected parentally. They are widely used via rural doctor due to its portability. It can be used for medicaments whose stability in water is very poor. Their use in this manner should be discouraged, because the resulting solutions are not sterile.

**b. Dispensing or Soluble Tablets:** They are to be added to water or different solvents to make a solution containing a constant awareness of API. Should contain no insoluble materials (including Glidants, binders etc.), due to the fact that they will be made into clear solution. A cloth incorporated in alloting tablets includes slight silver proteinate, bichloride of mercury and quaternary ammonium compounds. These drugs are exceedingly poisonous if taken orally with the aid of mistake. These capsules furnish a convenient quantity of mighty drug.

**c. Tablet Triturate:** Tablet triturates are small, normally cylindrical, Molded or compressed tablets. The drugs employed in such products have been usually pretty amazing and were combined with lactose and perchance a bonder, such as powder acacia. Tablet triturates are typically gentle and friable. Many of the drugs employed in these tablets were highly potent and drug migration should occur as the alcohol evaporated. Only minimal stress is utilized throughout their manufacturing, due to the fact that they should be without problems and totally soluble in water.

### **3. Structure Wise**

**a) Divisible Tablet:** It is every so often necessary to administer one-half or one-fourth of a tablet and beneath such circumstances pills are commonly scored once in the center or twice with lines perpendicular to one another. V-shaped double layer pills with scoring in the middle have been designed.

**b) Aperture Tablets:** Designed with a view to reap fidelity in the surface area in the course of disintegration & dissolution.

**c) Concave-convex Tablets:** These tablets have been designed with a view to hold floor location of the structure relatively constant during the dissolution process. Area is misplaced on the convex surfaces and gained at the concavities.

**d) Core Tablets:** These pills have a central core over which every other layer of fabric is compressed and are generally made with the aid of two successive compressions. Separate incompatible ingredients.

### **ACTION WISE**

**1) Modified Release Tablet:** Release the medicament slowly for lengthy time duration after administration of a single tablet. Used to target the website specific releases. Comparison of blood concentration vs. time any adjuvant that can alter water uptake rate, swelling, and gelling characteristics can alter the release rate of API. The drug launch can be



modified by using providing appropriate micro environment pH in the pill. Inclusion of alkaline polymers results in perfect drug release of acidic drugs.

## V. CONCLUSION

As a stable dosage form, capsules are famous among sufferers and practitioners alike as they furnish a potential of self-administration. The components of a pill contain, in addition to the API, a range of substances to assure suited delivery of the API to the patient. With advancement in technology and amplify in focus towards modification in fashionable tablet to achieve higher acceptability as well as bioavailability, newer and greater environment friendly tablet dosage varieties are being developed. The important motives behind formulation of different types of tablets are to create a delivery device that is incredibly easy and cheaper to manufacture. Provide the dosage structure that is handy from patient's perspective and utilize an approach that is unlikely to add complexity for the duration of regulatory approval process. To apprehend each dosage form, tablets here are categorized by their route administration and by the type of drug delivery machine they symbolize inside that route.

## REFERENCES

- 1) Leon Lachman, Herbert A. Lieberman, Joseph L. Kanig: The theory and Practice of Industrial Pharmacy, Varghese ebook house, 3rd edition, 1990, 293-373.
- 2) Herbert A. Liberman, Martin M. Rieger and Gilbert S. Banker, pharmaceutical dosage forms: Tablets; volume-I. 49-52
- 3) Al-Achi A (2019) Tablets: A Brief Overview. Journal of Pharm Practice and Pharmaceutical Science 2019. (1).
- 4) Nagashree K. Solid dosage forms: Tablets. Research and Reviews: Journal of Pharmaceutical Analysis 2015.
- 5) Kaur Harbir. International Research Journal of Pharmacy. 2012.3(7)
- 6) G. Hymavathi, J. Adilakshmi, K. Dwarathi, M. Kavya, G. Pravallika. Review Article on In method Problems and Evaluation Tests of Tablet Manufacturing. International Journal of Research in Pharmaceutical and Nano Sciences. 2012.3(7).
- 7) D. M. Jariwala, H. P. Patel, C. T. Desai, S. A. Shah and D. R. Shah. A Review on Multiple Compressed Tablets. Journal of pharmaceutical sciences and biomedical research. 2016, 6(3). 371-379.
- 8) Purushottam R. Patil, Vaibhav D. Bobade, Pankaj L. Sawant and Rajendra P. Marathe. Emerging Trends In Compression Coated Tablet Dosage Forms: A Review. International journal of pharmaceutical sciences and research. 2016, 7(3). 930-938.
- 9) Bhavjit Kaur, Shivani Sharma, Geetika Sharma, Rupinder Saini, Sukhdev Singh, Meenu Nagpal, Upendra K Jain, Mandeep Sharma. A Review of Floating Drug Delivery System. Asian journal of biomedical and Pharmaceutical Sciences. 2013. 3(24), 1-6.
- 10) Anita, Anil Singh and Ankit Dabral. A Review On Colon Targeted Drug Delivery System. International journal of pharmaceutical sciences and research. 2019; Vol. 10(1): 47-56.
- 11) Renu, Jyoti Dahiya, Pawan Jalwal, Balvinder Singh. The Pharma Innovation Journal 2015; 4(5): 100-105.
- 12) Nilesh Lahanu Gawade, Raosaheb Sopanrao Shendge. A Review on Chewable Tablet. Journal of Emerging Technologies and Innovative Research (JETIR). March 2020, Volume 7, Issue.
- 13) Cottrell, J.; Koenig, K.; Perfekt, R.; Hofmann, R.; For the Loperamide-Simethicone Acute Diarrhoea Study Team (2015). "Comparison of Two Forms of Loperamide-Simethicone and a Probiotic Yeast (*Saccharomyces boulardii*) in the Treatment of Acute Diarrhoea in Adults: A Randomised Non-Inferiority Clinical Trial". *Drugs in R&D*. 15 (4): 363-373.
- 14) "Compressed Sugar Coated Caplet Dosage Form (Code C69002)". NCI Thesaurus. Retrieved 2017-12-06.
- 15) "Lubricant Excipients | American Pharmaceutical Review". [www.americanpharmaceuticalreview.com](http://www.americanpharmaceuticalreview.com). Retrieved 2021-09-22.
- 16). "Extrusion Spherulisation". PharmaCMC.com. Archived from the unique on 1 October 2016. Retrieved 26 September 2016.
- 17). "Articles :: FK "Артека-95"". Archived from the original on 2014-01-27.



- 18). Gendre C., Genty M., César da Silva J., Tfayli A., Boiret M., Lecoq O., Baron M., Chaminade P., Péan J-M., Comprehensive find out about of dynamic curing impact on tablet coating structure, Eur. J. Pharm. Biopharm., 81 (2012), 657-665
- 19). Coating machines Archived 2012-03-28 at the Wayback Machine, apteka95.com.





INNO  SPACE  
SJIF Scientific Journal Impact Factor  
Impact Factor: 8.118



ISSN  INTERNATIONAL  
STANDARD  
SERIAL  
NUMBER  
INDIA



# INTERNATIONAL JOURNAL OF INNOVATIVE RESEARCH

IN SCIENCE | ENGINEERING | TECHNOLOGY

 9940 572 462  6381 907 438  [ijirset@gmail.com](mailto:ijirset@gmail.com)



[www.ijirset.com](http://www.ijirset.com)

Scan to save the contact details