

e-ISSN: 2319-8753 | p-ISSN: 2347-6710

EDIA

International Journal of Innovative Research in SCIENCE | ENGINEERING | TECHNOLOGY

INTERNATIONAL JOURNAL OF INNOVATIVE RESEARCH

IN SCIENCE | ENGINEERING | TECHNOLOGY

Volume 11, Issue 5, May 2022

INTERNATIONAL STANDARD SERIAL NUMBER INDIA

Impact Factor: 8.118

9940 572 462

6381 907 438

 \bigcirc



٢





e-ISSN: 2319-8753, p-ISSN: 2320-6710 <u>www.ijirset.com</u> | Impact Factor: 8.118

Volume 11, Issue 5, May 2022

| DOI:10.15680/IJIRSET.2022.1105189 |

Face Cover Detection for Covid-19

Prof. V.N. Kukre¹, Rutuja Hawaldar², Riya Kumbhar³, Samarth Kulkarni⁴, Shubhangi Doke⁵

Lecturer, Department of Computer Engineering, AISSMS Polytechnic, Pune, India¹ Students, Department of Computer Engineering, AISSMS Polytechnic, Pune, India²

ABSTRACT: The most clinical characteristics of COVID-19 are respiratory symptoms that may causes serious cardiovascular damages and severe worsening of other medical conditions. One among the main strategies in preparedness and response to COVID 19 is effective utilization of private protective equipment (PPE) among which the masks of various kinds are on the highest of the list especially for activities within the public places. However, the underlying mechanisms of masks in preventing virus transmission haven't been well identified and also the current experimental data still show inconsistent outcomes which will mislead the general public. For example, the first understanding of the face cover functions was limited especially with the escalating phase of the COVID 19 pandemic, leading to quite controversial remarks on masks.

KEYWORDS:COVID-19, epidemic prevention, mask.

I. INTRODUCTION

Since the top of 2019, infectious coronavirus disease (COVID-19) has been reported for the primary time in Wuhan, and it's become a public damage fitness issue in China and even worldwide. This pandemic has devastating effects on societies and economies around the world causing a world health crisis. It's an emerging respiratory communicable disease created by Severe Acute Respiratory Syndrome Coronavirus 2 (SARS-CoV-2).Everywhere the planet, especially in the third wave, COVID-19 has been a big healthcare challenge. Many shutdowns in numerous industriesare created by this pandemic.

II. RELATED WORK

Deep learning is crucial breakthrough with the AI field. It has recently shown enormous potential for extracting tiny features in image analysis. Thanks to COVID-19 epidemic, some deep learning approaches are proposed to detect patients infected with coronavirus. During this context, and in contrast to bacterial pneumonia, much other kind of lung infections caused by viruses are called viral pneumonia. These viruses, such as the COVID-19, infect the lungs by blocking the oxygen flow, which may be life-threatening.

1. Deep Learning Tools and CXR Image-Based COVID-19 Detection

Radiography could be a technique accustomed quantify the functional and structural consequences of chest diseases, to produce high-resolution images on disease progression.

3. Deep Learning Tools and CT Image-Based COVID-19 Detection

Computed tomography scan or CT scan is a medical imaging technique utilized in radiology so as to induce detailed images of the body for diagnosis purposes.

4. Methods Using CXR and CT Images

Combining two kind of images in one dataset is a good method to detect a disease. During this context, in, Sedik et al. presented two deep learning models: CNN and ConvLSTM.

e-ISSN: 2319-8753, p-ISSN: 2320-6710 <u>www.ijirset.com</u> | Impact Factor: 8.118



Volume 11, Issue 5, May 2022

| DOI:10.15680/IJIRSET.2022.1105189 |



Fig1.System Architecture

III. METHODOLOGY

These days, online communication is being a great deal efficient and straightforward thanks to connect people from all round the world. it's seen that students or today's youth is lighter to speak or explore themselves with online platform. So, so as to grant them a convince there are lot many chats or messenger apps which are helping them out. — object detection, which aims to automatically mark the coordinates of objects of interest in pictures or videos, is an extension of image classification. in recent years, it's been widely employed in intelligent traffic management, intelligent monitoring systems, military object detection, and medical instrument positioning in medical navigation surgery, etc. covid-19, a completely unique coronavirus outbreak at the top of 2019, poses a significant threat to public health inpainted.

IV. OUTPUT

These days, online communication is being significantly efficient and simple thanks to connect people from all round the world. it's seen that students or today's youth is softer to speak or explore themselves with online platform. So, so as to convey them a convince there are lot many chats or messenger apps which are helping them out. In our project, we are trying to make same reasonably an application which can be completely supported web and real time. because of the urgency of controlling COVID-19.

International Journal of Innovative Research in Science, Engineering and Technology (IJIRSET)

e-ISSN: 2319-8753, p-ISSN: 2320-6710 www.ijirset.com | Impact Factor: 8.118



Volume 11, Issue 5, May 2022

| DOI:10.15680/IJIRSET.2022.1105189 |



V. CONCLUSION

In this paper, the canny operator is employed to extract edges on SAR images. The detection results are fed into a Mask RCNN based model with the initial images in pairs, so on achieve a stronger edge enhancement. Better detection results will be obtained after the extra inclusion of the sting detection results. This provides an inspiration for the appliance of object detection with prominent texture features, and also proves that under the condition of limited training samples, the mixture of traditional methods and deep learning methods can often achieve better detection performance

REFERENCES

- [1] He, Kaiming, et al." Mask r-cnn." Proceedings of the IEEE international conference on computer vision. 2017.
- [2] Gade M, Karimova S, Buck A, et al. Mediterranean Eddy Statistics supported Multiple SAR Imagery//Advances in SAR Remote Sensing of Oceans. CRC Taylor and Francis Group, 2018.
- [3] Li H, Xiong P, An J, et al. Pyramid attention network for semantic segmentation. arXiv preprint arXiv:1805.10180, 2018
- [4] Du Y, Song W, He Q, et al. Deep learning with multi-scale feature fusion in remote sensing for automatic oceanic eddy detection. Information Fusion, 2019, 49: 89-99.
- [5] Yan Z, Chong J, Zhao Y, et al. Multifeature Fusion Neural Network for Oceanic Phenomena Detection in SAR Images[. Sensors, 2020, 20: 210.
- [6] He K, Zhang X, Ren S, et al. Deep residual learning for image recognition//Proceedings of the IEEE conference on computer vision and pattern recognition. 2016: 770-778.
- [7] He K, Gkioxari G, Dollar P, et al. Mask r-cnn//Proceedings of the IEEE' international conference on computer vision. 2017: 2961-2969.
- [8] Ren S, He K, Girshick R, et al. Faster r-cnn: Towards real-time object detection with region proposal networks//Advances in neural information science systems. 2015:





Impact Factor: 8.118





INTERNATIONAL JOURNAL OF INNOVATIVE RESEARCH

IN SCIENCE | ENGINEERING | TECHNOLOGY





www.ijirset.com