



e-ISSN: 2319-8753 | p-ISSN: 2347-6710

IJRSET

International Journal of Innovative Research in
SCIENCE | ENGINEERING | TECHNOLOGY

INTERNATIONAL JOURNAL OF INNOVATIVE RESEARCH

IN SCIENCE | ENGINEERING | TECHNOLOGY

Volume 11, Issue 5, May 2022

ISSN INTERNATIONAL
STANDARD
SERIAL
NUMBER
INDIA

Impact Factor: 8.118

9940 572 462

6381 907 438

ijrset@gmail.com

www.ijrset.com



IMAGE BASED FINGERPRINT VERIFICATION

*R.Udayakumar, Professor, Computer science and IT

rsukumar2007@gmail.com

ABSTRACT

With the increasing fraud in society, now it is time to replace the traditional methods of personal identification with automatic and accurate biometric based identification. Among all available biometrics (face, voice, iris, retina, etc.) fingerprint identification is receiving a lot of attention, since it is one of the most ancient and proven popular fingerprint matching techniques can be broadly classified as 1) Minutiae based, 2) Correlation based, 3) Texture based. The proposed image based method is correlation type in which two – dimensional Fast Fourier Transform (FFT) on both the input and the template fingerprints is computed then the sum of the pixel to pixel multiplication of the two frequency domain representations of the fingerprint images is then compared to a threshold to make a decision. One of the advantages of performing correlation in the frequency domain is that the frequency representations of the fingerprint are translations invariant. The image based approach do not use minutiae features for fingerprint matching. This correlation coefficient approach is capable of finding the correspondence between the input fingerprint image and the stored enrolled template at higher computational efficiency than minutiae based method. The high matching rate achieved in this paper suggests that an efficient small scale fingerprint verification system is feasible.

Keywords-Biometrics, fingerprint, correlation, verification and minutiae.

INTRODUCTION

With the widespread use of Internet, ATM, Cellular phones, Smart cards etc. automatic personal identification has gaining more importance, provided that this identification should be automatic and accurate [1]. The only solution to this problem is biometrics based automatic identification of the person. Biometrics is the way of identifying the person based on his/her personal physiological or behavioral characteristics. Among all the biometrics, fingerprint based identification is one of the most ancient, proven and popular techniques. A fingerprint is the pattern of ridges and valleys on the surface of the finger.

A fingerprint image incorporates many features used for identification purpose. Also there are various approaches of automatic fingerprint verification that has been proposed which includes 1) Minutiae based matching, 2) Correlation based matching, 3) Texture based matching. Minutiae based approaches are the most popular ones being included in almost all fingerprints verification identification systems. However Minutiae based approaches require extensive preprocessing to enhance the image quality, because the poor quality images leads to many problems. 1) a significant number of spurious minutiae may be created. 2) a large number of genuine Minutiae may be ignored. 3) large errors in their localization.

The proposed image based approach on other hand can be directly applied to the grayscale fingerprint image with little preprocessing and hence they may achieve higher computational efficiency than Minutiae based methods. Image based approach may be the only choice to match fingerprints, which have too low image quality to allow a reliable Minutiae extraction.

PREPROCESSING

Fingerprints are slightly different each time they are captured. Therefore simply calculating the correlation of two prints cannot carry out matching. There are two types of distortions when comparing one fingerprint to another print of the same finger.

- Noise is caused by the capturing device or by e.g dirty fingers. This noise can be reduced by application of appropriate filters.
- Shape distortions can be caused by pressing the convex elastic fingerprint surface on a flat sensor. This may result in stretch, rotation and shear, which also might be present only in certain parts of the fingerprint due to non-uniform finger pressure. Shape distortions cannot be compensated easily.

Most fingerprint recognition systems first extract the Minutiae from fingerprints, and then compare the Minutiae sets of two prints. To eliminate some of the drawbacks of the Minutiae based systems, we have chosen to design a system that directly uses the gray level information. Even the correlation based fingerprint verification system does not necessarily require fingerprint image enhancement, some preprocessing is proposed

to acquire greater efficiency. The main steps in preprocessing are as follows:

1. NOTATION

Gray-level fingerprint image 'I' is defined as an $N \times N$ matrix, where $(I_{i,j})$ represents the intensity of the pixel at the i th row and j th column. We assume that all the images are scanned at a resolution of 500 dots per inch(dpi), which is the resolution recommended universally.

2. NORMALIZATION

Let $I(i,j)$, M_i and V_i denote the estimated mean and variance of I respectively, and $G(i,j)$ denote the normalized gray level value at pixel (i,j) .

Normalization is a pixel wise operation. It does not change the clarity of the ridge and valley structures. The main purpose of normalization is to reduce the variations in gray level values along bridges and valleys which facilitates the subsequent processing.

3. BINARIZATION AND THINNING

In order to prepare the image for operations to be performed binarization and thinning must be done in order to achieve consistent results. Binarization is the process of converting grayscale fingerprint image to a binary(black and white) image while thinning is the process of eroding the ridges of fingerprint until they are one pixel wide.

CORRELATION

Correlation is the simplest technique is to align the two fingerprint images and subtract the input from the template to see if the ridges

correspond. If the correlation exceeds a certain threshold the two fingerprints are declared to originate from the same finger. A variant of the correlation technique is to perform the correlation in the frequency domain instead of the spatial domain by performing a two dimensional fast fourier transform on both the input and the template fingerprints. The sum of the pixel to pixel multiplication of the two frequency domain representations of the fingerprint images is then compared to the threshold to make a decision. One of the advantages of performing correlation in the frequency domain is that the frequency representation of the fingerprint are translation invariant.

EXPERIMENTAL RESULTS

Accuracy and reliability in fingerprint recognition is a challenging problem often which require robust algorithm. This performance evaluation has been carried out as an attempt towards establishing a benchmark. Internal tests can be performed over standardized database collected by universal sensor from FVC2000. This database contains 58 fingerprints and 8 different fingers. Database has an image size of 300*300 dpi. These fingerprints were manually analyzed to assure false acceptance and genuine acceptance.

CONCLUSION

The correlation-based fingerprint verification system provides a very simple and direct solution to the fingerprint matching problem. Unlike the Minutiae based systems, this approach does not require much preprocessing. As a consequence, there will be no errors introduced in these steps. This system uses the much richer gray-level information a

fingerprint image. It is capable of dealing with bad image quality fingerprints and missed and spurious minutiae. Due to paired templates, the decision stage is much simpler and it is able to deal with some non-uniform shape-distortion problems. Experiments have shown that the correlation based fingerprint verification system performs approximately as well other types of system. The performance of the system be enhanced by solving the problems of fingerprints that show more than some amount of notation with respect to each other.

REFERENCES

- [1] alaiprasath, R; Elankavi, R; Udayakumar, R; , Cloud security and compliance-a semantic approach in end to end security, International Journal on Smart Sensing and Intelligent Systems, V-10, I-5, PP:482-494, 2017.
- [2] lankavi, R; Kalaiprasath, R; Udayakumar, R; , Wireless Zigbee Network Cluster-Capacity Calculation and Secure Data Conveyance Using Indegree, International Journal on Smart Sensing and Intelligent Systems, V-10, I-5, PP:174-185, 2017.
- [3] alaiprasath, R; Elankavi, R; Udayakumar, R; , A New Approach for Cloud Data Security: From Single to Cloud-of-Clouds, International Journal on Smart Sensing and Intelligent Systems, V-10, I-5, PP:604-613, 2017.
- [4] lankavi, R; Kalaiprasath, R; Udayakumar, R; , Data Mining with Big Data Revolution Hybrid, International Journal on Smart Sensing and Intelligent Systems, V-10, I-5, PP:560-573, 2017.
- [5] lankavi, R; Kalaiprasath, R; Udayakumar, Dr R; , A fast clustering algorithm for high-

- dimensional data, International Journal Of Civil Engineering And Technology (Ijciet), V-8, I-5, PP:1220-1227, 2017.
- [6] ajmal, Yogesh M; Udayakumar, R; , Blockchain-based access control and data sharing mechanism in cloud decentralized storage system, Journal of web engineering, PP:1359–1388-1359–1388, 2021.
- [7] ajmal, Yogesh M; Udayakumar, R; , A Bibliometric Analysis of Authentication based Access Control in Cloud using Blockchain, Library Philosophy and Practice, PP:0_1-16, 2021.
- [8] hirke, S; Udayakumar, R; , Robust lane identification by using EW-CSA based DCNN, J. of Critical Reviews, V-6, PP:18-21, 2019.
- [9] ubhash, Ligade Sunil; Udayakumar, R; , A BIG SHARK ADAPTION ALGORITHM BASED RESOURCE ALLOTMENT APPROACH IN CLOUD COMPUTING ENVIRONMENT, PalArch's Journal of Archaeology of Egypt/Egyptology, V-17, I-7, PP:5374-5379, 2020.
- [10] ajmal, Yogesh M; Udayakumar, R; , Privacy and utility-assisted data protection strategy for secure data sharing and retrieval in cloud system, Information Security Journal: A Global Perspective, V-31, I-4, PP:451-465, 2022.
- [11] ajmal, Yogesh M; Udayakumar, R; , Analysis of Authentication based Data Access Control Systems in Cloud, PalArch's Journal of Archaeology of Egypt/Egyptology, V-17, I-7, PP:5319-5328, 2020.
- [12] hirke, Suvarna; Udayakumar, R; , Evaluation of crow search algorithm (CSA) for optimization in discrete applications, 2019 3rd International Conference on Trends in Electronics and Informatics (ICOEI), PP:584-589, 2019.
- [13] hirke, Suvarna; Udayakumar, Ramanathan; , A novel region-based iterative seed method for the detection of multiple lanes, International Journal of Image and Data Fusion, V-11, I-1, PP:57-76, 2020.
- [14] hirke, Suvarna; Udayakumar, R; , Fusion model based on entropy by using optimized DCNN and iterative seed for multilane detection, Evolutionary Intelligence, PP:44940, 2022.
- [15] hirke, Suvarna; Udayakumar, R; , Hybrid optimisation dependent deep belief network for lane detection, Journal of Experimental & Theoretical Artificial Intelligence, V-34, I-2, PP:175-187, 2022.
- [16] S ubhash, Ligade Sunil; Udayakumar, R; , Sunflower whale optimization algorithm for resource allocation strategy in cloud computing platform, Wireless Personal Communications, V-116, PP:3061-3080, 2021.
- [17] ubhash, Ligade Sunil; Udayakumar, R; , A Supremacy-Responsive Resource Distribution Technique for Controlled Workflow Implementation in Cloud Surroundings, Solid State Technology, V-63, I-5, PP:7662-7669, 2020.
- [18] indhira, Velagapudi Swapna; Lakshmi, Kavuri Jaya; Tangellamudi, Ameya Sanjanita; Lakshmi, C; , A Deep Learning Approach For Detecting Type 2 Diabetes Mellitus, 2022 International Conference on Computer Communication and Informatics (ICCCI), PP:44936, 2022.
- [19] S rian, Siluvayan; Udayakumar, R; Mala, Pitchaikani; Prabha, Mariappan; Ghosh, Ananya; , A sustainable dual-channel inventory model

with trapezoidal fuzzy demand and energy consumption, Cleaner Engineering and Technology, V-6, PP:100400, 2022.

[20]

lankavi, R; Kalaiprasath, R; Udayakumar, R; , Potential Exploitation of Broadcasting System Using Multiple Smart Directional Antennas-Help of Sensor Network, International Journal of Mechanical Engineering and Technology (IJMET), V-8, I-6, PP:678-687, 2017.

[21]

dayakumar, R; Kalam, Muhammad Abul; , Sentiment Analysis Using Machine Learning Algorithms, Mathematical Statistician and Engineering Applications, V-71, I-3s2, PP:1186-1200-1186-1200, 2022.

[22]

AJMAL, YOGESH M; UDAYAKUMAR, R; , Data Access Controls in Cloud: A Survey., International Journal of Pharmaceutical Research (09752366), V-12, I-4, 2020.

[23]

dayakumar, R; Khanaa, V; Kaliyamurthie, KP; , Optical ring architecture performance evaluation using ordinary receiver, Indian Journal of Science and Technology, V-6, I-6, PP:4742-4747, 2013.

[24]

dayakumar, R; Khanaa, V; Kaliyamurthie, KP; , Performance analysis of resilient fth architecture with protection mechanism, Indian Journal of Science and Technology, V-6, I-6, PP:4737-4741, 2013.

[25]

dayakumar, R; Khanaa, V; Saravanan, T; , Synthesis and structural characterization of thin films of SnO_2 prepared by spray pyrolysis technique, Indian Journal of Science and Technology, V-6, I-S6, PP:4754-7, 2013.

[26]

dayakumar, R; Khanaa, V; , Health monitoring system for induction motors, Int. J. Eng. Comput. Sci, V-2, I-4, PP:1117-1122, 2013.

[27]

dayakumar, R; Khanaa, V; , Quantum Computers-A Revolution In Computing, Quantum, V-8, I-4, PP:33-36, 2013.

[28]

hanaa, V; Udayakumar, R; , Protecting privacy when disclosing information: k anonymity and its enforcement through suppression, database, V-1, I-2, 2012.

[29] U

hanaa, V; Udayakumar, R; , Hybrid Fuzzy Approches for Networks, International Journal of Innovative Research in science, Engineering and Technology, V-12, I-3, PP:24-31, 2012.

[30]

dayakumar, R; Khanaa, V; Saravanan, T; Saritha, G; , Cross layer optimization for wireless network (WIMAX), Middle-East Journal of Scientific Research, V-16, I-12, PP:2013, 2012.

[31] U

dayakumar, R; Thooyamani, KP; Khanaa, V; , Coarse-Grained Parallel Genetical Gorithm to Solve the Shortest Path Routing Problem Using Genetic Operators, Middle-East Journal of Scientific Research, V-15, I-12, PP:1651-1654, 2013.

U

[32]

hanaa, V; Udayakumar, R; , Efficient Pc Controlled By Hand Movement Using Mems Sensor Mouse, Indian Journal of science and Technology, V-12, I-6, PP:1438-1442, 2012.

[33] U

dayakumar, R; Khanaa, V; , Sixth Sense Technology, International Journal Of Engineering And Computer Science, V-2, I-4, 2013.

[34]

dayakumar, R; Thooyamani, KP; Khanaa, V; , Secure Incentive Protocol for Multi-Hop Wireless Network with Limited Use of Public Key Cryptography, Middle-East Journal of

- Scientific Research, V-20, I-11, PP:1651-1656, 2014.
- [35] dayakumar, R; Kaliyamurthie, KP; Khanaa, TK; , Data mining a boon: Predictive system for university topper women in academia, World Applied Sciences Journal, V-29, I-14, PP:86-90, 2014.
- [36] dayakumar, R; Saravanan, T; , Tailored Image District Processing Precision Andwritten Appreciation, Middle-East Journal of Scientific Research, V-20, I-11, PP:1615-1625, 2014.
- [37] dayakumar, R; Thooyamani, KP; , Khanaa, Deploying site-to-site VPN connectivity: MPLS Vs IPsec, World Applied Sciences Journal, V-29, I-14, 2014.
- [38] dayakumar, R; Thooyamani, KP; , Random projection based data perturbation using geometric transformation, World Applied Sciences Journal, V-29, I-1, PP:24-31, 2014.
- [39] hooyamani, KP; Khanaa, V; Udayakumar, R; , Wide area wireless networks-IETF, Middle-East Journal of Scientific Research, V-20, I-12, PP:2042-2046, 2014.
- [40] hanaa, V; Thooyamani, KP; Udayakumar, R; , Modelling Cloud Storage, World Applied Sciences Journal, V-29, 2014.
- [41] hanaa, V; Thooyamani, KP; Udayakumar, R; , Elliptic curve cryptography using in multicast network, World Applied Sciences Journal, V-29, 2014.
- [42] hanaa, V; Thooyamani, KP; Udayakumar, R; , Two factor authentication using mobile phones, World Applied Sciences Journal, V-29, I-14, PP:208-213, 2014.
- [43] hanaa, V; Thooyamani, KP; Udayakumar, R; , Patidit monitoring in gene ontology with words computing using SOM, World Applied Sciences Journal, V-29, 2014.
- [44] aliyamurthie, KP; Parameswari, D; Udayakumar, R; , Malicious packet loss during routing misbehavior-identification, Middle-East Journal of Scientific Research, V-20, I-11, PP:1413-1416, 2014.
- [45] dayakumar, R; Saritha, G; Saravanan, T; , Modelling and Simulation of Electromechanical Systems Working with Nonlinear Frictional Loads and Controlled by Subordinated Control System of Coordinates, Middle-East Journal of Scientific Research, V-20, I-12, PP:1918-1923, 2014.
- U
- [46] aravanan, T; Saritha, G; Udayakumar, R; , Cassette Steganography for Entrenched Metaphors in Squashed Videos, Middle-East Journal of Scientific Research, V-20, I-12, PP:2475-2478, 2014.
- [47] dayakumar, R; Khanaa, V; Saravanan, T; , Energy Demand Management Motor Control Using Multilevel Inverter, Middle-East Journal of Scientific Research, V-20, I-12, PP:2613-2619, 2014.
- [48] hooyamani, KP; Khanaa, V; Udayakumar, R; , Wireless cellular communication using 100 nanometers spintronics device based VLSI, Middle-East Journal of Scientific Research, V-20, I-12, PP:2037-2041, 2014.
- [49] Saravanan, T; Srinivasan, V; Udayakumar, R; , Images segmentation via Gradient watershed hierarchies and Fast region merging, Middle-East Journal of Scientific Research, ISSN, V-20, I-15, PP:12, 2012.

- [50] Saravanan, T; Srinivasan, V; Udayakumar, R; , Image Segmentation via Gradient Watershed Hierarchies and Fast Region Merging, Middle-East Journal of Scientific Research, V-15, I-12, PP:1680-1683, 2013.
- [51] Udayakumar, R; Khanaa, V; , Quantum Computers-A Revolution In Computing, Quantum, V-8, I-4, PP:33-36, 2013.
- [52] Khanaa, V; Udayakumar, R; , Hybrid Fuzzy Approches for Networks, International Journal of Innovative Research in science, Engineering and Technology, V-12, I-3, PP:24-31, 2012.
- [53] Khanaa, V; Udayakumar, R; , Efficient Pc Controlled By Hand Movement Using Mems Sensor Mouse, Indian Journal of science and Technology, V-12, I-6, PP:1438-1442, 2012.
- [54] Udayakumar, R; Thooyamani, KP; Khanaa, V; , Secure Incentive Protocol for Multi-Hop Wireless Network with Limited Use of Public Key Cryptography, Middle-East Journal of Scientific Research, V-20, I-11, PP:1651-1656, 2014.
- [55] Kalaiprasath, R; Elankavi, R; Udayakumar, R; , A New Approach for Cloud Data Security: From Single to Cloud-of-Clouds, International Journal on Smart Sensing and Intelligent Systems, V-10, I-5, PP:604-613, 2017.
- [56] Udayakumar, R; Saravanan, T; , Tailored Image District Processing Precision Andwritten Appreciation, Middle-East Journal of Scientific Research, V-20, I-11, PP:1615-1625, 2014.
- [57] R., Kalaiprasath; R., Elankavi; R., Udayakumar; , Cloud Information Accountability (CIA) framework ensuring accountability of data in cloud and security in end to end process in cloud terminology, International Journal of Civil Engineering and Technology, V-8, I-4, PP:376-385, 2017.
- [58] R., Kalaiprasath; R., Elankavi; R., Udayakumar; , Cloud computing security towards end to end terminology, International Journal of Pure and Applied Mathematics, V-115, I-8 Special Issue, PP:637-641, 2017.
- [59] R., Elankavi; R., Kalaiprasath; R., Udayakumar; , Potential exploitation of broadcasting system using multiple smart directional antennas -help of sensor network, International Journal of Mechanical Engineering and Technology, V-8, I-6, PP:678-687, 2017.
- [60] R., Elankavi; R., Kalaiprasath; R., Udayakumar; , A fast clustering algorithm for high-dimensional data, International Journal of Civil Engineering and Technology, V-8, I-5, PP:1220-1227, 2017.
- [61] Kalaiprasath, R; Elankavi, R; Udayakumar, R; , Integrating Multiple Smart Directional Antennas for Full Potential Exploitation of Broadcasting System, International Journal of Science and Research, V-5, I-1, PP:1398-1403, 2016.
- [62] Udayakumar, R; , Media Cloud: An Open Cloud Computing Middleware for Content Management, Journal of Chemical and Pharmaceutical Sciences, V-5, I-2, PP:382-395, 2012.
- [63] Udayakumar, R; , A modified collage steganography using modified fuzzy C-means algorithm on images, International Journal of Innovative Research in Computer and Communication Engineering, V-7, I-1, PP:83-89, 2012.
- [64] Udayakumar, R; , Computer Simulation of Polyamidoamine Dendrimers and Their Complexes with Cisplatin Molecules in Water Environment, Computer Simulation, V-2, I-4, 2014.
- [65] Thooyamani, KP; Udayakumar, R; , A Study on Fraud Detection Techniques: Credit Card, Journal of Computer Science and Applications, V-9, I-9, PP:1398-1403, 2007.
- [66] Rao, Kanamarlapudi Venkata Srinivasa; Udayakumar, Ramanathan; Khanaa, Velu; , An Efficient Authentication Method For Smart Card Verification In Online, Advances in Science, Technology and Engineering Systems Journal V, V-2, I-4, PP:133-138, 2017.

- [67] Udayakumar, R; Khanaa, V; Saravanan, T; , Energy Demand Management Motor Control Using Multilevel Inverter, Middle-East Journal of Scientific Research, V-20, I-12, PP:2613-2619, 2014.
- [68] Kaliyamurthie, KP; Udayakumar, R; , The Relationship between Semaphores and Telephony Using Saros, EUROSIA JOURNAL OF SCIENCE AND TECHNOLOGY, V-7, I-1, PP:77-89, 2020.
- [69] Subhash, Ligade Sunil; Udayakumar, R; , A BIG SHARK ADAPTION ALGORITHM BASED RESOURCE ALLOTMENT APPROACH IN CLOUD COMPUTING ENVIRONMENT, PalArch's Journal of Archaeology of Egypt/Egyptology, V-17, I-7, PP:5374-5379, 2020.
- [70] Subhash, Ligade Sunil; Udayakumar, R; , A Supremacy-Responsive Resource Distribution Technique for Controlled Workflow Implementation in Cloud Surroundings, Solid State Technology, V-63, I-5, PP:7662-7669, 2020.
- [71] Udayakumar, R; Khanaa, KP Kaliyamurthie; Geo, AV Allin; , Heterogenous Patterns in Database Using Mining, , 2014.
- [72] Udayakumar, R; , INFLUENCE OF WAR IN THE WORKS OF GEORGE ORWELL AND HAROLD PINTER, European Journal of Molecular & Clinical Medicine, V-7, I-3, PP:4902-4905, 2020.
- [73] Udayakumar, Rajangam; Prema, Durairaj; Kamaraj, Malaiyandi; , ANTIMICROBIAL ACTIVITY OF ETHANOLIC RHIZOME EXTRACT OF CURCUMA AMADA ROXB.(MANGO GINGER), , 2015.
- [74] Udayakumar, R; Kalam, Muhammad Abul; , Sentiment Analysis Using Machine Learning Algorithms, Mathematical Statistician and Engineering Applications, V-71, I-3s2, PP:1186-1200-1186-1200, 2022.
- [75] GAJMAL, YOGESH M; UDAYAKUMAR, R; , Data Access Controls in Cloud: A Survey., International Journal of Pharmaceutical Research (09752366), V-12, I-4, 2020.
- [76] Kothari, Kesar M; Udayakumar, R; Karthikeyan, Ram; Raj, Nikitha; , Modeling of the Manifold Configuration for Maximum Efficiency in a Hydraulic Machine, International Journal of Fluid Machinery and Systems, V-13, I-1, PP:136-149, 2020.
- [77] Udayakumar, R; Shah, Vivek J; Venkatesh, Sai Vijay; , Performance and Emission Characteristics of Biodiesel from Rapeseed and Soybean in CI Engine, Intelligent Manufacturing and Energy Sustainability: Proceedings of ICIMES 2019, PP:209-219, 2020.



INNO SPACE
SJIF Scientific Journal Impact Factor
Impact Factor: 8.118



ISSN INTERNATIONAL
STANDARD
SERIAL
NUMBER
INDIA



INTERNATIONAL JOURNAL OF INNOVATIVE RESEARCH

IN SCIENCE | ENGINEERING | TECHNOLOGY

 **9940 572 462**  **6381 907 438**  **ijirset@gmail.com**



www.ijirset.com

Scan to save the contact details