

Volume 11, Issue 11, November 2022



Impact Factor: 8.118









||Volume 11, Issue 11, November 2022||

| DOI:10.15680/IJIRSET.2022.1111021|

Optimization Result for Secure Data using Block-wise Compression and Reversible Scheme

¹Mohit Tripathi, ²Prof. Deepak Kumar Mishra

M. Tech Scholar, Department of Computer Science and Engineering, VNS Group of Institutes-Faculty of Engineering, Bhopal, India¹

Assistant Professor, Department of Computer Science and Engineering, VNS Group of Institutes-Faculty of Engineering, Bhopal, India ²

ABSTRACT: "Steganography" is a procedure that defeats unapproved clients to approach the pivotal information, to invisibility and payload capacity using the different technique like discrete cosine transform (DCT) and discrete wavelet transform (DWT). The available methods till date result in good robustness but they are not independent of file format. The aim of this research work is to develop a independent of file format and secure hiding data scheme. The independent of file format and secure hiding data scheme in increased by combining DWT and least significant bits (LSB) technique. Accordingly an efficient scheme is developed here that are having better BER and PSNR against different characters.

KEYWORDS: DWT, SVD, PSNR, MSE

I. INTRODUCTION

The utilization of computerized watermarking is by and large for distinguishing proof of proprietorship, so it isn't subjected for any change. The methods of advanced watermarking is fit for supporting distinctive levels of durability against changes assuming any, that can be made to the substance of watermark uninterested application. The computerized watermarks debased or be crushed because of getting undesirable and destructive signs and geometric bends like symmetrical advanced change, computerized to simple transformation, editing, turn, contamination, scaling, dithering, a pressure and so on of the substance. Then again on the off chance that it utilized for the validation of the substance. Those ought to effectively break or demolished at whatever point, the substance is changed for the reason of altering the substance which is recognized [1].

Steganography gives an approach to impart furtively as long as an assailant doesn't figure out how to distinguish the message. The most appropriate kinds of documents for stenographic transmission being, media records because of their huge size. The host records covering different documents are normally called transporters. The transporter records are utilitarian documents and does not bring up an issue or excite doubt. This area records various concealing strategies that are being utilized by and by. Information can be implanted inside a document by exploiting human observation. Sound documents utilize recurrence veiling on tones with comparative frequencies and the easygoing audience does not hear the covered calmer tone [2].

Data security is the most essential resource since loss of data will prompt numerous issues in electronic world. The three systems to be specific cryptography, steganography and watermarking structure the base for secure correspondences. Cryptography is a strategy in which the mystery message is scrambled and sent in an indiscernible arrangement. It scrambles the secret information such that it gives off an impression of being waste to any unapproved client. The mystery information to be imparted is a mix of stages and substitutions and consequently ill-conceived clients couldn't get to the message [3, 4].

Steganography is a specialty of concealing the mystery data inside some other record for the most part known as the cover. The cover medium is picked deliberately so it mirrors some non-suspicious type of correspondence [5].

The primary target of steganography is to give an undercover correspondence between any two clients with the end goal that a unintended client does not access the data by simply observing the cover document. Steganography is not quite the same as cryptography. The fundamental contrast is that the last scrambles the information while the previous



||Volume 11, Issue 11, November 2022||

| DOI:10.15680/IJIRSET.2022.1111021|

just conceals its essence. At the end of the day steganography conceals the information while cryptography scrambles the information. Steganography gives significantly more security when contrasted with cryptography in light of the fact that there is zero chance of any unintended client to realize that a message is being sent though in cryptography, there will dependably be a doubt that a mystery message is being sent. Consequently these are more inclined to be hacked [6].



Figure 1: General schematic description

Watermarking is for the most part utilized for validation and copyrights security. It can be utilized for making a picture with the goal that it is conspicuous. It can likewise be utilized to check an advanced document with the goal that it is proposed to be noticeable (obvious watermarking) or unmistakable just to its maker (imperceptible stamping). The principle target of watermarking is to maintain a strategic distance from the illicit duplicating or claim of responsibility for media. Cryptography and steganography could be utilized on private correspondence; typically for shared premise, however watermarking is utilized between one to numerous i.e. same watermark is implanted in numerous spreads. Fingerprinting is an uncommon sort of watermarking, which would install mark and serial number to recognize a one of a kind duplicate among a few [7].

II. DIGITAL WATERMARKING FEATURES

Joining profoundly metadata in sight and sound substance, advanced water checking systems is valuable despite the fact that, aside from accessibility of substitute components like header of a computerized record which stores metadata. But since of following highlights the advanced watermarking system is engaging for the addition of unmistakable checks in video and pictures which additionally includes data about sound in sound clasp and so on [2].

Imperceptibility

The commendations of media are of the feeling that watermarks couldn't be modified as installed watermarks are committed without error and they are factually. Noticeable relics in still pictures are not made by watermarks. The watermarks don't adjust the bit rate of video or does not permit any capable of being heard frequencies in sound signs.

Robustness

The utilization of computerized watermarking is by and large for distinguishing proof of possession, so it isn't subjected for any change. The methods of advanced watermarking is fit for supporting distinctive levels of durability against changes assuming any, that can be made to the substance of watermark unconcerned application. The advanced watermarks debased or be demolished because of getting undesirable and hurtful signs and geometric contortions like symmetrical computerized transformation, computerized to simple change, editing, turn, disease, scaling, dithering, a pressure and so on of the substance. Then again in the event that it utilized for the confirmation of the substance. Those ought to effectively break or pulverized at whatever point, the substance is altered for the reason of adjusting the substance which is identified.

Inseparability

It isn't conceivable either to particular or get again into the first position of the watermark after implant with watermark is finished.



||Volume 11, Issue 11, November 2022||

| DOI:10.15680/IJIRSET.2022.1111021|

Security

Individuals, who are not unapproved, are not permitted to identify and change the watermarks which have been settled immovably in the cover motion by the advanced watermarking method and the keys of watermark guarantee that to distinguish and adjust watermark just approved people are allowed.

III. PROPOSED METHODOLOGY

Watermarking Embedding procedure:




Figure 2: Block Diagram of Watermarking and Compressing Technique

Algorithm for Watermark Embedding

Step 1: Input Host image, Take cover image (CI).

Step 2: Apply 2-D DWT on CI to decompose it into four sub-bands.

Step 3: Select sub-band LL2 of CI.

Step 4: Take watermark image (WI)

Step 5: Apply 2-D DWT on WI to decompose into four sub-bands.

Step 6: Select sub-band LL2 of WI.

Step 7: Embedding Process

Step 8: Enter Secret Message

Step 9: Apply LSB technique for Encoder

Step 10: Find Stego Image

Step 11: Apply Decoder Process

Step 12: Finally get secret message and watermarked image

IV. SIMULATION TOOL

MATLAB is computing and high-level technique language and algorithm development tool that can be used in several applications such as data visualization/analysis, numerical analysis, signal processing, control design, etc. The mean square error (MSE) is defined as,

$$MSE = \frac{1}{MN} \sum_{i=1}^{M} \sum_{j=1}^{N} [y(i,j) - x(i,j)]^{2}$$
(1)

Where y(i,j) is the watermark image and x(i,j) is the original image.

The peak signal to noise ratio (PSNR) is defined as

$$PSNR = 10\log_{10}\frac{M \times N}{MSE} \qquad dB$$
(2)

Where M is the number of row and N is the number of column in original image.



||Volume 11, Issue 11, November 2022||

| DOI:10.15680/IJIRSET.2022.1111021|

V. SIMULATION RESULT

The original image of 512×512 pixel value is shown in figure 5.6. This figure divided into four parts. In first part the original random image is resize of the 512×512, the resize image is passing through the 2-D discrete wavelet transform (DWT) and get low frequency image is going to embedding process. Second part shows the watermark image 512×512 pixel value, the watermark image is passing through the 2-D discrete wavelet transform (DWT) and get low frequency watermark image is going to embedding process. Original image and watermark image are passing through the embedding processing and get without noise attack watermarked image shown in third part.




Figure 3: Simulation Result for Watermarking




Figure 4: Watermarked Image



||Volume 11, Issue 11, November 2022||

| DOI:10.15680/IJIRSET.2022.1111021|



Figure 5: Compressed Image

Table 1: Experimental Results for Mean Square Error (MSE)

Image	4×4	8×8	16×16	32×32
	Block	Block	Block	Block
	Pixel	Pixel	Pixel	Pixel
Jet	116.05	200.51	295.00	440.87
Tank	206.98	376.86	546.42	756.05
Truck	54.97	103.11	168.72	272.32
Airplane	104.03	187.45	275.45	356.33
Boat	95.03	154.59	237.23	315.49




Figure 6: Bar Graph of the MSE for Different Image

Table 2: Experimental Results for Peak Signal to Noise Ratio (PSNR (dB))

Image	4×4	8×8	16×16	32×32
	Block	Block	Block	Block
	Pixel	Pixel	Pixel	Pixel
Jet	45.32	42.93	41.25	39.50
Tank	42.78	40.18	38.57	37.16
Truck	48.89	46.10	43.86	41.71
Airplane	43.06	41.56	39.43	38.33
Boat	46.76	44.05	42.19	40.96



||Volume 11, Issue 11, November 2022||

| DOI:10.15680/IJIRSET.2022.1111021|




Figure 7: Bar Graph of the PSNR for Different Image

Table 3: Comparison Result for PSNR

Image	Previous	Proposed
	Algorithm	Algorithm
Jet	36.83 dB	39.50 dB
Tank	36.70 dB	37.16 dB
Truck	36.65 dB	41.71 dB
Airplane	37.38 dB	38.33 dB
Boat	35.51 dB	40.96 dB




Figure 8: Result for Previous and Proposed Algorithm for PSNR

Table 4: Comparison Result for SSIM

Image	Previous	Proposed
	Algorithm	Algorithm
Jet	0.9400	0.9654
Tank	0.9552	0.9765
Truck	0.9575	0.9595
Airplane	0.9422	0.9511
Boat	0.9582	0.9643



||Volume 11, Issue 11, November 2022||

| DOI:10.15680/IJIRSET.2022.1111021|




Figure 9: Result for Previous and Proposed Algorithm for SSIM

VI. CONCLUSION

It has been demonstrated that the utilization of DWT-LSB with combination technique has enhanced the security of the watermarking plan. Specific consideration is given to the proposed plan to ensure secure watermark inserting and simple extraction. The watermark is intangible to the human eye and recoverable more often than not. The watermarked pictures were evaluated for loyalty by utilizing PSNR and BER. The new strategies could offer huge focal points to the computerized watermark field and give extra advantages to the copyright security industry. The developed technique is increase the PSNR is 33.43% for Lena image and decrease the BER is 52.77% for Lena image. Similarly the improvement of Baboon image and pepper image for previous technique.

VII.FUTURE SCOPE

The proposed design is also applied to cryptography and secures the data in image of different file format. We can also calculate the other parameter i.e. structural similarity (SSIM), Normalized mean square error (NMSE), Pearson correlation.

REFRENCES

- [1] Nazir A. Loan, Nasir N. Hurrah, Shabir A. Parah, Jong Weon Lee, Javaid A. Sheikh, and G. Mohiuddin Bhat, "Secure and Robust Digital Image Watermarking Using Coefficient Differencing and Chaotic Encryption", Received January 4, 2018, accepted February 7, 2018, date of publication March 16, 2018, date of current version April 25, 2018.
- [2] N. Senthil Kumaran, and S. Abinaya, "Comparison Analysis of Digital Image Watermarking using DWT and LSB Technique", International Conference on Communication and Signal Processing, April 6-8, 2016, India.
- [3] Aase, S.O., Husoy, J.H. and Waldemar, P. (2014) A Critique of SVD-Based Image Coding Systems, IEEE International Symposium on Circuits and Systems VLSI, Orlando, FL, Vol. 4, Pp. 13-16.
- [4] Ahmed, F. and Moskowitz, I.S. (2014) Composite Signature Based Watermarking for Fingerprint Authentication, ACM Multimedia and Security Workshop, New York, Pp.1-8.
- [5] Akhaee, M.A., Sahraeian, S.M.E. and Jin, C. (2013) Blind Image Watermarking Using a Sample Projection Approach, IEEE Transactions on Information Forensics and Security, Vol. 6, Issue 3, Pp.883-893.
- [6] Bidyut Jyoti Saha, Kunal Kumar Kabi and Arun, "Non Blind Watermarking Technique using Enhanced One Time Pad in DWT Domain", International Conference of Digital Signal and Processing, ICCCNT, IEEE 2014.
- [7] M. Kim, D. Li, S. Hong, "A Robust Digital Watermarking Technique for Image Contents based on DWT-DFRNT Multiple Transform Method", *International Journal Multimed. Ubiquitous Eng.*, vol. 9, no. 1, pp. 369-378, Jan. 2014.
- [8] Jiann-Shu Lee and Fei-Hsiang Huang, "A New Image Watermarking Scheme Using Non-dominated Sorting Genetic Algorithm II", International Symposium on Biometrics and Security Technologies, IEEE 2013.
- [9] Baloshi Mathews and Madhu S. Nair, "Modified BTC Algorithm for Gray Scale Images using max-min Quantizer", Automation, Computing, Communication, Control and Compressed Sensing, PP. 01-05, 2013 IEEE.
- [10] Wang Santosh, U. V. S. Sitarama Varma, K. S. K Chaitanya Varma, Meena Jami, V. V. N. S Dileep, "Absolute Moment Block Truncation Coding For Color Image Compression," International Journal of Innovative Technology and Exploring Engineering (IJITEE), Volume-2, Issue-6, PP. 53-59, May 2013.













INTERNATIONAL JOURNAL OF INNOVATIVE RESEARCH

IN SCIENCE | ENGINEERING | TECHNOLOGY







📵 9940 572 462 🔯 6381 907 438 🔀 ijirset@gmail.com

