

e-ISSN: 2319-8753 | p-ISSN: 2347-6710

EDIA

International Journal of Innovative Research in SCIENCE | ENGINEERING | TECHNOLOGY

INTERNATIONAL JOURNAL OF INNOVATIVE RESEARCH

IN SCIENCE | ENGINEERING | TECHNOLOGY

Volume 12, Issue 4, April 2023

INTERNATIONAL STANDARD SERIAL NUMBER INDIA

Impact Factor: 8.423

9940 572 462

6381 907 438

 \bigcirc



e-ISSN: 2319-8753, p-ISSN: 2347-6710| www.ijirset.com | Impact Factor: 8.423| A Monthly Peer Reviewed & Referred Journal |



|| Volume 12, Issue 4, April 2023 ||

| DOI:10.15680/IJIRSET.2023.1204146 |

Artificial Intelligence (AI) - Concerned with Building Smart Machines

Nidhi Mishra

JRF, Research Scholar, Dept. of Commerce, University of Lucknow, Uttar Pradesh, India

ABSTRACT: Artificial intelligence (AI) is intelligence—perceiving, synthesizing, and inferring information demonstrated by machines, as opposed to intelligence displayed by non-human animals and humans. Example tasks in which this is done include speech recognition, computer vision, translation between (natural) languages, as well as other mappings of inputs.AI applications include advanced web search engines (e.g., Google Search), recommendation systems (used by YouTube, Amazon, and Netflix), understanding human speech (such as Siri and Alexa), self-driving cars (e.g., Waymo), generative or creative tools (ChatGPT and AI art), automated decision-making, and competing at the highest level in strategic game systems (such as chess and Go).^[1]As machines become increasingly capable, tasks considered to require "intelligence" are often removed from the definition of AI, a phenomenon known as the AI effect.^[2] For instance, optical character recognition is frequently excluded from things considered to be AI,^[3] having become a routine technology.^[4]

KEYWORDS: Artificial Intelligence, machines, applications, web, internet, computer, smart, optical, search

I. INTRODUCTION

Artificial intelligence was founded as an academic discipline in 1956, and in the years since it has experienced several waves of optimism,^{[5][6]} followed by disappointment and the loss of funding (known as an "AI winter"),^{[7][8]} followed by new approaches, success, and renewed funding.^{[6][9]} AI research has tried and discarded many different approaches, including simulating the brain, modeling human problem solving, formal logic, large databases of knowledge, and imitating animal behavior. In the first decades of the 21st century, highly mathematical and statistical machine learning has dominated the field, and this technique has proved highly successful, helping to solve many challenging problems throughout industry and academia.^{[9][10]}

The various sub-fields of AI research are centered around particular goals and the use of particular tools. The traditional AI research include reasoning, knowledge representation, planning, learning, natural goals of language processing, perception, and the ability to move and manipulate objects.^[a] General intelligence (the ability to solve an arbitrary problem) is among the field's long-term goals.^[11] To solve these problems, AI researchers have adapted and integrated a wide range of problem-solving techniques, including search and mathematical optimization, formal logic, artificial neural networks, and methods based on statistics, probability, and economics. AI also draws upon computer science, psychology, linguistics, philosophy, and many other fields. The field was founded on the assumption that human intelligence "can be so precisely described that a machine can be made to simulate it".^[b] This raised philosophical arguments about the mind and the ethical consequences of creating artificial beings endowed with human-like intelligence; these issues have previously been explored by myth, fiction, and philosophy since antiquity.^[13] Computer scientists and philosophers have since suggested that AI may become an existential risk to humanity if its rational capacities are not steered towards beneficial goals.^[c] The term artificial intelligence has also been criticized for overhyping AI's true technological capabilities.

The general problem of simulating (or creating) intelligence has been broken down into sub-problems. These consist of particular traits or capabilities that researchers expect an intelligent system to display. The traits described below have received the most attention.^[a]

Reasoning, problem-solving

Early researchers developed algorithms that imitated step-by-step reasoning that humans use when they solve puzzles or make logical deductions.^[47] By the late 1980s and 1990s, AI research had developed methods for dealing with uncertain or incomplete information, employing concepts from probability and economics.^[48]

Many of these algorithms proved to be insufficient for solving large reasoning problems because they experienced a "combinatorial explosion": they became exponentially slower as the problems grew larger.^[49] Even humans rarely use



|e-ISSN: 2319-8753, p-ISSN: 2347-6710| www.ijirset.com | Impact Factor: 8.423| A Monthly Peer Reviewed & Referred Journal |

|| Volume 12, Issue 4, April 2023 ||

| DOI:10.15680/IJIRSET.2023.1204146 |

the step-by-step deduction that early AI research could model. They solve most of their problems using fast, intuitive judgments.^[50]

Knowledge representation

Knowledge representation and knowledge engineering^[51] allow AI programs to answer questions intelligently and make deductions about real-world facts.

A representation of "what exists" is an ontology: the set of objects, relations, concepts, and properties formally described so that software agents can interpret them.^[52] The most general ontologies are called upper ontologies, which attempt to provide a foundation for all other knowledge and act as mediators between domain ontologies that cover specific knowledge about a particular knowledge domain (field of interest or area of concern). A truly intelligent program would also need access to commonsense knowledge; the set of facts that an average person knows. The semantics of an ontology is typically represented in description logic, such as the Web Ontology Language.^[53]

AI research has developed tools to represent specific domains, such as objects, properties, categories and relations between objects;^[53] situations, events, states and time;^[54] causes and effects;^[55] knowledge about knowledge (what we know about what other people know);.^[56] default reasoning (things that humans assume are true until they are told differently and will remain true even when other facts are changing);^[57] as well as other domains. Among the most difficult problems in AI are: the breadth of commonsense knowledge (the number of atomic facts that the average person knows is enormous);^[58] and the sub-symbolic form of most commonsense knowledge (much of what people know is not represented as "facts" or "statements" that they could express verbally).^[50]

Formal knowledge representations are used in content-based indexing and retrieval,^[59] scene interpretation,^[60] clinical decision support,^[61] knowledge discovery (mining "interesting" and actionable inferences from large databases),^[62] and other areas.^[63]

Learning

Machine learning (ML), a fundamental concept of AI research since the field's inception,^[j] is the study of computer algorithms that improve automatically through experience.^[k]

Unsupervised learning finds patterns in a stream of input.

Supervised learning requires a human to label the input data first, and comes in two main varieties: classification and numerical regression. Classification is used to determine what category something belongs in – the program sees a number of examples of things from several categories and will learn to classify new inputs. Regression is the attempt to produce a function that describes the relationship between inputs and outputs and predicts how the outputs should change as the inputs change. Both classifiers and regression learners can be viewed as "function approximators" trying to learn an unknown (possibly implicit) function; for example, a spam classifier can be viewed as learning a function that maps from the text of an email to one of two categories, "spam" or "not spam".^[67]

In reinforcement learning the agent is rewarded for good responses and punished for bad ones. The agent classifies its responses to form a strategy for operating in its problem space.^[68]

Transfer learning is when the knowledge gained from one problem is applied to a new problem.^[69]

Computational learning theory can assess learners by computational complexity, by sample complexity (how much data is required), or by other notions of optimization.^[70]

Natural language processing

Natural language processing (NLP)^[71] allows machines to read and understand human language. A sufficiently powerful natural language processing system would enable natural-language user interfaces and the acquisition of knowledge directly from human-written sources, such as newswire texts. Some straightforward applications of NLP include information retrieval, question answering and machine translation.^[72]

Symbolic AI used formal syntax to translate the deep structure of sentences into logic. This failed to produce useful applications, due to the intractability of logic^[49] and the breadth of commonsense knowledge.^[58] Modern statistical techniques include co-occurrence frequencies (how often one word appears near another), "Keyword spotting" (searching for a particular word to retrieve information), transformer-based deep learning (which finds patterns in text),



|e-ISSN: 2319-8753, p-ISSN: 2347-6710| www.ijirset.com | Impact Factor: 8.423| A Monthly Peer Reviewed & Referred Journal |

|| Volume 12, Issue 4, April 2023 ||

| DOI:10.15680/IJIRSET.2023.1204146 |

and others.^[73] They have achieved acceptable accuracy at the page or paragraph level, and, by 2019, could generate coherent text.^[74]

Perception

Machine perception^[75] is the ability to use input from sensors (such as cameras, microphones, wireless signals, and active lidar, sonar, radar, and tactile sensors) to deduce aspects of the world. Applications include speech recognition,^[76] facial recognition, and object recognition.^[77] Computer vision is the ability to analyze visual input.^[78]

Social intelligence

Affective computing is an interdisciplinary umbrella that comprises systems that recognize, interpret, process or simulate human feeling, emotion and mood.^[80] For example, some virtual assistants are programmed to speak conversationally or even to banter humorously; it makes them appear more sensitive to the emotional dynamics of human interaction, or to otherwise facilitate human–computer interaction. However, this tends to give naïve users an unrealistic conception of how intelligent existing computer agents actually are.^[81] Moderate successes related to affective computing include textual sentiment analysis and, more recently, multimodal sentiment analysis), wherein AI classifies the affects displayed by a videotaped subject.^[82]

General intelligence

A machine with general intelligence can solve a wide variety of problems with breadth and versatility similar to human intelligence. There are several competing ideas about how to develop artificial general intelligence. Hans Moravec and Marvin Minsky argue that work in different individual domains can be incorporated into an advanced multi-agent system or cognitive architecture with general intelligence.^[83] Pedro Domingos hopes that there is a conceptually straightforward, but mathematically difficult, "master algorithm" that could lead to AGI.^[84] Others believe that anthropomorphic features like an artificial brain^[85] or simulated child development^[1] will someday reach a critical point where general intelligence emerges.

II. DISCUSSION

AI can solve many problems by intelligently searching through many possible solutions.^[86] Reasoning can be reduced to performing a search. For example, logical proof can be viewed as searching for a path that leads from premises to conclusions, where each step is the application of an inference rule.^[87] Planning algorithms search through trees of goals and subgoals, attempting to find a path to a target goal, a process called means-ends analysis.^[88] Robotics algorithms for moving limbs and grasping objects use local searches in configuration space.^[89]

Simple exhaustive searches^[90] are rarely sufficient for most real-world problems: the search space (the number of places to search) quickly grows to astronomical numbers. The result is a search that is too slow or never completes. The solution, for many problems, is to use "heuristics" or "rules of thumb" that prioritize choices in favor of those more likely to reach a goal and to do so in a shorter number of steps. In some search methodologies, heuristics can also serve to eliminate some choices unlikely to lead to a goal (called "pruning the search tree"). Heuristics supply the program with a "best guess" for the path on which the solution lies.^[91] Heuristics limit the search for solutions into a smaller sample size.^[92] A very different kind of search came to prominence in the 1990s, based on the mathematical theory of optimization. For many problems, it is possible to begin the search with some form of a guess and then refine the guess incrementally until no more refinements can be made. These algorithms can be visualized as blind hill climbing: we begin the search at a random point on the landscape, and then, by jumps or steps, we keep moving our guess uphill, until we reach the top. Other related optimization algorithms include random optimization, beam search and metaheuristics like simulated annealing.^[93] Evolutionary computation uses a form of optimization search. For example, they may begin with a population of organisms (the guesses) and then allow them to mutate and recombine, selecting only the fittest to survive each generation (refining the guesses). Classic evolutionary algorithms include genetic algorithms, gene expression programming, and genetic programming.^[94] Alternatively, distributed search processes can coordinate via swarm intelligence algorithms. Two popular swarm algorithms used in search are particle swarm optimization (inspired by bird flocking) and ant colony optimization (inspired by ant trails).^[95]



e-ISSN: 2319-8753, p-ISSN: 2347-6710| www.ijirset.com | Impact Factor: 8.423| A Monthly Peer Reviewed & Referred Journal |

|| Volume 12, Issue 4, April 2023 ||

| DOI:10.15680/IJIRSET.2023.1204146 |

Logic

Logic^[96] is used for knowledge representation and problem-solving, but it can be applied to other problems as well. For example, the satplan algorithm uses logic for planning^[97] and inductive logic programming is a method for learning.^[98]

Several different forms of logic are used in AI research. Propositional logic^[99] involves truth functions such as "or" and "not". First-order logic^[100] adds quantifiers and predicates and can express facts about objects, their properties, and their relations with each other. Fuzzy logic assigns a "degree of truth" (between 0 and 1) to vague statements such as "Alice is old" (or rich, or tall, or hungry), that are too linguistically imprecise to be completely true or false.^[101] Default logics, non-monotonic logics and circumscription are forms of logic designed to help with default reasoning and the qualification problem.^[57] Several extensions of logic have been designed to handle specific domains of knowledge, such as description logics;^[53] situation calculus, event calculus and fluent calculus (for representing events and time);^[54] causal calculus;^[55] belief calculus (belief revision); and modal logics.^[56] Logics to model contradictory or inconsistent statements arising in multi-agent systems have also been designed, such as paraconsistent logics.^[102]

Probabilistic methods for uncertain reasoning

Many problems in AI (including in reasoning, planning, learning, perception, and robotics) require the agent to operate with incomplete or uncertain information. AI researchers have devised a number of tools to solve these problems using methods from probability theory and economics.^[103] Bayesian networks^[104] are a very general tool that can be used for various problems, including reasoning (using the Bayesian inference algorithm),^{[m][106]} learning (using the expectation-maximization algorithm),^{[n][108]} planning (using decision networks).^[109] and perception (using dynamic Bayesian networks).^[110] Probabilistic algorithms can also be used for filtering, prediction, smoothing and finding explanations for streams of data, helping perception systems to analyze processes that occur over time (e.g., hidden Markov models or Kalman filters).^[110]

A key concept from the science of economics is "utility", a measure of how valuable something is to an intelligent agent. Precise mathematical tools have been developed that analyze how an agent can make choices and plan, using decision theory, decision analysis,^[111] and information value theory.^[112] These tools include models such as Markov decision processes,^[113] dynamic decision networks,^[110] game theory and mechanism design.^[114]

Classifiers and statistical learning methods

The simplest AI applications can be divided into two types: classifiers ("if shiny then diamond") and controllers ("if diamond then pick up"). Controllers do, however, also classify conditions before inferring actions, and therefore classification forms a central part of many AI systems. Classifiers are functions that use pattern matching to determine the closest match. They can be tuned according to examples, making them very attractive for use in AI. These examples are known as observations or patterns. In supervised learning, each pattern belongs to a certain predefined class. A class is a decision that has to be made. All the observations combined with their class labels are known as a data set. When a new observation is received, that observation is classified based on previous experience.^[115]

A classifier can be trained in various ways; there are many statistical and machine learning approaches. The decision tree is the simplest and most widely used symbolic machine learning algorithm.^[116] K-nearest neighbor algorithm was the most widely used analogical AI until the mid-1990s.^[117] Kernel methods such as the support vector machine (SVM) displaced k-nearest neighbor in the 1990s.^[118] The naive Bayes classifier is reportedly the "most widely used learner"^[119] at Google, due in part to its scalability.^[120] Neural networks are also used for classification.^[121]

Classifier performance depends greatly on the characteristics of the data to be classified, such as the dataset size, distribution of samples across classes, dimensionality, and the level of noise. Model-based classifiers perform well if the assumed model is an extremely good fit for the actual data. Otherwise, if no matching model is available, and if accuracy (rather than speed or scalability) is the sole concern, conventional wisdom is that discriminative classifiers (especially SVM) tend to be more accurate than model-based classifiers such as "naive Bayes" on most practical data sets.^[122]

Artificial neural networks

Neural networks^[121] were inspired by the architecture of neurons in the human brain. A simple "neuron" N accepts input from other neurons, each of which, when activated (or "fired"), casts a weighted "vote" for or against whether neuron N should itself activate. Learning requires an algorithm to adjust these weights based on the training data; one simple algorithm (dubbed "fire together, wire together") is to increase the weight between two connected neurons when



|e-ISSN: 2319-8753, p-ISSN: 2347-6710| www.ijirset.com | Impact Factor: 8.423| A Monthly Peer Reviewed & Referred Journal |

|| Volume 12, Issue 4, April 2023 ||

| DOI:10.15680/IJIRSET.2023.1204146 |

the activation of one triggers the successful activation of another. Neurons have a continuous spectrum of activation; in addition, neurons can process inputs in a nonlinear way rather than weighing straightforward votes.

Modern neural networks model complex relationships between inputs and outputs and find patterns in data. They can learn continuous functions and even digital logical operations. Neural networks can be viewed as a type of mathematical optimization – they perform gradient descent on a multi-dimensional topology that was created by training the network. The most common training technique is the backpropagation algorithm.^[123] Other learning techniques for neural networks are Hebbian learning ("fire together, wire together"), GMDH or competitive learning.^[124]

The main categories of networks are acyclic or feedforward neural networks (where the signal passes in only one direction) and recurrent neural networks (which allow feedback and short-term memories of previous input events). Among the most popular feedforward networks are perceptrons, multi-layer perceptrons and radial basis networks.^[125]

Deep learning

Deep learning^[127] uses several layers of neurons between the network's inputs and outputs. The multiple layers can progressively extract higher-level features from the raw input. For example, in image processing, lower layers may identify edges, while higher layers may identify the concepts relevant to a human such as digits or letters or faces.^[128] Deep learning has drastically improved the performance of programs in many important subfields of artificial intelligence, including computer vision, speech recognition, image classification^[129] and others.

Deep learning often uses convolutional neural networks for many or all of its layers. In a convolutional layer, each neuron receives input from only a restricted area of the previous layer called the neuron's receptive field. This can substantially reduce the number of weighted connections between neurons,^[130] and creates a hierarchy similar to the organization of the animal visual cortex.^[131]

In a recurrent neural network (RNN) the signal will propagate through a layer more than once;^[132] thus, an RNN is an example of deep learning.^[133] RNNs can be trained by gradient descent,^[134] however long-term gradients which are back-propagated can "vanish" (that is, they can tend to zero) or "explode" (that is, they can tend to infinity), known as the vanishing gradient problem.^[135] The long short term memory (LSTM) technique can prevent this in most cases.^[136]

Specialized languages and hardware

Specialized languages for artificial intelligence have been developed, such as Lisp, Prolog, TensorFlow and many others. Hardware developed for AI includes AI accelerators and neuromorphic computing.

III. RESULTS

Applications

AI is relevant to any intellectual task.^[137] Modern artificial intelligence techniques are pervasive and are too numerous to list here.^[138] Frequently, when a technique reaches mainstream use, it is no longer considered artificial intelligence; this phenomenon is described as the AI effect.^[139]

In the 2010s, AI applications were at the heart of the most commercially successful areas of computing, and have become a ubiquitous feature of daily life. AI is used in search engines (such as Google Search), targeting online advertisements,^[140] recommendation systems (offered by Netflix, YouTube or Amazon), driving internet traffic,^{[141][142]} targeted advertising (AdSense, Facebook), virtual assistants (such as Siri or Alexa),^[143] autonomous vehicles (including drones, ADAS and self-driving cars), automatic language translation (Microsoft Translator, Google Translate), facial recognition (Apple's Face ID or Microsoft's DeepFace), image labeling (used by Facebook, Apple's iPhoto and TikTok), spam filtering and chatbots (such as Chat GPT).

There are also thousands of successful AI applications used to solve problems for specific industries or institutions. A few examples are energy storage,^[144] deepfakes,^[145] medical diagnosis, military logistics, foreign policy^[146], or supply chain management.

Game playing has been a test of AI's strength since the 1950s. Deep Blue became the first computer chess-playing system to beat a reigning world chess champion, Garry Kasparov, on 11 May 1997.^[147] In 2011, in a Jeopardy! quiz show exhibition match, IBM's question answering system, Watson, defeated the two greatest Jeopardy! champions, Brad Rutter and Ken Jennings, by a significant margin.^[148] In March 2016, AlphaGo won 4 out of 5 games of Go in a match with Go champion Lee Sedol, becoming the first computer Go-



|e-ISSN: 2319-8753, p-ISSN: 2347-6710| www.ijirset.com | Impact Factor: 8.423| A Monthly Peer Reviewed & Referred Journal |

|| Volume 12, Issue 4, April 2023 ||

| DOI:10.15680/IJIRSET.2023.1204146 |

playing system to beat a professional Go player without handicaps.^[149] Other programs handle imperfectinformation games; such as for poker at a superhuman level, Pluribus^[0] and Cepheus.^[151] DeepMind in the 2010s developed a "generalized artificial intelligence" that could learn many diverse Atari games on its own.^[152]

By 2020, Natural Language Processing systems such as the enormous GPT-3 (then by far the largest artificial neural network) were matching human performance on pre-existing benchmarks, albeit without the system attaining a commonsense understanding of the contents of the benchmarks.^[153] DeepMind's AlphaFold 2 (2020) demonstrated the ability to approximate, in hours rather than months, the 3D structure of a protein.^[154] Other applications predict the result of judicial decisions,^[155] create art (such as poetry or painting) and prove mathematical theorems.

AI content detector tools are software applications that use artificial intelligence (AI) algorithms to analyze and detect specific types of content in digital media, such as text, images, and videos. These tools are commonly used to identify inappropriate content, such as speech errors, violent or sexual images, and spam, among others.

Some benefits of using AI content detector tools^[156] include improved efficiency and accuracy in detecting inappropriate content, increased safety and security for users, and reduced legal and reputational risks for websites and platforms.

Smart traffic lights

Smart traffic lights have been developed at Carnegie Mellon since 2009. Professor Stephen Smith has started a company since then Surtrac that has installed smart traffic control systems in 22 cities. It costs about \$20,000 per intersection to install. Drive time has been reduced by 25% and traffic jam waiting time has been reduced by 40% at the intersections it has been installed.^[157]

Ethical machines

Friendly AI are machines that have been designed from the beginning to minimize risks and to make choices that benefit humans. Eliezer Yudkowsky, who coined the term, argues that developing friendly AI should be a higher research priority: it may require a large investment and it must be completed before AI becomes an existential risk.^[222]

Machines with intelligence have the potential to use their intelligence to make ethical decisions. The field of machine ethics provides machines with ethical principles and procedures for resolving ethical dilemmas.^[223] Machine ethics is also called machine morality, computational ethics or computational morality,^[223] and was founded at an AAAI symposium in 2005.^[224]

Other approaches include Wendell Wallach's "artificial moral agents"^[225] and Stuart J. Russell's three principles for developing provably beneficial machines.^[226]

IV. CONCLUSIONS

Thought-capable artificial beings have appeared as storytelling devices since antiquity,^[17] and have been a persistent theme in science fiction.^[19]

A common trope in these works began with Mary Shelley's Frankenstein, where a human creation becomes a threat to its masters. This includes such works as Arthur C. Clarke's and Stanley Kubrick's 2001: A Space Odyssey (both 1968), with HAL 9000, the murderous computer in charge of the Discovery One spaceship, as well as The Terminator (1984) and The Matrix (1999). In contrast, the rare loyal robots such as Gort from The Day the Earth Stood Still (1951) and Bishop from Aliens (1986) are less prominent in popular culture.^[230]

Isaac Asimov introduced the Three Laws of Robotics in many books and stories, most notably the "Multivac" series about a super-intelligent computer of the same name. Asimov's laws are often brought up during lay discussions of machine ethics;^[231] while almost all artificial intelligence researchers are familiar with Asimov's laws through popular culture, they generally consider the laws useless for many reasons, one of which is their ambiguity.^[232]

Transhumanism (the merging of humans and machines) is explored in the manga Ghost in the Shell and the sciencefiction series Dune.

Several works use AI to force us to confront the fundamental question of what makes us human, showing us artificial beings that have the ability to feel, and thus to suffer. This appears in Karel Čapek's R.U.R., the films A.I. Artificial Intelligence and Ex Machina, as well as the novel Do Androids Dream of Electric Sheep?, by Philip K. Dick. Dick



|e-ISSN: 2319-8753, p-ISSN: 2347-6710| www.ijirset.com | Impact Factor: 8.423| A Monthly Peer Reviewed & Referred Journal |

|| Volume 12, Issue 4, April 2023 ||

| DOI:10.15680/IJIRSET.2023.1204146 |

considers the idea that our understanding of human subjectivity is altered by technology created with artificial intelligence.^[233]

REFERENCES

- 1. Google (2016).
- 2. ^ McCorduck (2004), p. 204.
- 3. ^ Ashok83 (2019).
- 4. ^ Schank (1991), p. 38.
- 5. ^ Crevier (1993), p. 109.
- 6. ^ Funding initiatives in the early 80s: Fifth Generation Project (Japan), Alvey (UK), Microelectronics and Computer Technology Corporation (US)
- 7. First AI Winter, Lighthill report, Mansfield Amendment
- 8. Pennachin & Goertzel (2007); Roberts (2016)
- 9. ^ McCarthy et al. (1955).
- 10. ^ Newquist (1994), pp. 45–53.
- 11. ^ "s AI Overhyped in 2022? Getting the Truth About the True Power". Analytics Insight. 21 March 2022. Archived from the original on 10 March 2023. Retrieved 11 March 2023.
- 12. ^ Giles, Martin (13 September 2018). "Artificial intelligence is often overhyped—and here's why that's dangerous". MIT Technology. Archived from the original on 11 March 2023. Retrieved 11 March 2023.
- 13. ^ Basen, Ira (21 February 2020). "Is AI overhyped? Researchers weigh in on technology's promise and problems". Canadian Broadcasting Corporation. Archived from the original on 11 March 2023. Retrieved 11 March 2023.
- 14. Smoliar & Zhang (1994).
- 15. ^ Neumann & Möller (2008).
- 16. ^ Kuperman, Reichley & Bailey (2006).
- 17. ^ McGarry (2005).
- 18. ^ Bertini, Del Bimbo & Torniai (2006).
- 19. ^ Turing (1950).
- 20. ^ Solomonoff (1956).
- 21. ^ Russell & Norvig (2003), pp. 649-788.
- 22. Abe, Jair Minoro; Nakamatsu, Kazumi (2009). "Multi-agent Systems and Paraconsistent Knowledge". Knowledge Processing and Decision Making in Agent-Based Systems. Studies in Computational Intelligence. Vol. 170. Springer Berlin Heidelberg. pp. 101–121. doi:10.1007/978-3-540-88049-3_5. eISSN 1860-9503. ISBN 978-3-540-88048-6. ISSN 1860-949X. Archived from the original on 9 February 2023. Retrieved 2 August 2022.
- 23. "Artificial intelligence, immune to fear or favour, is helping to make China's foreign policy | South China Morning Post". web.archive.org. 25 March 2023. Retrieved 26 March 2023.
- 24. "Going Nowhere Fast? Smart Traffic Lights Can Help Ease Gridlock". 18 May 2022. Archived from the original on 22 December 2022. Retrieved 22 December 2022.
- 25. ^ "Intellectual Property and Frontier Technologies". WIPO. Archived from the original on 2 April 2022. Retrieved 30 March 2022.
- 26. ^ "WIPO Technology Trends 2019 Artificial Intelligence" (PDF). WIPO. 2019. Archived (PDF) from the original on 9 October 2022.
- 27. "Artificial intelligence Google Search". www.google.com. Archived from the original on 1 December 2022. Retrieved 5 November 2022.
- Urbina, Fabio; Lentzos, Filippa; Invernizzi, Cédric; Ekins, Sean (7 March 2022). "Dual use of artificialintelligence-powered drug discovery". Nature Machine Intelligence. 4 (3): 189–191. doi:10.1038/s42256-022-00465-9. PMC 9544280.
- Berdahl, Carl Thomas; Baker, Lawrence; Mann, Sean; Osoba, Osonde; Girosi, Federico (7 February 2023). "Strategies to Improve the Impact of Artificial Intelligence on Health Equity: Scoping Review". JMIR AI. 2: e42936. doi:10.2196/42936. ISSN 2817-1705. S2CID 256681439. Archived from the original on 21 February 2023. Retrieved 21 February 2023.



|e-ISSN: 2319-8753, p-ISSN: 2347-6710| www.ijirset.com | Impact Factor: 8.423| A Monthly Peer Reviewed & Referred Journal |

|| Volume 12, Issue 4, April 2023 ||

- [^] Dockrill, Peter, Robots With Flawed AI Make Sexist And Racist Decisions, Experiment Shows Archived 27 June 2022 at the Wayback Machine, Science Alert, 27 June 2022
- 31. Law Library of Congress (U.S.). Global Legal Research Directorate (2019).
- 32. ^ Kissinger, Henry (1 November 2021). "The Challenge of Being Human in the Age of AI". The Wall Street Journal. Archived from the original on 4 November 2021. Retrieved 4 November 2021.
- 33. Luger, George; Stubblefield, William (2004). Artificial Intelligence: Structures and Strategies for Complex Problem Solving (5th ed.). Benjamin/Cummings. ISBN 978-0-8053-4780-7. Archived from the original on 26 July 2020. Retrieved 17 December 2019.
- Nilsson, Nils (1998). Artificial Intelligence: A New Synthesis. Morgan Kaufmann. ISBN 978-1-55860-467 4. Archived from the original on 26 July 2020. Retrieved 18 November 2019.
- 35. Russell, Stuart J.; Norvig, Peter (2003), Artificial Intelligence: A Modern Approach (2nd ed.), Upper Saddle River, New Jersey: Prentice Hall, ISBN 0-13-790395-2.
- Poole, David; Mackworth, Alan; Goebel, Randy (1998). Computational Intelligence: A Logical Approach. New York: Oxford University Press. ISBN 978-0-19-510270-3. Archived from the original on 26 July 2020. Retrieved 22 August 2020.
- 37. Russell, Stuart J.; Norvig, Peter (2009). Artificial Intelligence: A Modern Approach (3rd ed.). Upper Saddle River, New Jersey: Prentice Hall. ISBN 978-0-13-604259-4..
- Poole, David; Mackworth, Alan (2017). Artificial Intelligence: Foundations of Computational Agents (2nd ed.). Cambridge University Press. ISBN 978-1-107-19539-4. Archived from the original on 7 December 2017. Retrieved 6 December 2017.
- 39. Crevier, Daniel (1993). AI: The Tumultuous Search for Artificial Intelligence. New York, NY: BasicBooks. ISBN 0-465-02997-3..
- 40. McCorduck, Pamela (2004), Machines Who Think (2nd ed.), Natick, MA: A. K. Peters, Ltd., ISBN 1-56881-205-1.
- 41. Newquist, HP (1994). The Brain Makers: Genius, Ego, And Greed In The Quest For Machines That Think. New York: Macmillan/SAMS. ISBN 978-0-672-30412-5.
- 42. Nilsson, Nils (2009). The Quest for Artificial Intelligence: A History of Ideas and Achievements. New York: Cambridge University Press. ISBN 978-0-521-12293-1.
- 43. McCarthy, John (1999), What is AI?, archived from the original on 4 December 2022, retrieved 4 December 2022
- Werbos, P. J. (1988), "Generalization of backpropagation with application to a recurrent gas market model", Neural Networks, 1 (4): 339–356, doi:10.1016/0893-6080(88)90007-X, archived from the original on 29 October 2021, retrieved 29 September 2021
- 45. Gers, Felix A.; Schraudolph, Nicol N.; Schraudolph, Jürgen (2002). "Learning Precise Timing with LSTM Recurrent Networks" (PDF). Journal of Machine Learning Research. **3**: 115–143. Archived (PDF) from the original on 9 October 2022. Retrieved 13 June 2017.
- Deng, L.; Yu, D. (2014). "Deep Learning: Methods and Applications" (PDF). Foundations and Trends in Signal Processing. 7 (3–4): 1–199. doi:10.1561/2000000039. Archived (PDF) from the original on 14 March 2016. Retrieved 18 October 2014.
- 47. Schulz, Hannes; Behnke, Sven (1 November 2012). "Deep Learning". KI Künstliche Intelligenz. **26** (4): 357–363. doi:10.1007/s13218-012-0198-z. ISSN 1610-1987. S2CID 220523562.
- Fukushima, K. (2007). "Neocognitron". Scholarpedia. 2 (1): 1717. Bibcode:2007SchpJ...2.1717F. doi:10.4249/scholarpedia.1717. was introduced by Kunihiko Fukushima in 1980.
- 49. Habibi, Aghdam, Hamed (30 May 2017). Guide to convolutional neural networks : a practical application to trafficsign detection and classification. Heravi, Elnaz Jahani. Cham, Switzerland. ISBN 9783319575490. OCLC 987790957.
- Ciresan, D.; Meier, U.; Schmidhuber, J. (2012). "Multi-column deep neural networks for image classification". 2012 IEEE Conference on Computer Vision and Pattern Recognition. pp. 3642–3649. arXiv:1202.2745. doi:10.1109/cvpr.2012.6248110. ISBN 978-1-4673-1228-8. S2CID 2161592.
- 51. "From not working to neural networking". The Economist. 2016. Archived from the original on 31 December 2016. Retrieved 26 April 2018.
- 52. Thompson, Derek (23 January 2014). "What Jobs Will the Robots Take?". The Atlantic. Archived from the original on 24 April 2018. Retrieved 24 April 2018.



|e-ISSN: 2319-8753, p-ISSN: 2347-6710| www.ijirset.com | Impact Factor: 8.423| A Monthly Peer Reviewed & Referred Journal |

|| Volume 12, Issue 4, April 2023 ||

- 53. Scassellati, Brian (2002). "Theory of mind for a humanoid robot". Autonomous Robots. **12** (1): 13–24. doi:10.1023/A:1013298507114. S2CID 1979315.
- 54. Sample, Ian (14 March 2017). "Google's DeepMind makes AI program that can learn like a human". The Guardian. Archived from the original on 26 April 2018. Retrieved 26 April 2018.
- 55. Heath, Nick (11 December 2020). "What is AI? Everything you need to know about Artificial Intelligence". ZDNet. Archived from the original on 2 March 2021. Retrieved 1 March 2021.
- 56. Bowling, Michael; Burch, Neil; Johanson, Michael; Tammelin, Oskari (9 January 2015). "Heads-up limit hold'em poker is solved". Science. 347 (6218): 145–149. Bibcode:2015Sci...347..145B. doi:10.1126/science.1259433. ISSN 0036-8075. PMID 25574016. S2CID 2706271. Archived from the original on 1 August 2022. Betrieved 30 June 2022.
 - 8075. PMID 25574016. S2CID 3796371. Archived from the original on 1 August 2022. Retrieved 30 June 2022.
- 57. Solly, Meilan (15 July 2019). "This Poker-Playing A.I. Knows When to Hold 'Em and When to Fold 'Em". Smithsonian. Archived from the original on 26 September 2021. Retrieved 1 October 2021.
- 58. "Artificial intelligence: Google's AlphaGo beats Go master Lee Se-dol". BBC News. 12 March 2016. Archived from the original on 26 August 2016. Retrieved 1 October 2016.
- 59. Rowinski, Dan (15 January 2013). "Virtual Personal Assistants & The Future Of Your Smartphone [Infographic]". ReadWrite. Archived from the original on 22 December 2015.
- Manyika, James (2022). "Getting AI Right: Introductory Notes on AI & Society". Daedalus. 151 (2): 5– 27. doi:10.1162/daed_e_01897. S2CID 248377878. Archived from the original on 5 May 2022. Retrieved 5 May 2022.
- 61. Markoff, John (16 February 2011). "Computer Wins on 'Jeopardy!': Trivial, It's Not". The New York Times. Archived from the original on 22 October 2014. Retrieved 25 October 2014.
- 62. Anadiotis, George (1 October 2020). "The state of AI in 2020: Democratization, industrialization, and the way to artificial general intelligence". ZDNet. Archived from the original on 15 March 2021. Retrieved 1 March 2021.
- Goertzel, Ben; Lian, Ruiting; Arel, Itamar; de Garis, Hugo; Chen, Shuo (December 2010). "A world survey of artificial brain projects, Part II: Biologically inspired cognitive architectures". Neurocomputing. 74 (1–3): 30–49. doi:10.1016/j.neucom.2010.08.012.
- 64. Robinson, A. J.; Fallside, F. (1987), "The utility driven dynamic error propagation network.", Technical Report CUED/F-INFENG/TR.1, Cambridge University Engineering Department
- 65. Hochreiter, Sepp (1991). Untersuchungen zu dynamischen neuronalen Netzen (PDF) (diploma thesis). Munich: Institut f. Informatik, Technische Univ. Archived from the original (PDF) on 6 March 2015. Retrieved 16 April 2016.
- 66. Williams, R. J.; Zipser, D. (1994), "Gradient-based learning algorithms for recurrent networks and their computational complexity", Back-propagation: Theory, Architectures and Applications, Hillsdale, NJ: Erlbaum
- 67. Hochreiter, Sepp; Schmidhuber, Jürgen (1997), "Long Short-Term Memory", Neural Computation, **9** (8): 1735–1780, doi:10.1162/neco.1997.9.8.1735, PMID 9377276, S2CID 1915014
- 68. Goodfellow, Ian; Bengio, Yoshua; Courville, Aaron (2016), Deep Learning, MIT Press., archived from the original on 16 April 2016, retrieved 12 November 2017
- Hinton, G.; Deng, L.; Yu, D.; Dahl, G.; Mohamed, A.; Jaitly, N.; Senior, A.; Vanhoucke, V.; Nguyen, P.; Sainath, T.; Kingsbury, B. (2012). "Deep Neural Networks for Acoustic Modeling in Speech Recognition – The shared views of four research groups". IEEE Signal Processing Magazine. 29 (6): 82– 97. Bibcode:2012ISPM...29...82H. doi:10.1109/msp.2012.2205597. S2CID 206485943.
- 70. Schmidhuber, J. (2015). "Deep Learning in Neural Networks: An Overview". Neural Networks. **61**: 85–117. arXiv:1404.7828. doi:10.1016/j.neunet.2014.09.003. PMID 25462637. S2CID 11715509.
- 71. Linnainmaa, Seppo (1970). The representation of the cumulative rounding error of an algorithm as a Taylor expansion of the local rounding errors (Thesis) (in Finnish). Univ. Helsinki, 6–7.
- 72. Griewank, Andreas (2012). "Who Invented the Reverse Mode of Differentiation? Optimization Stories". Documenta Matematica, Extra Volume ISMP: 389–400.
- 73. Werbos, Paul (1974). Beyond Regression: New Tools for Prediction and Analysis in the Behavioral Sciences (Ph.D. thesis). Harvard University.
- 74. Werbos, Paul (1982). "Beyond Regression: New Tools for Prediction and Analysis in the Behavioral Sciences" (PDF). System Modeling and Optimization. Applications of advances in nonlinear sensitivity analysis. Berlin, Heidelberg: Springer. Archived from the original (PDF) on 14 April 2016. Retrieved 16 April 2016.



|e-ISSN: 2319-8753, p-ISSN: 2347-6710| www.ijirset.com | Impact Factor: 8.423| A Monthly Peer Reviewed & Referred Journal |

|| Volume 12, Issue 4, April 2023 ||

- 75. "What is 'fuzzy logic'? Are there computers that are inherently fuzzy and do not apply the usual binary logic?". Scientific American. 21 October 1999. Archived from the original on 6 May 2018. Retrieved 5 May 2018.
- Merkle, Daniel; Middendorf, Martin (2013). "Swarm Intelligence". In Burke, Edmund K.; Kendall, Graham (eds.). Search Methodologies: Introductory Tutorials in Optimization and Decision Support Techniques. Springer Science & Business Media. ISBN 978-1-4614-6940-7.
- 77. van der Walt, Christiaan; Bernard, Etienne (2006). "Data characteristics that determine classifier performance" (PDF). Archived from the original (PDF) on 25 March 2009. Retrieved 5 August 2009.
- 78. Hutter, Marcus (2005). Universal Artificial Intelligence. Berlin: Springer. ISBN 978-3-540-22139-5.
- 79. Howe, J. (November 1994). "Artificial Intelligence at Edinburgh University: a Perspective". Archived from the original on 15 May 2007. Retrieved 30 August 2007.
- 80. Galvan, Jill (1 January 1997). "Entering the Posthuman Collective in Philip K. Dick's "Do Androids Dream of Electric Sheep?"". Science Fiction Studies. **24** (3): 413–429. JSTOR 4240644.
- 81. McCauley, Lee (2007). "AI armageddon and the three laws of robotics". Ethics and Information Technology. **9** (2): 153–164. CiteSeerX 10.1.1.85.8904. doi:10.1007/s10676-007-9138-2. S2CID 37272949.
- 82. Buttazzo, G. (July 2001). "Artificial consciousness: Utopia or real possibility?". Computer. **34** (7): 24–30. doi:10.1109/2.933500.
- 83. Anderson, Susan Leigh (2008). "Asimov's "three laws of robotics" and machine metaethics". AI & Society. **22** (4): 477–493. doi:10.1007/s00146-007-0094-5. S2CID 1809459.
- 84. Yudkowsky, E (2008), "Artificial Intelligence as a Positive and Negative Factor in Global Risk" (PDF), Global Catastrophic Risks, Oxford University Press, 2008, Bibcode:2008gcr..book..303Y, archived (PDF) from the original on 19 October 2013, retrieved 24 September 2021
- McGaughey, E (2018), Will Robots Automate Your Job Away? Full Employment, Basic Income, and Economic Democracy, p. SSRN part 2(3), SSRN 3044448, archived from the original on 24 May 2018, retrieved 12 January 2018
- 86. IGM Chicago (30 June 2017). "Robots and Artificial Intelligence". www.igmchicago.org. Archived from the original on 1 May 2019. Retrieved 3 July 2019.
- 87. Lohr, Steve (2017). "Robots Will Take Jobs, but Not as Fast as Some Fear, New Report Says". The New York Times. Archived from the original on 14 January 2018. Retrieved 13 January 2018.
- Frey, Carl Benedikt; Osborne, Michael A (1 January 2017). "The future of employment: How susceptible are jobs to computerisation?". Technological Forecasting and Social Change. 114: 254– 280. CiteSeerX 10.1.1.395.416. doi:10.1016/j.techfore.2016.08.019. ISSN 0040-1625.
- 89. Arntz, Melanie; Gregory, Terry; Zierahn, Ulrich (2016), "The risk of automation for jobs in OECD countries: A comparative analysis", OECD Social, Employment, and Migration Working Papers 189
- 90. Morgenstern, Michael (9 May 2015). "Automation and anxiety". The Economist. Archived from the original on 12 January 2018. Retrieved 13 January 2018.
- 91. Mahdawi, Arwa (26 June 2017). "What jobs will still be around in 20 years? Read this to prepare your future". The Guardian. Archived from the original on 14 January 2018. Retrieved 13 January 2018.
- 92. Rubin, Charles (Spring 2003). "Artificial Intelligence and Human Nature". The New Atlantis. 1: 88–100. Archived from the original on 11 June 2012.
- 93. Bostrom, Nick (2014). Superintelligence: Paths, Dangers, Strategies. Oxford University Press.
- 94. Brooks, Rodney (10 November 2014). "artificial intelligence is a tool, not a threat". Archived from the original on 12 November 2014.
- 95. Sainato, Michael (19 August 2015). "Stephen Hawking, Elon Musk, and Bill Gates Warn About Artificial Intelligence". Observer. Archived from the original on 30 October 2015. Retrieved 30 October 2015.
- 96. Harari, Yuval Noah (October 2018). "Why Technology Favors Tyranny". The Atlantic. Archived from the original on 25 September 2021. Retrieved 23 September 2021.
- 97. Robitzski, Dan (5 September 2018). "Five experts share what scares them the most about AI". Archived from the original on 8 December 2019. Retrieved 8 December 2019.
- 98. Goffrey, Andrew (2008). "Algorithm". In Fuller, Matthew (ed.). Software studies: a lexicon. Cambridge, Mass.: MIT Press. pp. 15–20. ISBN 978-1-4356-4787-9.
- 99. Lipartito, Kenneth (6 January 2011), The Narrative and the Algorithm: Genres of Credit Reporting from the Nineteenth Century to Today (PDF) (Unpublished manuscript), doi:10.2139/ssrn.1736283, S2CID 166742927, archived (PDF) from the original on 9 October 2022



|e-ISSN: 2319-8753, p-ISSN: 2347-6710| www.ijirset.com | Impact Factor: 8.423| A Monthly Peer Reviewed & Referred Journal |

|| Volume 12, Issue 4, April 2023 ||

- 100.Goodman, Bryce; Flaxman, Seth (2017). "EU regulations on algorithmic decision-making and a "right to explanation"". AI Magazine. **38** (3): 50. arXiv:1606.08813. doi:10.1609/aimag.v38i3.2741. S2CID 7373959.
- 101.CNA (12 January 2019). "Commentary: Bad news. Artificial intelligence is biased". CNA. Archived from the original on 12 January 2019. Retrieved 19 June 2020.
- 102.Larson, Jeff; Angwin, Julia (23 May 2016). "How We Analyzed the COMPAS Recidivism Algorithm". ProPublica. Archived from the original on 29 April 2019. Retrieved 19 June 2020.
- 103.Müller, Vincent C.; Bostrom, Nick (2014). "Future Progress in Artificial Intelligence: A Poll Among Experts" (PDF). AI Matters. 1 (1): 9–11. doi:10.1145/2639475.2639478. S2CID 8510016. Archived (PDF) from the original on 15 January 2016.
- 104.Cellan-Jones, Rory (2 December 2014). "Stephen Hawking warns artificial intelligence could end mankind". BBC News. Archived from the original on 30 October 2015. Retrieved 30 October 2015.
- 105.Rawlinson, Kevin (29 January 2015). "Microsoft's Bill Gates insists AI is a threat". BBC News. Archived from the original on 29 January 2015. Retrieved 30 January 2015.
- 106.Holley, Peter (28 January 2015). "Bill Gates on dangers of artificial intelligence: 'I don't understand why some people are not concerned'". The Washington Post. ISSN 0190-8286. Archived from the original on 30 October 2015. Retrieved 30 October 2015.
- 107.Gibbs, Samuel (27 October 2014). "Elon Musk: artificial intelligence is our biggest existential threat". The Guardian. Archived from the original on 30 October 2015. Retrieved 30 October 2015.
- 108.Churm, Philip Andrew (14 May 2019). "Yuval Noah Harari talks politics, technology and migration". euronews. Archived from the original on 14 May 2019. Retrieved 15 November 2020.
- 109.Bostrom, Nick (2015). "What happens when our computers get smarter than we are?". TED (conference). Archived from the original on 25 July 2020. Retrieved 30 January 2020.
- 110.Post, Washington (2015). "Tech titans like Elon Musk are spending \$1 billion to save you from terminators". Chicago Tribune. Archived from the original on 7 June 2016.
- 111.Del Prado, Guia Marie (9 October 2015). "The mysterious artificial intelligence company Elon Musk invested in is developing game-changing smart computers". Tech Insider. Archived from the original on 30 October 2015. Retrieved 30 October 2015.
- 112.FastCompany (15 January 2015). "Elon Musk Is Donating \$10M Of His Own Money To Artificial Intelligence Research". Fast Company. Archived from the original on 30 October 2015. Retrieved 30 October 2015.
- 113. Thibodeau, Patrick (25 March 2019). "Oracle CEO Mark Hurd sees no reason to fear ERP AI". SearchERP. Archived from the original on 6 May 2019. Retrieved 6 May 2019.
- 114.Bhardwaj, Prachi (24 May 2018). "Mark Zuckerberg responds to Elon Musk's paranoia about AI: 'AI is going to... help keep our communities safe.". Business Insider. Archived from the original on 6 May 2019. Retrieved 6 May 2019.
- 115.Geist, Edward Moore (9 August 2015). "Is artificial intelligence really an existential threat to humanity?". Bulletin of the Atomic Scientists. Archived from the original on 30 October 2015. Retrieved 30 October 2015.
- 116.Madrigal, Alexis C. (27 February 2015). "The case against killer robots, from a guy actually working on artificial intelligence". Fusion.net. Archived from the original on 4 February 2016. Retrieved 31 January 2016.
- 117.Lee, Timothy B. (22 August 2014). "Will artificial intelligence destroy humanity? Here are 5 reasons not to worry". Vox. Archived from the original on 30 October 2015. Retrieved 30 October 2015.
- 118.Law Library of Congress (U.S.). Global Legal Research Directorate, issuing body. (2019). Regulation of artificial intelligence in selected jurisdictions. LCCN 2019668143. OCLC 1110727808.
- 119.Berryhill, Jamie; Heang, Kévin Kok; Clogher, Rob; McBride, Keegan (2019). Hello, World: Artificial Intelligence and its Use in the Public Sector (PDF). Paris: OECD Observatory of Public Sector Innovation. Archived (PDF) from the original on 20 December 2019. Retrieved 9 August 2020.
- 120.Barfield, Woodrow; Pagallo, Ugo (2018). Research handbook on the law of artificial intelligence. Cheltenham, UK. ISBN 978-1-78643-904-8. OCLC 1039480085.
- 121.Iphofen, Ron; Kritikos, Mihalis (3 January 2019). "Regulating artificial intelligence and robotics: ethics by design in a digital society". Contemporary Social Science. **16** (2): 170– 184. doi:10.1080/21582041.2018.1563803. ISSN 2158-2041. S2CID 59298502.
- 122.Wirtz, Bernd W.; Weyerer, Jan C.; Geyer, Carolin (24 July 2018). "Artificial Intelligence and the Public Sector Applications and Challenges". International Journal of Public Administration. **42** (7): 596–

IJIRSET

|e-ISSN: 2319-8753, p-ISSN: 2347-6710| www.ijirset.com | Impact Factor: 8.423| A Monthly Peer Reviewed & Referred Journal |

|| Volume 12, Issue 4, April 2023 ||

| DOI:10.15680/IJIRSET.2023.1204146 |

615. doi:10.1080/01900692.2018.1498103. ISSN 0190-0692. S2CID 158829602. Archived from the original on 18 August 2020. Retrieved 22 August 2020.

- 123.Buiten, Miriam C (2019). "Towards Intelligent Regulation of Artificial Intelligence". European Journal of Risk Regulation. **10** (1): 41–59. doi:10.1017/err.2019.8. ISSN 1867-299X.
- 124. Wallach, Wendell (2010). Moral Machines. Oxford University Press.
- 125.Brown, Eileen (5 November 2019). "Half of Americans do not believe deepfake news could target them online". ZDNet. Archived from the original on 6 November 2019. Retrieved 3 December 2019.
- 126.Frangoul, Anmar (14 June 2019). "A Californian business is using A.I. to change the way we think about energy storage". CNBC. Archived from the original on 25 July 2020. Retrieved 5 November 2019.
- 127."The Economist Explains: Why firms are piling into artificial intelligence". The Economist. 31 March 2016. Archived from the original on 8 May 2016. Retrieved 19 May 2016.
- 128.Lohr, Steve (28 February 2016). "The Promise of Artificial Intelligence Unfolds in Small Steps". The New York Times. Archived from the original on 29 February 2016. Retrieved 29 February 2016.
- 129.Smith, Mark (22 July 2016). "So you think you chose to read this article?". BBC News. Archived from the original on 25 July 2016.
- 130.Aletras, N.; Tsarapatsanis, D.; Preotiuc-Pietro, D.; Lampos, V. (2016). "Predicting judicial decisions of the European Court of Human Rights: a Natural Language Processing perspective". PeerJ Computer Science. 2: e93. doi:10.7717/peerj-cs.93.
- 131.Cadena, Cesar; Carlone, Luca; Carrillo, Henry; Latif, Yasir; Scaramuzza, Davide; Neira, Jose; Reid, Ian; Leonard, John J. (December 2016). "Past, Present, and Future of Simultaneous Localization and Mapping: Toward the Robust-Perception Age". IEEE Transactions on Robotics. 32 (6): 1309–1332. arXiv:1606.05830. doi:10.1109/TRO.2016.2624754. S2CID 2596787.
- 132.Cambria, Erik; White, Bebo (May 2014). "Jumping NLP Curves: A Review of Natural Language Processing Research [Review Article]". IEEE Computational Intelligence Magazine. 9 (2): 48– 57. doi:10.1109/MCI.2014.2307227. S2CID 206451986.
- 133. Vincent, James (7 November 2019). "OpenAI has published the text-generating AI it said was too dangerous to share". The Verge. Archived from the original on 11 June 2020. Retrieved 11 June 2020.
- 134.Jordan, M. I.; Mitchell, T. M. (16 July 2015). "Machine learning: Trends, perspectives, and prospects". Science. **349** (6245): 255-

260. Bibcode:2015Sci...349..255J. doi:10.1126/science.aaa8415. PMID 26185243. S2CID 677218.

- 135.Maschafilm (2010). "Content: Plug & Pray Film Artificial Intelligence Robots -". plugandprayfilm.de. Archived from the original on 12 February 2016.
- 136.Evans, Woody (2015). "Posthuman Rights: Dimensions of Transhuman Worlds". Teknokultura. **12** (2). doi:10.5209/rev_TK.2015.v12.n2.49072.
- 137.Waddell, Kaveh (2018). "Chatbots Have Entered the Uncanny Valley". The Atlantic. Archived from the original on 24 April 2018. Retrieved 24 April 2018.
- 138.Poria, Soujanya; Cambria, Erik; Bajpai, Rajiv; Hussain, Amir (September 2017). "A review of affective computing: From unimodal analysis to multimodal fusion". Information Fusion. **37**: 98– 125. doi:10.1016/j.inffus.2017.02.003. hdl:1893/25490. Archived from the original on 23 March 2023. Retrieved 27 April 2021.
- 139."Robots could demand legal rights". BBC News. 21 December 2006. Archived from the original on 15 October 2019. Retrieved 3 February 2011.
- 140.Horst, Steven (2005). "The Computational Theory of Mind". The Stanford Encyclopedia of Philosophy. Archived from the original on 6 March 2016. Retrieved 7 March 2016.
- 141.Omohundro, Steve (2008). The Nature of Self-Improving Artificial Intelligence. presented and distributed at the 2007 Singularity Summit, San Francisco, CA.
- 142.Ford, Martin; Colvin, Geoff (6 September 2015). "Will robots create more jobs than they destroy?". The Guardian. Archived from the original on 16 June 2018. Retrieved 13 January 2018.
- 143. White Paper: On Artificial Intelligence A European approach to excellence and trust (PDF). Brussels: European Commission. 2020. Archived (PDF) from the original on 20 February 2020. Retrieved 20 February 2020.
- 144. Anderson, Michael; Anderson, Susan Leigh (2011). Machine Ethics. Cambridge University Press.
- 145."Machine Ethics". aaai.org. Archived from the original on 29 November 2014.



|e-ISSN: 2319-8753, p-ISSN: 2347-6710| www.ijirset.com | Impact Factor: 8.423| A Monthly Peer Reviewed & Referred Journal |

|| Volume 12, Issue 4, April 2023 ||

- 146.Russell, Stuart (8 October 2019). Human Compatible: Artificial Intelligence and the Problem of Control. United States: Viking. ISBN 978-0-525-55861-3. OCLC 1083694322.
- 147."AI set to exceed human brain power". CNN. 9 August 2006. Archived from the original on 19 February 2008.
- 148."Robots could demand legal rights". BBC News. 21 December 2006. Archived from the original on 15 October 2019. Retrieved 3 February 2011.
- 149."Kismet". MIT Artificial Intelligence Laboratory, Humanoid Robotics Group. Archived from the original on 17 October 2014. Retrieved 25 October 2014.
- 150.Smoliar, Stephen W.; Zhang, HongJiang (1994). "Content based video indexing and retrieval". IEEE MultiMedia. 1 (2): 62–72. doi:10.1109/93.311653. S2CID 32710913.
- 151.Neumann, Bernd; Möller, Ralf (January 2008). "On scene interpretation with description logics". Image and Vision Computing. **26** (1): 82–101. doi:10.1016/j.imavis.2007.08.013.
- 152.Kuperman, G. J.; Reichley, R. M.; Bailey, T. C. (1 July 2006). "Using Commercial Knowledge Bases for Clinical Decision Support: Opportunities, Hurdles, and Recommendations". Journal of the American Medical Informatics Association. **13** (4): 369–371. doi:10.1197/jamia.M2055. PMC 1513681. PMID 16622160.
- 153.McGarry, Ken (1 December 2005). "A survey of interestingness measures for knowledge discovery". The Knowledge Engineering Review. **20** (1): 39–61. doi:10.1017/S0269888905000408. S2CID 14987656.
- 154.Bertini, M; Del Bimbo, A; Torniai, C (2006). "Automatic annotation and semantic retrieval of video sequences using multimedia ontologies". MM '06 Proceedings of the 14th ACM international conference on Multimedia. 14th ACM international conference on Multimedia. Santa Barbara: ACM. pp. 679–682.
- 155.Kahneman, Daniel (25 October 2011). Thinking, Fast and Slow. Macmillan. ISBN 978-1-4299-6935-2. Archived from the original on 15 March 2023. Retrieved 8 April 2012.
- 156. Turing, Alan (1948), "Machine Intelligence", in Copeland, B. Jack (ed.), The Essential Turing: The ideas that gave birth to the computer age, Oxford: Oxford University Press, p. 412, ISBN 978-0-19-825080-7
- 157.Domingos, Pedro (22 September 2015). The Master Algorithm: How the Quest for the Ultimate Learning Machine Will Remake Our World. Basic Books. ISBN 978-0465065707.
- 158. Minsky, Marvin (1986), The Society of Mind, Simon and Schuster
- 159.Pinker, Steven (4 September 2007) [1994], The Language Instinct, Perennial Modern Classics, Harper, ISBN 978-0-06-133646-1
- 160.Chalmers, David (1995). "Facing up to the problem of consciousness". Journal of Consciousness Studies. **2** (3): 200–219. Archived from the original on 8 March 2005. Retrieved 11 October 2018.
- 161.Roberts, Jacob (2016). "Thinking Machines: The Search for Artificial Intelligence". Distillations. Vol. 2, no. 2. pp. 14–23. Archived from the original on 19 August 2018. Retrieved 20 March 2018.
- 162.Pennachin, C.; Goertzel, B. (2007). "Contemporary Approaches to Artificial General Intelligence". Artificial General Intelligence. Cognitive Technologies. Berlin, Heidelberg: Springer. doi:10.1007/978-3-540-68677-4_1. ISBN 978-3-540-23733-4.
- 163."Ask the AI experts: What's driving today's progress in AI?". McKinsey & Company. Archived from the original on 13 April 2018. Retrieved 13 April 2018.
- 164.Ransbotham, Sam; Kiron, David; Gerbert, Philipp; Reeves, Martin (6 September 2017). "Reshaping Business With Artificial Intelligence". MIT Sloan Management Review. Archived from the original on 19 May 2018. Retrieved 2 May 2018.
- 165.Lorica, Ben (18 December 2017). "The state of AI adoption". O'Reilly Media. Archived from the original on 2 May 2018. Retrieved 2 May 2018.
- 166."AlphaGo Google DeepMind". Archived from the original on 20 October 2021.
- 167.Asada, M.; Hosoda, K.; Kuniyoshi, Y.; Ishiguro, H.; Inui, T.; Yoshikawa, Y.; Ogino, M.; Yoshida, C. (2009).
 "Cognitive developmental robotics: a survey". IEEE Transactions on Autonomous Mental Development. 1 (1): 12–34. doi:10.1109/tamd.2009.2021702. S2CID 10168773.
- 168.Ashok83 (10 September 2019). "How AI Is Getting Groundbreaking Changes In Talent Management And HR Tech". Hackernoon. Archived from the original on 11 September 2019. Retrieved 14 February 2020.
- 169.Berlinski, David (2000). The Advent of the Algorithm. Harcourt Books. ISBN 978-0-15-601391-8. OCLC 46890682. Archived from the original on 26 July 2020. Retrieved 22 August 2020.
- 170.Brooks, Rodney (1990). "Elephants Don't Play Chess" (PDF). Robotics and Autonomous Systems. 6 (1–2): 3–15. CiteSeerX 10.1.1.588.7539. doi:10.1016/S0921-8890(05)80025-9. Archived (PDF) from the original on 9 August 2007.



|e-ISSN: 2319-8753, p-ISSN: 2347-6710| www.ijirset.com | Impact Factor: 8.423| A Monthly Peer Reviewed & Referred Journal |

|| Volume 12, Issue 4, April 2023 ||

- 171.Butler, Samuel (13 June 1863). "Darwin among the Machines". Letters to the Editor. The Press. Christchurch, New Zealand. Archived from the original on 19 September 2008. Retrieved 16 October 2014 via Victoria University of Wellington.
- 172.Clark, Jack (2015a). "Musk-Backed Group Probes Risks Behind Artificial Intelligence". Bloomberg.com. Archived from the original on 30 October 2015. Retrieved 30 October 2015.
- 173.Clark, Jack (2015b). "Why 2015 Was a Breakthrough Year in Artificial Intelligence". Bloomberg.com. Archived from the original on 23 November 2016. Retrieved 23 November 2016.
- 174.Dennett, Daniel (1991). Consciousness Explained. The Penguin Press. ISBN 978-0-7139-9037-9.
- 175.Dreyfus, Hubert (1972). What Computers Can't Do. New York: MIT Press. ISBN 978-0-06-011082-6.
- 176.Dreyfus, Hubert; Dreyfus, Stuart (1986). Mind over Machine: The Power of Human Intuition and Expertise in the Era of the Computer. Oxford, UK: Blackwell. ISBN 978-0-02-908060-3. Archived from the original on 26 July 2020. Retrieved 22 August 2020.
- 177.Dyson, George (1998). Darwin among the Machines. Allan Lane Science. ISBN 978-0-7382-0030-9. Archived from the original on 26 July 2020. Retrieved 22 August 2020.
- 178.Edelson, Edward (1991). The Nervous System. New York: Chelsea House. ISBN 978-0-7910-0464-7. Archived from the original on 26 July 2020. Retrieved 18 November 2019.
- 179.Fearn, Nicholas (2007). The Latest Answers to the Oldest Questions: A Philosophical Adventure with the World's Greatest Thinkers. New York: Grove Press. ISBN 978-0-8021-1839-4.
- 180.Haugeland, John (1985). Artificial Intelligence: The Very Idea. Cambridge, Mass.: MIT Press. ISBN 978-0-262-08153-5.
- 181. Hawkins, Jeff; Blakeslee, Sandra (2005). On Intelligence. New York: Owl Books. ISBN 978-0-8050-7853-4.
- 182.Henderson, Mark (24 April 2007). "Human rights for robots? We're getting carried away". The Times Online. London. Archived from the original on 31 May 2014. Retrieved 31 May 2014.
- 183.Kahneman, Daniel; Slovic, D.; Tversky, Amos (1982). Judgment under uncertainty: Heuristics and biases. Science. Vol. 185. New York: Cambridge University Press. pp. 1124– 1131. Bibcode:1974Sci...185.1124T. doi:10.1126/science.185.4157.1124. ISBN 978-0-521-28414-1. PMID 17835457. S2CID 143452957.
- 184.Katz, Yarden (1 November 2012). "Noam Chomsky on Where Artificial Intelligence Went Wrong". The Atlantic. Archived from the original on 28 February 2019. Retrieved 26 October 2014.
- 185.Kurzweil, Ray (2005). The Singularity is Near. Penguin Books. ISBN 978-0-670-03384-3.
- 186.Langley, Pat (2011). "The changing science of machine learning". Machine Learning. 82 (3): 275–279. doi:10.1007/s10994-011-5242-y.
- 187.Legg, Shane; Hutter, Marcus (15 June 2007). "A Collection of Definitions of Intelligence". arXiv:0706.3639 [cs.AI].
- 188.Lenat, Douglas; Guha, R. V. (1989). Building Large Knowledge-Based Systems. Addison-Wesley. ISBN 978-0-201-51752-1.
- 189.Lighthill, James (1973). "Artificial Intelligence: A General Survey". Artificial Intelligence: a paper symposium. Science Research Council.
- 190.Lombardo, P; Boehm, I; Nairz, K (2020). "RadioComics Santa Claus and the future of radiology". Eur J Radiol. 122 (1): 108771. doi:10.1016/j.ejrad.2019.108771. PMID 31835078.
- 191.Lungarella, M.; Metta, G.; Pfeifer, R.; Sandini, G. (2003). "Developmental robotics: a survey". Connection Science. **15** (4): 151–190. CiteSeerX 10.1.1.83.7615. doi:10.1080/09540090310001655110. S2CID 1452734.
- 192.Maker, Meg Houston (2006). "AI@50: AI Past, Present, Future". Dartmouth College. Archived from the original on 3 January 2007. Retrieved 16 October 2008.
- 193.McCarthy, John; Minsky, Marvin; Rochester, Nathan; Shannon, Claude (1955). "A Proposal for the Dartmouth Summer Research Project on Artificial Intelligence". Archived from the original on 26 August 2007. Retrieved 30 August 2007.
- 194.Minsky, Marvin (1967). Computation: Finite and Infinite Machines. Englewood Cliffs, N.J.: Prentice-Hall. ISBN 978-0-13-165449-5. Archived from the original on 26 July 2020. Retrieved 18 November 2019.
- 195.Moravec, Hans (1988). Mind Children. Harvard University Press. ISBN 978-0-674-57616-2. Archived from the original on 26 July 2020. Retrieved 18 November 2019.



|e-ISSN: 2319-8753, p-ISSN: 2347-6710| www.ijirset.com | Impact Factor: 8.423| A Monthly Peer Reviewed & Referred Journal |

|| Volume 12, Issue 4, April 2023 ||

- 196.NRC (United States National Research Council) (1999). "Developments in Artificial Intelligence". Funding a Revolution: Government Support for Computing Research. National Academy Press.
- 197.Newell, Allen; Simon, H. A. (1976). "Computer Science as Empirical Inquiry: Symbols and Search". Communications of the ACM. **19** (3): 113–126. doi:10.1145/360018.360022...
- 198.Nilsson, Nils (1983). "Artificial Intelligence Prepares for 2001" (PDF). AI Magazine. **1** (1). Archived (PDF) from the original on 17 August 2020. Retrieved 22 August 2020. Presidential Address to the Association for the Advancement of Artificial Intelligence.
- 199.Oudeyer, P-Y. (2010). "On the impact of robotics in behavioral and cognitive sciences: from insect navigation to human cognitive development" (PDF). IEEE Transactions on Autonomous Mental Development. 2 (1): 2– 16. doi:10.1109/tamd.2009.2039057. S2CID 6362217. Archived (PDF) from the original on 3 October 2018. Retrieved 4 June 2013.
- 200.Schank, Roger C. (1991). "Where's the AI". AI magazine. Vol. 12, no. 4.
- 201.Searle, John (1980). "Minds, Brains and Programs" (PDF). Behavioral and Brain Sciences. 3 (3): 417–457. doi:10.1017/S0140525X00005756. S2CID 55303721. Archived (PDF) from the original on 17 March 2019. Retrieved 22 August 2020.
- 202.Searle, John (1999). Mind, language and society. New York: Basic Books. ISBN 978-0-465-04521-1. OCLC 231867665. Archived from the original on 26 July 2020. Retrieved 22 August 2020.
- 203.Simon, H. A. (1965). The Shape of Automation for Men and Management. New York: Harper & Row. Archived from the original on 26 July 2020. Retrieved 18 November 2019.
- 204.Solomonoff, Ray (1956). An Inductive Inference Machine (PDF). Dartmouth Summer Research Conference on Artificial Intelligence. Archived (PDF) from the original on 26 April 2011. Retrieved 22 March 2011 via std.com, pdf scanned copy of the original. Later published as Solomonoff, Ray (1957). "An Inductive Inference Machine". IRE Convention Record. Vol. Section on Information Theory, part 2. pp. 56–62.
- 205.Spadafora, Anthony (21 October 2016). "Stephen Hawking believes AI could be mankind's last accomplishment". BetaNews. Archived from the original on 28 August 2017.
- 206.Tao, Jianhua; Tan, Tieniu (2005). Affective Computing and Intelligent Interaction. Affective Computing: A Review. Lecture Notes in Computer Science. Vol. LNCS 3784. Springer. pp. 981– 995. doi:10.1007/11573548. ISBN 978-3-540-29621-8.
- 207.Tecuci, Gheorghe (March–April 2012). "Artificial Intelligence". Wiley Interdisciplinary Reviews: Computational Statistics. **4** (2): 168–180. doi:10.1002/wics.200. S2CID 196141190.
- 208. Thro, Ellen (1993). Robotics: The Marriage of Computers and Machines. New York: Facts on File. ISBN 978-0-8160-2628-9. Archived from the original on 26 July 2020. Retrieved 22 August 2020.
- 209.Turing, Alan (October 1950), "Computing Machinery and Intelligence", Mind, LIX (236): 433–460, doi:10.1093/mind/LIX.236.433, ISSN 0026-4423.
- 210.UNESCO Science Report: the Race Against Time for Smarter Development. Paris: UNESCO. 11 June 2021. ISBN 978-92-3-100450-6. Archived from the original on 18 June 2022. Retrieved 18 September 2021.
- 211.Vinge, Vernor (1993). "The Coming Technological Singularity: How to Survive in the Post-Human Era". Vision 21: Interdisciplinary Science and Engineering in the Era of Cyberspace: 11. Bibcode:1993vise.nasa...11V. Archived from the original on 1 January 2007. Retrieved 14 November 2011.
- 212.Wason, P. C.; Shapiro, D. (1966). "Reasoning". In Foss, B. M. (ed.). New horizons in psychology. Harmondsworth: Penguin. Archived from the original on 26 July 2020. Retrieved 18 November 2019.
- 213.Weng, J.; McClelland; Pentland, A.; Sporns, O.; Stockman, I.; Sur, M.; Thelen, E. (2001). "Autonomous mental development by robots and animals" (PDF). Science. **291** (5504): 599–600. doi:10.1126/science.291.5504.599. PMID 11229402. S2CID 54131797. Archived (PDF) from the original on 4 September 2013. Retrieved 4 June 2013 via msu.edu.
- 214. Autor, David H., "Why Are There Still So Many Jobs? The History and Future of Workplace Automation" (2015) 29(3) Journal of Economic Perspectives 3.
- 215.Boden, Margaret, Mind As Machine, Oxford University Press, 2006.
- 216.Cukier, Kenneth, "Ready for Robots? How to Think about the Future of AI", Foreign Affairs, vol. 98, no. 4 (July/August 2019), pp. 192–98. George Dyson, historian of computing, writes (in what might be called "Dyson's Law") that "Any system simple enough to be understandable will not be complicated enough to behave intelligently, while any system complicated enough to behave intelligently will be too complicated to understand."



|e-ISSN: 2319-8753, p-ISSN: 2347-6710| www.ijirset.com | Impact Factor: 8.423| A Monthly Peer Reviewed & Referred Journal |

|| Volume 12, Issue 4, April 2023 ||

| DOI:10.15680/IJIRSET.2023.1204146 |

(p. 197.) Computer scientist Alex Pentland writes: "Current AI machine-learning algorithms are, at their core, dead simple stupid. They work, but they work by brute force." (p. 198.)

- 217.Domingos, Pedro, "Our Digital Doubles: AI will serve our species, not control it", Scientific American, vol. 319, no. 3 (September 2018), pp. 88–93.
- 218.Gopnik, Alison, "Making AI More Human: Artificial intelligence has staged a revival by starting to incorporate what we know about how children learn", Scientific American, vol. 316, no. 6 (June 2017), pp. 60–65.
- 219.Halpern, Sue, "The Human Costs of AI" (review of Kate Crawford, Atlas of AI: Power, Politics, and the Planetary Costs of Artificial Intelligence, Yale University Press, 2021, 327 pp.; Simon Chesterman, We, the Robots?: Regulating Artificial Intelligence and the Limits of the Law, Cambridge University Press, 2021, 289 pp.; Keven Roose, Futureproof: 9 Rules for Humans in the Age of Automation, Random House, 217 pp.; Erik J. Larson, The Myth of Artificial Intelligence: Why Computers Can't Think the Way We Do, Belknap Press / Harvard University Press, 312 pp.), The New York Review of Books, vol. LXVIII, no. 16 (21 October 2021), pp. 29–31. "AI training models can replicate entrenched social and cultural biases. [...] Machines only know what they know from the data they have been given. [p. 30.] [A]rtificial general intelligence–machine-based intelligence that matches our own–is beyond the capacity of algorithmic machine learning... 'Your brain is one piece in a broader system which includes your body, your environment, other humans, and culture as a whole.' [E]ven machines that master the tasks they are trained to perform can't jump domains. AIVA, for example, can't drive a car even though it can write music (and wouldn't even be able to do that without Bach and Beethoven [and other composers on which AIVA is trained])." (p. 31.)
- 220. Johnston, John (2008) The Allure of Machinic Life: Cybernetics, Artificial Life, and the New AI, MIT Press.
- 221.Koch, Christof, "Proust among the Machines", Scientific American, vol. 321, no. 6 (December 2019), pp. 46–49. Christof Koch doubts the possibility of "intelligent" machines attaining consciousness, because "[e]ven the most sophisticated brain simulations are unlikely to produce conscious feelings." (p. 48.) According to Koch, "Whether machines can become sentient [is important] for ethical reasons. If computers experience life through their own senses, they cease to be purely a means to an end determined by their usefulness to... humans. Per GNW [the Global Neuronal Workspace theory], they turn from mere objects into subjects... with a point of view.... Once computers' cognitive abilities rival those of humanity, their impulse to push for legal and political rights will become irresistible—the right not to be deleted, not to have their memories wiped clean, not to suffer pain and degradation. The alternative, embodied by IIT [Integrated Information Theory], is that computers will remain only supersophisticated machinery, ghostlike empty shells, devoid of what we value most: the feeling of life itself." (p. 49.)
- 222.Marcus, Gary, "Am I Human?: Researchers need new ways to distinguish artificial intelligence from the natural kind", Scientific American, vol. 316, no. 3 (March 2017), pp. 58–63. A stumbling block to AI has been an incapacity for reliable disambiguation. An example is the "pronoun disambiguation problem": a machine has no way of determining to whom or what a pronoun in a sentence refers. (p. 61.)
- 223.Gary Marcus, "Artificial Confidence: Even the newest, buzziest systems of artificial general intelligence are stymmied by the same old problems", Scientific American, vol. 327, no. 4 (October 2022), pp. 42–45.
- 224.E McGaughey, 'Will Robots Automate Your Job Away? Full Employment, Basic Income, and Economic Democracy' (2018) SSRN, part 2(3) Archived 24 May 2018 at the Wayback Machine.
- 225.George Musser, "Artificial Imagination: How machines could learn creativity and common sense, among other human qualities", Scientific American, vol. 320, no. 5 (May 2019), pp. 58–63.
- 226.Myers, Courtney Boyd ed. (2009). "The AI Report" Archived 29 July 2017 at the Wayback Machine. Forbes June 2009
- 227.Raphael, Bertram (1976). The Thinking Computer. W.H. Freeman and Co. ISBN 978-0716707233. Archived from the original on 26 July 2020. Retrieved 22 August 2020.
- 228.Scharre, Paul, "Killer Apps: The Real Dangers of an AI Arms Race", Foreign Affairs, vol. 98, no. 3 (May/June 2019), pp. 135–44. "Today's AI technologies are powerful but unreliable. Rules-based systems cannot deal with circumstances their programmers did not anticipate. Learning systems are limited by the data on which they were trained. AI failures have already led to tragedy. Advanced autopilot features in cars, although they perform well in some circumstances, have driven cars without warning into trucks, concrete barriers, and parked cars. In the wrong situation, AI systems go from supersmart to superdumb in an instant. When an enemy is trying to manipulate and hack an AI system, the risks are even greater." (p. 140.)



|e-ISSN: 2319-8753, p-ISSN: 2347-6710| www.ijirset.com | Impact Factor: 8.423| A Monthly Peer Reviewed & Referred Journal |

|| Volume 12, Issue 4, April 2023 ||

- 229.Serenko, Alexander (2010). "The development of an AI journal ranking based on the revealed preference approach" (PDF). Journal of Informetrics. **4** (4): 447–59. doi:10.1016/j.joi.2010.04.001. Archived (PDF) from the original on 4 October 2013. Retrieved 24 August 2013.
- 230.Serenko, Alexander; Michael Dohan (2011). "Comparing the expert survey and citation impact journal ranking methods: Example from the field of Artificial Intelligence" (PDF). Journal of Informetrics. 5 (4): 629–49. doi:10.1016/j.joi.2011.06.002. Archived (PDF) from the original on 4 October 2013. Retrieved 12 September 2013.
- 231.Tom Simonite (29 December 2014). "2014 in Computing: Breakthroughs in Artificial Intelligence". MIT Technology Review. Archived from the original on 2 January 2015.
- 232.Sun, R. & Bookman, L. (eds.), Computational Architectures: Integrating Neural and Symbolic Processes. Kluwer Academic Publishers, Needham, MA. 1994.
- 233. Taylor, Paul, "Insanely Complicated, Hopelessly Inadequate" (review of Brian Cantwell Smith, The Promise of Artificial Intelligence: Reckoning and Judgment, MIT, 2019, ISBN 978-0262043045, 157 pp.; Gary Marcus and Ernest Davis, Rebooting AI: Building Artificial Intelligence We Can Trust, Ballantine, 2019, ISBN 978-1524748258, 304 pp.; Judea Pearl and Dana Mackenzie, The Book of Why: The New Science of Cause and Effect, Penguin, 2019, ISBN 978-0141982410, 418 pp.), London Review of Books, vol. 43, no. 2 (21 January 2021), pp. 37–39. Paul Taylor writes (p. 39): "Perhaps there is a limit to what a computer can do without knowing that it is manipulating imperfect representations of an external reality."





Impact Factor: 8.423





INTERNATIONAL JOURNAL OF INNOVATIVE RESEARCH

IN SCIENCE | ENGINEERING | TECHNOLOGY





www.ijirset.com