

Volume 12, Issue 4, April 2023



Impact Factor: 8.423





6381 907 438





[e-ISSN: 2319-8753, p-ISSN: 2347-6710] www.ijirset.com | Impact Factor: 8.423 | A Monthly Peer Reviewed & Referred Journal |

|| Volume 12, Issue 4, April 2023 ||

| DOI:10.15680/IJIRSET.2023.1204174 |

Navigation Smart Stick for Blind

Mrs. Pranitha¹,Mr. Ismail Raihan², Mr. Mohammed Zihan³, Mr. Nikhil⁴, Mr. Vivek M⁵

¹Assistant Professor, Dept. of ISE, YIT Moodbidri, Mangalore, Karnataka, India

²B.E Student, Dept. of ISE, YIT Moodbidri, Mangalore, Karnataka, India

³B.E Student, Dept. of ISE, YIT Moodbidri, Mangalore, Karnataka, India

⁴B.E Student, Dept. of ISE, YIT Moodbidri, Mangalore, Karnataka, India

⁵B.E Student, Dept. of ISE, YIT Moodbidri, Mangalore, Karnataka, India

ABSTRACT - The NAVIGATION SMART STICK FOR BLIND is a planned IoT technology which offersa viable way for blind or visually impaired people to travel and detect hazards safely. The Stick has a number of sensors, including ultrasonic, tilt and infrared fire sensors, as well as an audible voice command, a buzzer, and GSM to determine its location. Within a distance of one metre, the ultrasonic sensors can identify stairs, walls, and surrounding objects. The infrared fire sensor generates a warning buzzer tone to alert the blind personwhen it senses fire or any object. The suggested method makes use of the widely used and reasonably priced Arduino UNO board. Due to its low cost, quick responsetime, and less power usage, thestick is simple to use. IoT technology is used by this navigation smart stick to provide blind or visually impaired people with a safe and affordable way to navigate, identify impediments, and move aroundunrestrictedly without the assistance of a guardian.

I. INTRODUCTION

The proposed NAVIGATION SMART STICK FOR BLIND or visually handicapped, the voice- activated blind stick combining an Arduino UNO and an ultrasonic sensor is a fantastic idea. With the aid of cutting-edge technology, this blind stick enables the user to hear spoken commands for warnings and identify obstacles using an ultrasonic sensor. Daily struggles for blind persons include those with mobility and communication. Due to their impairment, they frequently need the assistance of a sighted family member or friend when exploring new places. For the support of blind individuals, many devices have been created in the past. The voice-controlled blind stick that is being designed responds right away to situations. The Blind Stick with Voice Command, which gives visually impaired people the opportunity to move freely and safely about their environment, is an overall promising solution forenhancing their quality of life.



|e-ISSN: 2319-8753, p-ISSN: 2347-6710| www.ijirset.com | Impact Factor: 8.423| A Monthly Peer Reviewed & Referred Journal |

|| Volume 12, Issue 4, April 2023 ||

| DOI:10.15680/IJIRSET.2023.1204174 |

II. LITERATURE SURVEY

Year	PAPER NAME	PUBLISHE	FEATURES
		D	
2012	ULTRASON	BY Shripad S.	It offoatively
2012	I	Bhatlawand	It effectively calculatesdistance
	C	e ,Jayant	ofthe
	Spectacles	Mukhopadh	detectedobject
	and Waist-	yay	from the subject.
	beltfor	ywy	Prepares
	Visually		navigationpa
	Impaired		th
	andBlind		accordingly
	Person		avoiding
			obstacles.
2014	A Blind	Sakmongk	RFID blind
	Navigation	on	navigation
	SystemUsi	Chumkam	device that
	ngRFID	on	can be utilized by blind
	for Indoor		persons,
	Environme		tourists, and
	nts		firefighters.
2018	Smart Stick	Mukesh	It can sense water
	forthe Blind	Prasad	in the path to
	and Visually	Agrawal,	avoidslipping or
	Impaired	AtmaRam	drenching.
	People	Gupta	It can trace the
			location of the
			blind person
			andsends
			thedata to their
2019	Constant	C	relatives.
2019	Smart WalkingStick	Saurav	Provide a tool
	for Blind	Mohapatra, Subham	whichwill help
	integrated	Rout	blind peopleto navigate aswell
	with SOS	Rout	assense the
	Navigation		obstacles.a
	System		working model
	5,555111		whichis Walking
			Stick.
2020	An IoT	Md.Adil	The spoken
	basedVoice	,TaiyabaSha	warningmessage
	Controlled	daka Rafa	starts whenan
	Blind Stick		obstacle is
	toGuide		detected.
	Blind		
	People		



[e-ISSN: 2319-8753, p-ISSN: 2347-6710] www.ijirset.com | Impact Factor: 8.423 | A Monthly Peer Reviewed & Referred Journal |

|| Volume 12, Issue 4, April 2023 ||

| DOI:10.15680/IJIRSET.2023.1204174 |

2020	Blind	P.	Rama	Enables blind
	Assistance	Devi	,	victimsto
	System	K.Saha	aja , M.	distinguish
	usingImage	P.	Tony	betweendifferent
	Processing	Harsh	a	types of things in
				real time while
				receiving verbal feedback anddistance.

0000			
2022	Multi-	Vanitha	In an
	FunctionalBli	Kunta,	emergency,
	ndStick for	Charitha	Stick can let
	Visually	TunikI	the user's
	Impaire		carers
	dPeople		knowwhere
			theyare.
2022	Smartphon	Aura	Use an Android
	e based	Ganz	smartphone
	Indoor	, Iamaa	with
	Navigation	James M	theaccessibility
	System for	.Schafer	- featured
	theBlind	.scilatei	PERCEPT-II
			application.

III. METHODOLOGY



Fig:1 - Project System Design

Our project initially includes a stick and the sensors that are attached to it which a blind person carries inside thehouse with him when he needs to move. The proposed system consists of Ultrasonic sensors which useultrasonic waves to find obstacles along with fire sensors which detect fire. While identifying obstacles like steps, fire, walls etc. The data from the sensor is sent to the Arduino UNO. After analysing the information, the Arduino UNO determines if the barriers are close enough.

Nothing will happen if the barriers are not close to the circuit. If the obstruction is within 1 metre, the ArduinoUNO delivers a voice alert. If the user is in danger, the system contains a buzzer that is connected to GSM, and when it



[e-ISSN: 2319-8753, p-ISSN: 2347-6710] www.ijirset.com | Impact Factor: 8.423 | A Monthly Peer Reviewed & Referred Journal |

|| Volume 12, Issue 4, April 2023 ||

| DOI:10.15680/IJIRSET.2023.1204174 |

comes into touch with the buzzer, it sends signals to the guardians device notifying them of the blind person's position as well as the fact that the blind person is experiencing some difficulty. With our proposed system the user can moveeasily around as the system is light weighted.

BLOCK DIAGRAM:




Fig:2 - The proposed smart stick for blindsystem's operational flow diagram.

TOOLS USED:

Arduino uno: Obstacle detection is one of the main concerns for a blind person, according to Arduino Uno. Here is a smart blind stick made with an Arduino Uno and ultrasonic sensors. This project's main objective is to help blind people walk more easily and to warn themwhen their path is blocked by other people or objects.

Modul SIM8001: The SIM800l GSM module may be used along with Arduino as a recipient or sender of information that will be accessed by a smartphone. Despite having 16 pins, the SIM800l module's components may work adequately without causing deterioration of the other components. If the indicator lights flash quickly, the SIM800l has not yet received a GSM signal; however, if the lights flashes, the SIM800l has obtained a GSM information and its start to operate.

IR sensor: Is a light-emitting electrical gadget used to identify surrounding objects. A motion detector and an infrared sensor both sense an object's heat. Almost all items release some form of heat radiation in infrared spectrum. These forms of radiation are invisible to our sight, but an infrared sensor can detect them.

HC-SR04 sensor: Cheap and easy to use distance measuring sensor, 2 cm to 400 cm broad. The sensor

International Journal of Innovative Research in Science, Engineering and Technology (IJIRSET)



|e-ISSN: 2319-8753, p-ISSN: 2347-6710| www.ijirset.com | Impact Factor: 8.423| A Monthly Peer Reviewed & Referred Journal |

|| Volume 12, Issue 4, April 2023 ||

| DOI:10.15680/IJIRSET.2023.1204174 |

contains two ultrasonic transducers. The first is an ultrasonic sound pulse transmitter, while the secondis an ultrasonic sound pulse receiver that looks forreflected waves.

Tilt sensor: Inclinometers, commonly referred to as tilt sensors, are tools used in a number of gravity-based applications to measure the slope, angle, or tilt of objects. Our inclinometer sensors come in a variety of configurations and packages to satisfy a range of customer measurement range, signal, and environmental conditions requirements.

IV. CONCLUSION

For object detection, the system makes use of reliable and effective ultrasonic sensors. At a distance of 1 m, the system can detect objects. The voltage used on this smart stick, which is powered by Arduino 5v voltage, must be monitored by SIM800l modules. less than the required voltage, the SIM800l will not be able to capture GSM signals. After pressing the emergency button, a message will be sent to the guardian in around 6 to 10 seconds notifying them of the blind person's whereabouts.

REFERENCES

- [1] Shashank chaurasia and K.V.N Kavitha. "An Electronic walking stick for blind" ICICES 2014 IEEE.
- [2] Md.Adil, TaiyabaShadaka Rafa, Abhijit Pathak."An IoT based Voice Controlled Blind Stick to Guide Blind People"International Journal of Engineering Inventions e-ISSN: 2278-7461, p- ISSN: 2319-6491 Volume 9, Issue 1 [Jan. 2020] PP: 09-14.
- [3] Shripad S. Bhatlawande, Jayant Mukhopadhyay and Manjunatha Mahadevappa."ULTRASONIC Spectacles and Waist-belt for Visually Impaired and Blind Person".
- [4] Saurav Mohapatra, Subham Rout, Varun Tripathi, Tanish Saxena, Yepuganti Karuna. "Smart Walking Stick for Blind integrated with SOS Navigation System" Proceedings of the 2nd International Conference on Trends in Electronics and Informatics (ICOEI 2018) IEEE Conference Record: # 42666; IEEE Xplore ISBN:978-1-5386-3570-4
- [5] Aura Ganz, Fellow, IEEE, James M. Schafer, Carole Wilson, and MegRobertson. "Smartphone based Indoor Navigation System for the Blind" 06 November 2014.
- [6] Sakmongkon Chumkamon, Peranitti Tuvaphanthaphiphat, Phongsak Keeratiwintakorn A Blind Navigation System Using RFID for Indoor Environments"by Phongsak Keeratiwintakorn on 20 May 2014.
- [7] Vanitha Kunta, Charitha Tuniki, U.Sairam. "Multi-Functional Blind Stick for Visually Impaired People" Proceedings of the Fifth International Conference on Communication and Electronics Systems (ICCES 2020) IEEE Conference Record # 48766; IEEE Xplore ISBN: 978-1-7281-5371-1.
- [8] P.Rama Devi, K.Sahaja, S.Santrupth, M.P.Tony Harsha, K.Balasubramanyam Reddy "Blind Assistance System using Image Processing "Global journal of computer science and technology (D) vol XXII issue II version I.





Impact Factor: 8.423







INTERNATIONAL JOURNAL OF INNOVATIVE RESEARCH

IN SCIENCE | ENGINEERING | TECHNOLOGY







📵 9940 572 462 🔯 6381 907 438 🔀 ijirset@gmail.com

