



e-ISSN: 2319-8753 | p-ISSN: 2347-6710

# IJRSET

International Journal of Innovative Research in  
**SCIENCE | ENGINEERING | TECHNOLOGY**

# INTERNATIONAL JOURNAL OF INNOVATIVE RESEARCH

IN SCIENCE | ENGINEERING | TECHNOLOGY

Volume 12, Issue 4, April 2023

**ISSN** INTERNATIONAL  
STANDARD  
SERIAL  
NUMBER  
INDIA

Impact Factor: 8.423

9940 572 462

6381 907 438

[ijirset@gmail.com](mailto:ijirset@gmail.com)

[www.ijirset.com](http://www.ijirset.com)

# Comprehending the Advantages and Disadvantages of Self-Driving Autonomous Vehicles and the Rising Demand for Chip Providers

Keerthi Kumar<sup>1</sup>, Raja Reddy<sup>2</sup>

M Tech Student, Department of Electrical Engineering, PES Engineering College, Bangalore, Karnataka, India<sup>1</sup>

Retd. Professor, Department of Electrical Engineering, PES Engineering College, Bangalore, Karnataka, India<sup>2</sup>

**ABSTRACT:**Self-driving autonomous vehicles are becoming increasingly popular, as they offer numerous benefits such as increased safety, improved fuel efficiency, reduced traffic congestion, and greater convenience. However, there are also several drawbacks associated with the technology, including concerns about cybersecurity, legal liabilities, and potential job losses. The growing demand for autonomous vehicles has led to a surge in the need for advanced computer chips, which are essential for powering the complex algorithms and sensors required for autonomous driving. This has created new opportunities for chip providers, but it has also led to a significant increase in competition, as many companies are now entering the market. In this context, it is crucial to understand both the pros and cons of self-driving autonomous vehicles and their impact on chip providers. By analyzing the advantages and disadvantages of this technology, we can gain a better understanding of the challenges and opportunities it presents, and we can develop strategies to address them. Overall, self-driving autonomous vehicles have the potential to revolutionize transportation and bring significant benefits to society. However, it is essential to address the challenges associated with this technology, such as ensuring cybersecurity and addressing legal and ethical issues, to ensure that its full potential is realized. In addition, chip providers need to keep up with the increasing demand for advanced computer chips, while also ensuring that they maintain high levels of quality and reliability.

**KEYWORDS:**Microcontrollers, Smart Chips, Self-Driving Technology, Autonomous Cars, Cost Effectiveness.

## I. INTRODUCTION

The advent of self-driving autonomous vehicles has been a game-changer in the world of transportation. These vehicles, which are equipped with advanced sensors, algorithms, and computer chips, can operate without human input, navigating roads and making decisions based on real-time data. With their potential to increase safety, reduce traffic congestion, and improve fuel efficiency, self-driving cars have become a hot topic in the automotive industry [1-4].

However, there are also concerns about the technology, including issues related to cybersecurity, legal liabilities, and job displacement. In addition, the increased demand for autonomous vehicles has led to a significant surge in the need for computer chips, which are essential for powering the complex algorithms and sensors required for autonomous driving. This has created new opportunities for chip providers but also poses significant challenges, such as increased competition and the need to maintain high levels of quality and reliability [5].

One of the most significant advantages of self-driving autonomous vehicles is their potential to increase safety on the roads. According to the National Highway Traffic Safety Administration (NHTSA), 94% of all traffic accidents are caused by human error. By removing human error from the equation, self-driving cars can potentially reduce the number of accidents on the road. Additionally, autonomous vehicles can improve traffic flow by communicating with other vehicles and road infrastructure, reducing congestion and travel times [6-10].

Another advantage of self-driving autonomous vehicles is their potential to improve fuel efficiency. Autonomous cars can optimize their driving patterns, reducing the amount of fuel they consume and thus, reducing their carbon



footprint. Additionally, self-driving cars can avoid aggressive driving and speeding, which can further reduce fuel consumption and emissions.

Despite these benefits, there are also concerns about the technology. One of the most significant challenges facing autonomous vehicles is cybersecurity. As these vehicles rely heavily on software and computer chips, they are vulnerable to cyber-attacks, which could result in serious consequences, such as accidents or theft. Additionally, there are legal and ethical issues surrounding self-driving cars, such as determining who is responsible in the event of an accident and ensuring that autonomous vehicles comply with existing traffic laws [11-16].

Moreover, the increasing demand for self-driving autonomous vehicles has led to a significant surge in the need for computer chips. These chips are essential for powering the complex algorithms and sensors required for autonomous driving. As a result, chip providers are facing new challenges, such as increased competition and the need to maintain high levels of quality and reliability. Additionally, the demand for chips is not limited to the automotive industry, as other sectors, such as artificial intelligence and data centers, are also competing for the same resources. The self-driving autonomous vehicles have the potential to revolutionize transportation and bring significant benefits to society. However, it is crucial to address the challenges associated with this technology, such as ensuring cybersecurity and addressing legal and ethical issues, to ensure that its full potential is realized. In addition, chip providers need to keep up with the increasing demand for advanced computer chips while also ensuring that they maintain high levels of quality and reliability. Overall, understanding both the advantages and disadvantages of self-driving autonomous vehicles is crucial in developing strategies to address these challenges and opportunities [17-20].

## **II. UNDERSTANDING NEED OF MICROCONTROLLERS IN SELF-DRIVING TECHNOLOGY**

Self-driving technology relies heavily on microcontrollers, which are small computer chips that are responsible for controlling the various systems and sensors in autonomous vehicles. These microcontrollers are essential for powering the complex algorithms and sensors required for autonomous driving, allowing vehicles to navigate roads and make decisions based on real-time data.

One of the most critical functions of microcontrollers in self-driving technology is sensor processing. Autonomous vehicles use a variety of sensors, such as cameras, lidar, and radar, to gather information about their surroundings. Microcontrollers are responsible for processing this sensor data and turning it into actionable information that the vehicle can use to make decisions. This is a complex task that requires advanced algorithms and powerful processing capabilities, which are provided by microcontrollers [21].

In addition to sensor processing, microcontrollers are also responsible for controlling various vehicle systems, such as steering, braking, and acceleration. These systems must work together seamlessly to ensure the safe operation of the vehicle. Microcontrollers are used to coordinate these systems and ensure that they operate in a coordinated and efficient manner [22-26].

Another important function of microcontrollers in self-driving technology is communication. Autonomous vehicles must be able to communicate with other vehicles and infrastructure, such as traffic lights and road signs. Microcontrollers are used to coordinate these communications, allowing the vehicle to navigate roads and intersections safely [27].

Finally, microcontrollers are critical for ensuring the safety and security of autonomous vehicles. As these vehicles rely heavily on software and computer chips, they are vulnerable to cyber-attacks, which could result in serious consequences, such as accidents or theft. Microcontrollers are used to implement security features and protocols to protect against these threats, ensuring the safety and security of both the vehicle and its passengers. Microcontrollers are essential for the operation of self-driving autonomous vehicles. These small computer chips play a critical role in processing sensor data, controlling vehicle systems, coordinating communications, and ensuring safety and security. As the demand for self-driving technology continues to grow, the need for advanced and reliable microcontrollers will only continue to increase. By investing in research and development and working closely with car manufacturers and tech companies, chip makers can play a crucial role in the development of self-driving technology, helping to bring this technology to the mainstream and revolutionizing the way we think about transportation. Figure 1 below illustrates Autonomous Vehicle Equipped with various sensor units [28-30].

### Autonomous vehicle components




FIGURE 1. AUTONOMOUS VEHICLE SENSOR UNITS

### III. DEMAND FOR CHIP MAKERS

The rise of self-driving autonomous vehicles has resulted in a significant increase in demand for computer chips, which are essential for powering the complex algorithms and sensors required for autonomous driving. As more car manufacturers and tech companies invest in this technology, the demand for high-quality and reliable computer chips has skyrocketed.

- Chip makers are facing new challenges as they try to keep up with the increasing demand for advanced computer chips. One of the most significant challenges is maintaining high levels of quality and reliability, as any defects or errors in the chips could result in serious consequences, such as accidents or system failures. This has led to increased pressure on chip makers to improve their manufacturing processes and quality control measures.
- Another challenge facing chip makers is increased competition. As the demand for computer chips has risen, many new players have entered the market, including companies that were previously not involved in the automotive industry. This has led to a crowded market, with many different players vying for the same resources and customers.

To address these challenges, chip makers are investing heavily in research and development, working to create new and more advanced computer chips that are specifically designed for autonomous vehicles. Additionally, they are collaborating with car manufacturers and tech companies to ensure that their chips are integrated seamlessly into autonomous vehicle systems.

The increasing demand for computer chips is not limited to the automotive industry, as other sectors, such as artificial intelligence and data centers, are also competing for the same resources. As a result, chip makers need to be strategic in their approach, balancing the needs of different industries and customers. The increased demand for self-driving autonomous vehicles has created new opportunities and challenges for chip makers. As the market continues to grow, chip makers will need to focus on maintaining high levels of quality and reliability while also adapting to changing market dynamics and competing for resources. By addressing these challenges, chip makers can play a critical role in the development of self-driving autonomous vehicles, helping to bring this technology to the mainstream and revolutionizing the way we think about transportation.

The development and implementation of self-driving technology have resulted in a significant increase in costs for automakers. As self-driving technology is still relatively new, the development of the required hardware, software, and algorithms is complex and requires a significant investment in research and development.

One of the most significant costs associated with self-driving technology is the cost of sensors. Self-driving vehicles require a variety of sensors, such as cameras, lidar, and radar, to gather data about their surroundings. These sensors are expensive, and the cost can quickly add up, especially for companies producing a large number of vehicles.



Another major cost associated with self-driving technology is the development of the necessary software and algorithms. These complex programs are responsible for interpreting sensor data, making decisions based on that data, and controlling the various systems in the vehicle. Developing this software and testing it to ensure its safety and reliability is a time-consuming and costly process.

In addition to the development costs, there are also ongoing costs associated with self-driving technology. These include maintenance and repair costs for the various systems and sensors in the vehicle, as well as the cost of hiring and training skilled technicians to work on these systems.

Furthermore, automakers must also invest in infrastructure and logistics to support the development and deployment of self-driving vehicles. This includes building testing facilities, developing communication networks to support vehicle-to-vehicle and vehicle-to-infrastructure communication, and establishing partnerships with other companies to provide the necessary services and support.

Overall, the cost of developing and implementing self-driving technology is significant and represents a major investment for automakers. However, many companies see the potential benefits of this technology, such as improved safety, increased efficiency, and reduced operating costs, as well as the potential to gain a competitive advantage in the market. As such, automakers continue to invest in the development of self-driving technology, despite the significant costs involved.

#### **IV. ENVIRONMENTAL IMPACT DUE TO RISING CHIP USAGE**

The increasing demand for chip usage in various industries has a significant impact on the environment, with several factors influencing the environmental impact of this technology. Some of the key factors include:

- a. **Energy consumption:** The production and use of microchips require a significant amount of energy, primarily from non-renewable sources such as coal and natural gas. The energy consumption associated with chip production and usage contributes to greenhouse gas emissions and global warming.
- b. **E-waste generation:** The rapid advancement in technology and the increasing demand for electronic devices have led to a massive generation of electronic waste (e-waste). The disposal of e-waste has become a significant environmental concern due to the high levels of toxic materials present in electronic devices.
- c. **Raw material extraction:** The production of microchips requires the extraction of raw materials such as silicon, copper, and gold. The extraction of these materials often involves the destruction of natural habitats and the use of harmful chemicals that can contaminate water sources.
- d. **Water consumption:** The production of microchips requires a significant amount of water, primarily for cooling and cleaning purposes. The use of water in chip production can lead to water scarcity in areas with limited water resources.
- e. **Transport emissions:** The transportation of raw materials, chips, and electronic devices involves the use of vehicles that emit greenhouse gases and contribute to air pollution.
- f. **End-of-life disposal:** The disposal of electronic devices, including those containing microchips, can have a significant impact on the environment. Improper disposal of these devices can lead to environmental contamination, including soil and water pollution. The increasing demand for chip usage has a significant impact on the environment, with various factors influencing the environmental impact of this technology. To mitigate the environmental impact of chip usage, there is a need for sustainable practices in chip production, use, and disposal. This includes the use of renewable energy sources, the development of circular economy practices, and the adoption of responsible disposal practices. By taking these steps, we can ensure that the benefits of chip technology are not outweighed by its negative impact on the environment.

#### **User Acceptances to Changes**

User acceptance to changes is an essential factor in the successful adoption of new technologies, processes, or practices. Acceptance refers to the willingness of individuals or groups to use and embrace the change. Several factors can influence user acceptance, including:

- a. **Perceived usefulness:** Users are more likely to accept changes if they perceive the new technology or process as useful and beneficial. It is important to communicate the benefits and potential advantages of the change to users.
- b. **Perceived ease of use:** Users are more likely to accept changes if they perceive the new technology or process as easy to use and understand. User training and support can help alleviate concerns about complexity.



- c. User involvement: Users who are involved in the development and implementation of changes are more likely to accept and embrace them. Involving users in the decision-making process and seeking feedback can help to ensure that the change meets their needs.
- d. Communication: Effective communication is critical to gaining user acceptance. Clear and concise communication of the change, its benefits, and the expected impact can help to reduce resistance and increase acceptance.
- e. Trust: Users are more likely to accept changes if they trust the organization or individual promoting the change. Trust can be built through transparency, honesty, and the demonstration of the organization's commitment to user needs.
- f. Culture: The organizational culture can have a significant impact on user acceptance. A culture that values innovation, continuous improvement, and openness to change is more likely to facilitate acceptance of new technologies and processes.

## V. CONCLUSION

In conclusion, the discussion on the understanding of self-driving technology and its relationship with chip makers, microcontrollers, costs, and environmental impact, as well as user acceptance, highlights the complex and interconnected nature of technology adoption. Self-driving technology has the potential to revolutionize transportation, but its success depends on various factors, including the availability of microcontrollers, the associated costs, and the impact on the environment. User acceptance is also critical to the successful adoption of new technology.

The increasing demand for chip usage has a significant impact on the environment, with various factors influencing the environmental impact of this technology. To mitigate the environmental impact of chip usage, there is a need for sustainable practices in chip production, use, and disposal. User acceptance is also essential for the successful adoption of new technologies, processes, or practices. Organizations should focus on communicating the benefits of the change, providing user training and support, involving users in the decision-making process, building trust, and fostering a culture that values innovation and continuous improvement.

Future research can focus on the development of sustainable chip production processes and practices that minimize the impact on the environment. Additionally, research can focus on improving the design of microcontrollers to reduce costs and improve performance. User acceptance can also be an area of future research, with a focus on understanding the factors that influence acceptance and developing strategies to increase user buy-in. Furthermore, research can explore the impact of self-driving technology on transportation infrastructure, public safety, and mobility equity, and ways to address these issues.

In conclusion, the integration of self-driving technology with chip makers, microcontrollers, costs, and the environment requires a multidisciplinary approach, with the consideration of technical, economic, environmental, and social factors. By taking a holistic approach, we can ensure that the benefits of self-driving technology are realized, and its negative impacts are minimized.

## REFERENCES

- [1] Cerf, V. G. (2018). A comprehensive self-driving car test. *Communications of the ACM*, 61(2), 7-7.
- [2] Buyval, A., Gabdullin, A., Mustafin, R., & Shimchik, I. (2018, May). Realtime vehicle and pedestrian tracking for didiudacity self-driving car challenge. In 2018 IEEE international conference on robotics and automation (ICRA) (pp. 2064-2069). IEEE.
- [3] Shreyas, V., Bharadwaj, S. N., Srinidhi, S., Ankith, K. U., & Rajendra, A. B. (2020). Self-driving cars: An overview of various autonomous driving systems. *Advances in Data and Information Sciences: Proceedings of ICDIS 2019*, 361-371.
- [4] Woodward, B., & Kliestik, T. (2021). Intelligent transportation applications, autonomous vehicle perception sensor data, and decision-making self-driving car control algorithms in smart sustainable urban mobility systems. *Contemporary Readings in Law and Social Justice*, 13(2), 51-64.
- [5] Kosuru, V. S. R., Venkitaraman, A. K., Chaudhari, V. D., Garg, N., Rao, A., & Deepak, A. (2022, December). Automatic Identification of Vehicles in Traffic using Smart Cameras. In 2022 5th International Conference on Contemporary Computing and Informatics (IC3I) (pp. 1009-1014). IEEE.
- [6] Zhang, Y., Wang, J., Wang, X., & Dolan, J. M. (2018). Road-segmentation-based curb detection method for self-driving via a 3D-LiDAR sensor. *IEEE transactions on intelligent transportation systems*, 19(12), 3981-3991.



- [7] Wu, S., Hadachi, A., Vivet, D., & Prabhakar, Y. (2021). This is the way: Sensors auto-calibration approach based on deep learning for self-driving cars. *IEEE Sensors Journal*, 21(24), 27779-27788.
- [8] A. K. Venkitaraman and V. S. R. Kosuru, "Electric Vehicle Charging Network Optimization using Multi-Variable Linear Programming and Bayesian Principles," 2022 Third International Conference on Smart Technologies in Computing, Electrical and Electronics (ICSTCEE), Bengaluru, India, 2022, pp. 1-5, doi: 10.1109/ICSTCEE56972.2022.10099649.
- [9] Lin, M., Yoon, J., & Kim, B. (2020). Self-driving car location estimation based on a particle-aided unscented Kalman filter. *Sensors*, 20(9), 2544.
- [10] Lutin, J. M., Kornhauser, A. L., & MASCE, E. L. L. (2013). The revolutionary development of self-driving vehicles and implications for the transportation engineering profession. Institute of Transportation Engineers. *ITE Journal*, 83(7), 28.
- [11] V. S. R. Kosuru and A. K. Venkitaraman, "Preventing the False Negatives of Vehicle Object Detection in Autonomous Driving Control Using Clear Object Filter Technique," 2022 Third International Conference on Smart Technologies in Computing, Electrical and Electronics (ICSTCEE), Bengaluru, India, 2022, pp. 1-6, doi: 10.1109/ICSTCEE56972.2022.10100170.
- [12] Paravarzar, S., & Mohammad, B. (2020). Motion prediction on self-driving cars: A review. arXiv preprint arXiv:2011.03635.
- [13] Kosuru, V. S. R., & Kavasseri Venkitaraman, A. (2023). A Smart Battery Management System for Electric Vehicles Using Deep Learning-Based Sensor Fault Detection. *World Electric Vehicle Journal*, 14(4), 101.
- [14] Yoganandhan, A., Subhash, S. D., Jothi, J. H., & Mohanavel, V. (2020). Fundamentals and development of self-driving cars. *Materials today: proceedings*, 33, 3303-3310.
- [15] Chopra, R., & Roy, S. S. (2020). End-to-end reinforcement learning for self-driving car. In *Advanced Computing and Intelligent Engineering: Proceedings of ICACIE 2018, Volume 1* (pp. 53-61). Springer Singapore.
- [16] Venkitaraman, A. K., & Kosuru, V. S. R. (2023). Resilience of Autosar-Complaint Spi Driver Communication as Applied to Automotive Embedded Systems. *European Journal of Electrical Engineering and Computer Science*, 7(2), 44-47.
- [17] Reke, M., Peter, D., Schulte-Tigges, J., Schiffer, S., Ferrein, A., Walter, T., & Matheis, D. (2020, January). A self-driving car architecture in ROS2. In *2020 International SAUPEC/RobMech/PRASA Conference* (pp. 1-6). IEEE.
- [18] Kosuru, V. S. R., & Venkitaraman, A. K. CONCEPTUAL DESIGN PHASE OF FMEA PROCESS FOR AUTOMOTIVE ELECTRONIC CONTROL UNITS.
- [19] Lee, U., Jung, J., Shin, S., Jeong, Y., Park, K., Shim, D. H., & Kweon, I. S. (2016, October). EureCar turbo: A self-driving car that can handle adverse weather conditions. In *2016 IEEE/RSJ International Conference on Intelligent Robots and Systems (IROS)* (pp. 2301-2306). IEEE.
- [20] Bloom, C., Tan, J., Ramjohn, J., & Bauer, L. (2017, July). Self-driving cars and data collection: Privacy perceptions of networked autonomous vehicles. In *Symposium on Usable Privacy and Security (SOUPS)*.
- [21] Kosuru, V. S. R., & Venkitaraman, A. K. (2022). Evaluation of Safety Cases in The Domain of Automotive Engineering. *International Journal of Innovative Science and Research Technology*, 7(9), 493-497.
- [22] Rathore, A. (2016). State-of-the-art self driving cars. *International Journal of Conceptions on Computing and Information Technology*, 4(1), 1-5.
- [23] Venkitaraman, A. K., & Kosuru, V. S. R. (2022). A review on autonomous electric vehicle communication networks-progress, methods and challenges.
- [24] Estl, H. (2015). Paving the way to self-driving cars with advanced driver assistance systems. *Worldwide Systems Marketing for Advanced Driver Assistance Systems (ADAS)*, Texas Instruments.
- [25] Rahul, V. S. (2022). Kosuru; Venkitaraman, AK Integrated framework to identify fault in human-machine interaction systems. *Int. Res. J. Mod. Eng. Technol. Sci*, 4, 1685-1692.
- [26] Alshamrani, S. S., Alkhudadi, B. A., & Almtrafi, S. M. (2022). Cyberattacks on Self-Driving Cars and Surgical and Eldercare Robots. *Security and Communication Networks*, 2022.
- [27] Kosuru, V. S. R., & Venkitaraman, A. K. (2022). Developing a Deep Q-Learning and Neural Network Framework for Trajectory Planning. *European Journal of Engineering and Technology Research*, 7(6), 148-157.
- [28] Szikora, P., & Madarász, N. (2017, November). Self-driving cars—The human side. In *2017 IEEE 14th international scientific conference on informatics* (pp. 383-387). IEEE.
- [29] Venkitaraman, A. K., & Kosuru, V. S. R. (2023). Hybrid deep learning mechanism for charging control and management of Electric Vehicles. *European Journal of Electrical Engineering and Computer Science*, 7(1), 38-46.
- [30] Alheeti, K. M. A., & McDonald-Maier, K. (2016, October). An intelligent intrusion detection scheme for self-driving vehicles based on magnetometer sensors. In *2016 International Conference for Students on Applied Engineering (ICSAE)* (pp. 75-78). IEEE.



**INNO SPACE**  
SJIF Scientific Journal Impact Factor  
**Impact Factor: 8.423**



**ISSN** INTERNATIONAL  
STANDARD  
SERIAL  
NUMBER  
INDIA



# INTERNATIONAL JOURNAL OF INNOVATIVE RESEARCH

IN SCIENCE | ENGINEERING | TECHNOLOGY

9940 572 462 6381 907 438 [ijirset@gmail.com](mailto:ijirset@gmail.com)



[www.ijirset.com](http://www.ijirset.com)

Scan to save the contact details