



e-ISSN: 2319-8753 | p-ISSN: 2347-6710

# IJRSET

International Journal of Innovative Research in  
**SCIENCE | ENGINEERING | TECHNOLOGY**

# INTERNATIONAL JOURNAL OF INNOVATIVE RESEARCH

IN SCIENCE | ENGINEERING | TECHNOLOGY

Volume 12, Issue 4, April 2023

**ISSN** INTERNATIONAL  
STANDARD  
SERIAL  
NUMBER  
INDIA

Impact Factor: 8.423

9940 572 462

6381 907 438

[ijirset@gmail.com](mailto:ijirset@gmail.com)

[www.ijirset.com](http://www.ijirset.com)



# Traffic Sign Board Recognition using CNN

Harshad Kadam, Sanskar Sonawane, Vishal More, Sahil Nangare, Prof. P.G.Waware

Department of Computer Engineering, Sinhgad College of Engineering, Pune, India

Department of Computer Engineering, Sinhgad College of Engineering, Pune, India

Department of Computer Engineering, Sinhgad College of Engineering, Pune, India

Department of Computer Engineering, Sinhgad College of Engineering, Pune, India

Associate Professor, Department of Computer Engineering, Sinhgad College of Engineering, Pune, India

**ABSTRACT:** As a computer vision task, traffic sign detection entails locating and detecting traffic signs in images or video streams. In applications involving autonomous driving and advanced driver assistance systems (ADAS), it is crucial. The objective of traffic sign detection is to tell the driver or the autonomous system in a timely and accurate manner about the traffic signs that are present in the environment.

Image preprocessing, feature extraction, and classification are a few of the processes in the process of traffic sign detection. The image is altered and filtered during the preparation stage to enhance the pertinent information. Finding important aspects of the traffic sign, such as its color, shape, and texture, is known as feature extraction. Finally, a classification algorithm that determines the kind of traffic sign present in the image is fed the collected features.

For the purpose of detecting traffic signs, a number of methods have been put forth, such as template matching, Haar cascades, and deep learning-based methods. Convolutional neural networks (CNNs), in particular, have demonstrated state-of-the-art performance in traffic sign detection using deep learning techniques.

Applications of traffic sign detection include autonomous driving systems that depend on precise traffic sign detection to maneuver safely and effectively as well as ADAS systems that warn or notify the driver when a traffic sign is spotted.

**KEYWORDS :** Machine Learning , CNN , Pre-processing , Feature Extraction ,Traffic Sign ,SQL ,Tkinter

## I. INTRODUCTION

As a computer vision task, traffic sign detection entails locating and detecting traffic signs in images or video streams. As precise and prompt detection of traffic signs is necessary for safe and effective road navigation, it is a crucial part of advanced driver assistance systems (ADAS) and autonomous driving applications.

When it comes to cautions, directions, and other key information about the road ahead, traffic signs are an essential source of information for drivers. However, they are often overlooked, especially in challenging traffic situations or when the driver is preoccupied. ADAS and autonomous driving systems can offer an extra layer of convenience and safety by automating the process of traffic sign detection, ensuring that drivers and cars are always aware of crucial road information.

Due to various circumstances, such as changes in lighting, the environment, and object occlusions, traffic sign identification is a difficult computer vision problem. Furthermore, traffic signs might differ in size, color, and shape, making it challenging to recognize them using conventional computer vision algorithms.

To address these issues, academics have created a variety of traffic sign detection strategies, such as template matching, Haar cascades, and deep learning-based techniques. To reliably identify and categorize traffic signs in real-time, these techniques make use of a combination of image processing, feature extraction, and machine learning algorithms.

### 1.1 CNN

A common neural network design for computer vision tasks like image identification and classification is the CNN. It operates by first extracting features from the input image using convolutional layers, then pooling layers are used to lower the dimensionality of the feature maps. The final categorization is carried out by completely connected layers using the generated feature maps.



CNNs have become popular in recent years due to their ability to achieve state-of-the-art performance on various image recognition benchmarks. They are also being used in other areas such as natural language processing and speech recognition.


### 1.2 Image Processing

The alteration and analysis of digital images using a range of methods and algorithms is referred to as image processing. It entails transforming an input image into a digital format, manipulating it digitally, and creating an output image that symbolizes the outcome of those manipulations.

Typical image processing jobs comprise:

- Image enhancement is the process of enhancing an image's aesthetic appeal by changing its brightness, contrast, colour harmony, and sharpness.
- Image restoration involves restoring images that have been blurred, distorted, or destroyed by compression artefacts.
- Picture segmentation is the process of dividing a picture into areas or items according to those objects' features, such as colour, texture, or shape.
- Identifying and detecting particular items or features inside an image is known as object recognition.
- Image compression is the process of shrinking an image while keeping visual quality in order to facilitate effective transmission and storage.
- Numerous industries, including medical, remote sensing, surveillance, and entertainment, use image processing.

### III.SYSTEM ARCHITECTURE





#### IV. IMPLEMENTATION

Convolutional Neural Networks (CNNs) are widely used to implement traffic sign identification because of their high accuracy and effectiveness in picture classification applications. The general stages to apply this strategy are as follows:

1. **Data Collection:** Compile a sizable database of labels for various traffic signs. Various publicly accessible datasets are available.
2. **Data preprocessing:** Priorities the dataset by normalizing the pixel values and scaling the photos to a predetermined size.
3. **Model Architecture:** Create a CNN architecture that is appropriate for classifying traffic signs as a model. The LeNet architecture, which has two convolutional layers, two max-pooling layers, and three fully linked layers, is a common architecture for this job.
4. **Model Training:** Utilize the preprocessed dataset to train the CNN model. Use a suitable loss function like categorical cross-entropy and a suitable optimizer like Adam.
5. **Model Evaluation:** Determine parameters like accuracy, precision, recall, and F1 score to assess how well the trained model performed on a test dataset.
6. **Traffic Sign Detection:** Utilize the trained model to identify traffic signs in fresh photos. By using a sliding window method to take patches from the image and input them to the model for classification, this can be accomplished. The location of the sliding window can then be used to localize the detected traffic signs.

#### V. CONCLUSION

The important technology of traffic sign detection has many uses beyond just increasing road safety. It can improve the entire driving experience by lowering the cognitive load on the driver and by facilitating better route planning, it can optimize traffic flow and lessen congestion.

Additionally, traffic management, pedestrian safety, and public transportation can all be supported by traffic sign detection being included into smart city infrastructure. It can also be applied to fleet management and vehicle tracking, giving useful insights into driving habits and patterns.

As traffic sign detecting technology develops, it is critical to take into account ethical and privacy issues, such as assuring the security of private information and preventing technology exploitation. Generally speaking, traffic sign recognition is a rapidly

#### REFERENCES

- [1] P. H. Kassani and A. B. J. Teoh, "A new sparse model for traffic sign classification using soft histogram of oriented gradients," *Soft Comput. J.*, vol. 52, pp. 231–246, 2017
- [2] "The German Traffic Sign Recognition Benchmark." (Apr. 15, 2020).
- [3] Jack Greenhalgh and Majid Mirmehdi "Real-Time Detection and Recognition of Road Traffic Signs," *TRANSACTIONS ON INTELLIGENT TRANSPORTATION SYSTEMS*, VOL. 13, DECEMBER 2012.
- [4] Jung-Guk Park, Kyung-Joong Kim "A METHOD FOR FEATURE EXTRACTION OF TRAFFIC SIGN DETECTION AND THE SYSTEM FOR REAL WORLD SCENE," 12-14 Jan. 2012.
- [5] Sungho Kim and Soon Kwon "Improvement of traffic sign recognition by accurate ROI refinement," Oct. 13-16, 2015 in BEXCO.



- [6] HurriyatulFitriyah, EditaRosanaWidasari, GembongEdhiSetyawan “TrafficSign Recognition using Edge Detection and Eigen-face,” 2017.
- [7] H. Fleyeh, E. Davami “Eigen-based traffic sign recognition,” (Volume: 5 Issue: 3 September 2011).
- [8] Ioan Cristian Schuszter “A Comparative Study of Machine Learning Methods for Traffic Sign Recognition College Name, Department of Computer Engineering 2022 41
- [9] David Soendoro, IpingSupriana “Traffic Sign Recognition with Color-based Method, Shape-arc Estimation and SVM”, 17-19 July 2011.
- [10] Rongqiang Qian, Bailing Zhang, Yong Yue and Frans Coenen “Robust Chinese Traffic Sign Detection and Recognition with Deep Convolutional Neural Network,” 2015.



**INNO SPACE**  
SJIF Scientific Journal Impact Factor  
**Impact Factor: 8.423**



**ISSN** INTERNATIONAL  
STANDARD  
SERIAL  
NUMBER  
INDIA



# INTERNATIONAL JOURNAL OF INNOVATIVE RESEARCH

IN SCIENCE | ENGINEERING | TECHNOLOGY

9940 572 462 6381 907 438 [ijirset@gmail.com](mailto:ijirset@gmail.com)



[www.ijirset.com](http://www.ijirset.com)

Scan to save the contact details