



e-ISSN: 2319-8753 | p-ISSN: 2347-6710

IJRSET

International Journal of Innovative Research in
SCIENCE | ENGINEERING | TECHNOLOGY

INTERNATIONAL JOURNAL OF INNOVATIVE RESEARCH

IN SCIENCE | ENGINEERING | TECHNOLOGY

Volume 12, Issue 4, April 2023

ISSN INTERNATIONAL
STANDARD
SERIAL
NUMBER
INDIA

Impact Factor: 8.423

 9940 572 462

 6381 907 438

 ijirset@gmail.com

 www.ijirset.com



Case Study on Earthquake Resistant Structures in Japan

Shubham¹, Saransh Sharma², Saurabh Jorwal³, Tushar Sharma⁴, Sneha Sanwal⁵,
Chandraveer Singh Shekhawat⁶, Javed Ul Islam⁷

B.Tech Student, Department of Civil Engineering, Jaipur Engineering College & Research Centre, Jaipur, India¹⁻⁶

Assistant Professor, Department of Civil Engineering, Jaipur Engineering College & Research Centre, Jaipur, India⁷

ABSTRACT: Japan is a country that is highly prone to earthquakes, and as such, has developed advanced techniques and technologies for earthquake-resistant design. These techniques include base isolation, dampers, steel frames, reinforced concrete, shear walls, cross-bracing, soft story elimination, tuned mass dampers, and emergency response planning. Additionally, Japan has strict building codes and regulations that require seismic testing and analysis before construction, as well as emergency response plans in the event of an earthquake. Through the implementation of these techniques and regulations, Japan has been able to significantly reduce the damage and loss of life caused by earthquakes. In this research paper, we will discuss these technologies and seismic design that makes Japanese structures earthquake resistant.

KEYWORDS: High Rise Buildings, Advanced Techniques, Earthquake, Building code, Seismic Design, Structure failure.

I. INTRODUCTION

Japan is a country located in the Pacific Ring of Fire, a region that is known for its intense seismic activity due to the collision and interaction of tectonic plates. As a result, Japan is one of the most earthquake prone countries in the world, with earthquakes occurring on a daily basis. These earthquakes can range in magnitude from small tremors to devastating events that cause widespread destruction and loss of life.

Japan has a long history of earthquakes, with some of the most significant seismic events in recorded history occurring in the country. One of the deadliest earthquakes in Japanese history was the Great Kanto Earthquake, which struck on September 1, 1923, with a magnitude of 7.9. The earthquake triggered fires that burned for three days, destroying large portions of Tokyo and Yokohama and killing more than 100,000 people. Another notable earthquake in Japan was the Great Hanshin Earthquake, which occurred on January 17, 1995, with a magnitude of 6.9. The earthquake struck near the city of Kobe and caused widespread destruction, killing more than 6,000 people and leaving over 300,000 homeless.

The most devastating earthquake in recent Japanese history occurred on March 11, 2011, with a magnitude of 9.0. The earthquake, known as the Tohoku Earthquake, struck off the coast of northeastern Japan and triggered a massive tsunami that caused widespread destruction and loss of life. The tsunami reached heights of up to 40 meters (130 feet) in some areas, and the total number of casualties exceeded 15,000 people. The tsunami also caused a nuclear accident at the Fukushima Daiichi Nuclear Power Plant, which released radioactive material into the surrounding area and forced the evacuation of thousands of people.

Despite these advanced measures, earthquakes still pose a significant risk to Japan. In addition to the risk of damage and loss of life, earthquakes can also cause disruption to transportation systems, power grids, and other critical infrastructure. As such, Japan remains vigilant in its efforts to prepare for and respond to seismic events. The country regularly conducts earthquake drills and simulations to test its response plans, and emergency services are trained and equipped to respond quickly to earthquake-related emergencies.

In conclusion, Japan is one of the most earthquake-prone countries in the world, with a long history of devastating seismic events. The country has developed advanced earthquake-resistant technologies and building codes, as well as an early warning system, to mitigate the effects of earthquakes and reduce the risk of damage and loss of life. Despite these measures, earthquakes remain a significant risk to Japan, and the country continues to prepare for and respond to seismic events with the utmost vigilance.



II. RELATED WORK

1."Performanceofreinforcedsoilwallsinthe2011TohokuEarthquake by Yoshihisa Miyata (2018)

This paper briefly reviews the reinforced soil walls in Japan and then summarizes the seismic performances of approximately 1600 walls in the 2011 Tohoku earthquake. It also reports some case histories for the reinforced soil walls that were subjected to the direct impact of the earthquake (shaking) and the tsunami. Although seismic motion was much higher than the design value for a wide area and the impact of the tsunami was not considered in the design, fewer than 1% of the walls were seriously damaged and more than 90% showed no damage. However, some damage was found at the backfill and facing panels where the soil was not properly covered and protected against erosion by the tsunami.

2."Seismic Retrofit of Reinforced Concrete Buildings in Japan" by Kohji Tokimatsu and Junichi Sakai (2014)

This paper provides an overview of the seismic hazard in Japan and the seismic design codes that govern retrofit design. The authors then discuss various retrofit techniques, including adding steel braces, increasing column size, and adding shear walls or external post-tensioning tendons. The paper also provides several case studies of seismic retrofit projects in Japan, highlighting the effectiveness of various retrofit techniques. Overall, the paper provides valuable information for engineers and researchers working on seismic retrofit projects in Japan or in other seismic-prone regions.

3. "Development and Application of Base Technology in Isolation Japan" by Hiroshi Takahashi (2013)

This research paper discusses the development and application of base isolation technology in Japan. The paper provides an overview of the seismic hazard in Japan and the need for earthquake-resistant structures. The author then discusses the development of base isolation technology, which involves separating the structure from the ground using flexible bearings, allowing the structure to move independently during an earthquake. The paper provides a detailed description of various types of base isolation systems, including lead rubber bearings, high-damping rubber bearings, and friction pendulum bearings. The author also discusses the design and testing of base isolation systems, as well as the performance of base isolated structures during past earthquakes. The paper includes several case studies of base isolated structures in Japan, including buildings, bridges, and cultural heritage sites. The author also discusses the economic benefits of base isolation technology, including reduced damage and downtime during earthquakes. Overall, the paper provides valuable information on the development and application of base isolation technology in Japan, which has been widely adopted and proven effective in mitigating earthquake damage.

III. NECESSITY FOR EARTHQUAKE- RESISTANT CONSTRUCTION IN JAPAN




Figure 1: Seismic Zone of Japan



3.1 SEISMIC DESIGN FOR HIGH RISE BUILDINGS IN JAPAN

Seismic design for high-rise buildings in Japan is a critical consideration given the country's high risk of seismic activity. As a result, the Japanese government has implemented some of the most advanced building codes and construction practices in the world to ensure that high-rise buildings can withstand the forces of earthquakes and protect the lives of their occupants. One of the key aspects of seismic design for high-rise buildings in Japan is the use of advanced building materials and construction techniques. Many high-rise buildings in Japan are constructed using reinforced concrete or steel frames, which provide additional strength and durability in the face of seismic activity. These materials can be particularly effective at resisting lateral forces, such as those generated by earthquakes. Another important factor in seismic design for high-rise buildings in Japan is the use of flexible joints and dampers that can absorb and dissipate seismic energy. These devices are designed to reduce the amount of force that is transferred to the building structure, thereby reducing the risk of damage and collapse. Base isolation systems, which separate the building from the ground using a series of flexible bearings, are another common technique used in seismic design for high-rise buildings in Japan. In addition to these structural design features, seismic design for high-rise buildings in Japan also involves careful consideration of the building's layout and foundation. For example, buildings may be designed to have a low center of gravity, which can help to reduce the risk of toppling during an earthquake. The foundation of the building may also be reinforced with additional support, such as piles or mat foundations, to improve its stability and resistance to seismic activity. The Japanese government has also implemented strict building codes and regulations for seismic design of high-rise buildings. These codes set standards for building materials, construction techniques, and safety features, and they are constantly updated and refined based on new research and technological advancements. For example, the latest building code for seismic design in Japan requires that high-rise buildings be able to withstand ground motions that are twice as strong as those required by previous codes.

Another important aspect of seismic design for high-rise buildings in Japan is the use of seismic technology and monitoring systems. For example, many high-rise buildings in Japan are equipped with seismic sensors that can detect ground motion and provide early warning of an earthquake. This allows occupants to evacuate the building and take protective measures before the earthquake strikes, reducing the risk of injury or loss of life. Seismic technology is also used in the design and construction of high-rise buildings in Japan. For example, computer simulations can be used to model the behaviour of buildings during an earthquake, allowing designers and engineers to optimize the building's structural design and identify potential weaknesses. This technology has become increasingly sophisticated in recent years, allowing for more accurate and detailed simulations that can help to improve the safety and resilience of high-rise buildings in Japan. Despite these advanced seismic design features and building codes, however, there is always the risk of unexpected or extreme seismic events that can overwhelm even the most advanced construction practices. In such cases, it is essential that high-rise buildings have emergency response plans and procedures in place to ensure the safety of occupants and minimize damage and loss of life.

In conclusion, seismic design for high-rise buildings in Japan is a critical consideration given the country's high risk of seismic activity. Building materials, construction techniques, building codes and regulations, and advanced seismic technology and monitoring systems all play a critical role in ensuring that high-rise buildings can withstand the forces of earthquakes and protect the lives of their occupants. Through continued research and development, Japan is working to further refine its seismic design practices and improve the safety and resilience of its high-rise buildings.



IV. TECHNIQUES TO MAKE BUILDING EARTHQUAKE RESISTANT

4.1 Base Isolation

Base isolation is a technique used to separate a building or structure from the ground by placing it on a system of flexible bearings or pads. This technique can reduce the amount of seismic energy that is transmitted to the building, thereby reducing the risk of damage and collapse. In Japan, base isolation is a common technique used in the construction of high-rise buildings, bridges, and other critical infrastructure.



Figure 2: Base isolators

4.2 DAMPERS :-

Dampers are devices that are designed to absorb and dissipate seismic energy, reducing the amount of force that is transferred to the building structure. There are several types of dampers used in earthquake-resistant design, including viscous dampers, friction dampers, and tuned mass dampers. In Japan, dampers are often used in conjunction with base isolation to further enhance the building's seismic resistance.



Figure 3: Dampers

4.3 SHEER WALLS

Shear walls are vertical elements that are designed to resist lateral forces and prevent the building from swaying during an earthquake. Shear walls are often constructed using reinforced concrete or steel, and they are typically placed at the perimeter of the building or around the elevator shafts and stairwells.

4.4 SOFT STORIES

Soft stories are sections of a building that have weaker structural elements than the rest of the building. During an earthquake, these soft stories can collapse, leading to partial or total collapse of the building. To address this issue, Japanese building codes require that soft stories be reinforced or eliminated entirely in new construction projects.

4.5 TUNED MASS DAMPERS

Tuned mass dampers are devices that are designed to counteract the movement of a building during an earthquake. These devices consist of a heavy mass that is suspended within the building and connected to a damper system. The mass and damper are tuned to the building's natural frequency, allowing them to counteract the building's movement during a seismic event.



Figure 4: Tuned Mass Damper

IV. CONCLUSION

Japan's earthquake-resistant structures are a testament to the country's commitment to protecting its citizens from the devastating effects of earthquakes. By combining advanced technologies and techniques with strict building codes and regulations, Japan has been able to significantly reduce the damage and loss of life caused by seismic events. While no structure can be completely immune to earthquakes, the techniques and technologies used in earthquake-resistant design can greatly enhance a building's ability to withstand seismic activity. As such, these techniques and technologies should continue to be developed and implemented in other earthquake prone areas around the world.

REFERENCES

1. Japan Meteorological Agency."Information on the 2011 Great East Japan Earthquake". Retrieved 22 February 2021.
- 2."Design for Earthquakes: A Manual for Architects" by the Japan Architects' Association (2006) .



- 3."Building Code for Earthquake Resistance" by the Ministry of Land, Infrastructure, Transport and Tourism, Japan (2014).
- 4."Earthquake-Resistant Design and Construction Practices in Japan" by Takumi Nagumo, Fuminori Takeda, and Masahiro Kurata (2015).
- 5."Earthquake-Resistant Structures: Design, Assessment and Rehabilitation" by Andrea Penna and Victor A. Soares (2015) .
- 6."Seismic Design of Reinforced Concrete and Masonry Buildings" by T. Paulay and M. J. N. Priestley (1992) .
- 7."Guidelines for Performance-Based Seismic Design of Buildings" by the Architectural Institute of Japan (2007).
8. IS: 13827-1993, "Indian Standard Guidelines for Improving Earthquake Resistant of Earthen Buildings", Bureau of Indian Standards, New Delhi, India.
9. IS: 13828-1993, "Indian Standard Guidelines for Improving Earthquake Resistant of low Strength Masonry Buildings", Bureau of Indian Standard, New Delhi, India.
10. IS: 13920-2016, "Indian Standard codes of Practice for Ductile Detailing of Reinforced concrete Structures subjected to Seismic forces", Bureau of Indian Standard, New Delhi, India.
11. IS: 13935-2005, "Indian Standard Guidelines for Repair and Seismic Strengthening of Buildings", Bureau of Indian Standard, New Delhi, India.
12. Manjeet Dua (2018) "Study the Effect on Deflection by using the Shear Wall in Multi Storey Building with the Help of STAAD Pro" International Journal of Civil Engineering(IJCE), vol.-5 issue-9, 2018.
13. Reitherman, Robert (1985). "Earthquake Engineering and Earthquake Architecture. Part of the AIA Workshop for Architects and Related Building Professionals on Designing for Earthquakes in the Western Mountain States".
14. Llundji, Mentor (2016). *Seismic Architecture - The architecture of earthquake resistant structures*. Msproject. [ISBN 9789940979409](https://www.amazon.com/ISBN-9789940979409).
15. Ravi Kumar K. Sundar Kumar," Analysis and Design of Shear Wall for An Earthquake Resistant Building using ETABS" International Journal for Innovative Research in Science & Technology, vol.-4, issue-5, October 2017.
16. IS 875-Part 1 2016: "Design Loads (other Than Earthquake) For Buildings and Structures" Bureau of Indian standard, New Delhi, (2016)



Impact Factor: 8.423



INTERNATIONAL JOURNAL OF INNOVATIVE RESEARCH

IN SCIENCE | ENGINEERING | TECHNOLOGY

 9940 572 462  6381 907 438  ijirset@gmail.com



www.ijirset.com

Scan to save the contact details