

Volume 12, Issue 4, April 2023



Impact Factor: 8.423









|| Volume 12, Issue 4, April 2023 ||

| DOI:10.15680/IJIRSET.2023.1204057 |

Fake Product Identification System Using Blockchain

Akshay S. Parse¹, Shalom S. Sonawane¹, Rajshri B. Wandhekar¹, Prof. Sapike N. S.²

Department of Computer Engineering, Vishwabharati Academy's College of Engineering, Ahmednagar, India¹

Professor, Department of Computer Engineering, Vishwabharati Academy's College of Engineering,

Ahmednagar, India²

ABSTRACT: With the advent of globalization and the evergrowing rate of technology, the volume of production as well as ease of procuring counterfeit goods has become unprecedented. Be it food, drug or luxury items, all kinds of industrial manufacturers and distributors are now seeking greater transparency in supply chain operations with a view to deter counterfeiting. This paper introduces a decentralized Blockchain based application system (DApp) with a view to identifying counterfeit products in the supply chain system. With the rapid rise of Blockchain technology, it has become known that data recorded within Blockchain is immutable and secure. Hence, the proposed project here uses this concept to handle the transfer of ownership of products. A consumer can verify the product distribution and ownership information scanning a Quick Response (QR) code generated by the DApp for each product linked to the Blockchain.

KEYWORDS: counterfeit, supply chain, Blockchain, Ethereum, QR code.

I. INTRODUCTION

Over the years, the identification of counterfeit goods in market has always posed a challenge for all supply chain stakeholders. As per the latest assessment of EU Intellectual Property Office (EUIPO) and the Organization for Economic Cooperation and Development (OECD), the global sales of counterfeit and pirated goods have increased alarmingly to 460 billion euros which is about 3.3% of the global trade [1]. The sales and profits of companies around the world have been affected by this phenomenon. The clothing and pharmaceutical sectors experienced sales losses of about 26.3 billion euros and 10.2 billion euros respectively [2]. Moreover, with the advent of recent technologies and E-commerce, the market of counterfeit goods have exploded on social media platforms. The anonymity, reach and segmenting tools of Ecommerce and social media have smoothed the pavement for counterfeiters. Hence, counterfeiting as in producing twins or fakes of real products pose great threat to innovation and economic growth.

Blockchain technology has been receiving much attention over the past decade and its numerous applications are being developed. Blockchain is a decentralized system of shared, immutable ledger. It facilitates the process of recording, trading and tracking assets over a business network thus reducing risks and cutting costs for all involved. Hence, any application using Blockchain as its base technology ensures that the data are tamper resistant.

In this paper, a decentralized application system (DApp) has been introduced that uses Ethereum blockchain technology in its architecture. The DApp simulates a real world supply chain and ensures the ownership of product is transferred and recorded in the blockchain network. Besides, the system proposed here can also be implemented in Ecommerce and retail sites that can considerably bring transparency in the virtual platforms for all consumers. Though Radio Frequency Identification (RFID) has been used for research in this sector previously, it has posed security and privacy risks which can be efficiently dealt with using blockchain.

II. RELATED WORK

Various researchers have proposed different methods for establishing a blockchain-based supply chain management system. One of them presented a counterfeit product identification system using android application where a product can be searched in the Blockchain network [3]. Another paper displayed a fake product detection



|| Volume 12, Issue 4, April 2023 ||

| DOI:10.15680/IJIRSET.2023.1204057 |

system using blockchain where SHA-256 Algorithm was used to identify a product [4]. A fully functional anti-product forgery system was designed by a group of researchers that uses digital signature for verification [5]. In one of the papers, a blockchain-based Product Ownership Management System was proposed. It displayed the use of blockchain-based system over traditional RFIDbased system [6]. Another paper presented a food traceability system using IoT and blockchain collectively. In this model, they used fuzzy logic to evaluate the food quality [7]. A paper displayed a system where blockchain was used with RFID toremove the limitation in post supply chain [8]. To improve the current supply chain method a paper used blockchain combined with IoT to track product origin [9].




Fig. 1. System Diagram

III. METHODOLOGY

The system proposed here uses MetaMask cryptocurrency wallet for transactions and and the smart contract here has been deployed in the Rinkeby Test Network of the Ethereum Blockchain. The DApp is based on three major stakeholders, the Manufacturer, the Seller and the Consumer.

A. System Diagram

Fig. 1 depicts the system diagram of the proposed DApp. Every user of the DApp has to be authenticated before logging in. This authentication system has been implemented using Firebase which is a platform provided by Google for developing interactive mobile and web applications. After successful authentication, the manufacturer can add their company to the DApp and enroll products of the company. The contract address of the company is provided to the manufacturer and all the company data as well as manufacturer's account address are stored in the blockchain network. After a product has been included in the blockchain, it is assigned a QR code for verification. The sellers can buy products from manufacturer after registration. The ownership transfer of the product can be tracked through the QR code.

B. Manufacturer

The manufacturer's functions include adding the company to the blockchain by providing company name and setting the minimum registration fee to become a seller or retailer for the company. The manufacturer solely preserves the rights to enroll products in the network. The manufacturer canalso control the distribution status of products and transfer ownership after a seller has bought the product stock.

International Journal of Innovative Research in Science, Engineering and Technology (IJIRSET)



|e-ISSN: 2319-8753, p-ISSN: 2347-6710| www.ijirset.com | Impact Factor: 8.423| A Monthly Peer Reviewed & Referred Journal |

|| Volume 12, Issue 4, April 2023 ||

| DOI:10.15680/IJIRSET.2023.1204057 |

The manufacturer performs two major functions namely adding and distributing products in this system. For adding a product Algorithm 1 is used.




Fig .2. Manufacturer's Working Process

Algorithm 1 Create Product

Input: Product Name, Product Price, Product Stock

Output: Added Product

ifmsg.sender is not manufacturer then

throw;

end

else

insert product in product array

end if

For distribution of product Algorithm 2 is used. The product and order status in the blockchain is changed through this.

Algorithm 2 Distribute Product

Input: Product ID

Output: Changed Product Status

if

msg.sender is not manufacturer then

throw;



|| Volume 12, Issue 4, April 2023 ||

| DOI:10.15680/IJIRSET.2023.1204057 |

end

else

change product status to 'Shipped' and set order status as complete

end if

C. Seller

A seller can pay the minimum fee set by the manufacturer and register for the company. After registering once, the seller can buy any product as well as track its distribution. A product status is set from 'Ready To Go' to 'Shipped' after the manufacturer ships it out to the seller.




Fig. 3. Seller's working Process

Algorithm 3 here is used to make sure a seller pays the minimum registration fee set by the manufacturer.

Algorithm 3 Seller Registration

Input:: Minimum amount of registration fee set by manufacturer

Output: Registered Seller

ifmsg.sender is registered seller or fee is less than requirement then

throw;

end

else

map msg.sender is true

end if

Algorithm 4 here is used by the seller to buy or book products from the manufacturer. It records the seller's data in the blockchain.

International Journal of Innovative Research in Science, Engineering and Technology (IJIRSET)



|e-ISSN: 2319-8753, p-ISSN: 2347-6710| www.ijirset.com | Impact Factor: 8.423| A Monthly Peer Reviewed & Referred Journal |

|| Volume 12, Issue 4, April 2023 ||

| DOI:10.15680/IJIRSET.2023.1204057 |

Algorithm 4 Buy Product

Input: Product ID, Seller Name, Amount to buy
Output:Set Current Owner of product as msg.Sender
ifmsg.sender is not registered seller
then
throw;
end
else if msg.value is less that required amount then
throw;
end
else set product owner name as seller name and store account address of seller
end if

D. Consumer

A consumer can scan the QR code provided with each product and verify the transfer of ownership of product from manufacturer to seller. The consumer can also verify the name of the current owner of the product and check its distribution status.

E. Blockchain

Blockchain technology provides promising opportunities in the supply chain management paradigm. Blockchain data is stored on nodes where each node has a complete copy of the blockchain database. Orders, payments, accounts, price of products etc. can be tracked, shared and secured using a blockchain network. Some important features of blockchain technology in supply chain management includes:1) *Security and Privacy*: Blockchain uses public key encryption method of cryptography for data security. Users have public and private key pair which are used to validate transactions and these transactions are immutable and permanent.

- 2) Decentralization: As blockchain is a distributed ledger technology, it doesn't rely on third party or any centralized authority
- 3) Transparency: Data stored in Blockchain is public and anyone can enquire on their transactions. The transactions can be governed by a set of rules known as the smart contract. The system proposed here uses MetaMask cryptocurrency wallet for transactions and and the smart contract here has been deployed in the Rinkeby Test Network of the Ethereum Blockchain. The DApp is based on three major stakeholders, The Manufacturer, the seller and the consumer.

F. Ethereum DApp Architecture

Fig. 4 here depicts the base architecture of the system. The user interface (UI) here has been developed using ReactJS. If the user wants to interact with the smart contract, the DApp will use Web3.js which communicates with MetaMask through its provider. MetaMask creates a transaction and signs it with the user's private key. This transaction is then sent to Ethereum network. The transaction is processed, verified and added to a block in the network. The private keys of the user are neverrecorded in the process so user can safely interact with the network.



|| Volume 12, Issue 4, April 2023 ||

| DOI:10.15680/IJIRSET.2023.1204057 |




Fig. 4.Ethereum DApp Architecture

IV. RESULT ANYLYSIS

Sending data to the Blockchain comes with some cost referred to as transaction cost. Miners tend to prioritize transactions with higher costs. Transaction cost is measured in gas and gas fees are paid in Ethereum's native currency ether (ETH). The table indicates the transaction cost and gas fees required for the proposed system.

TABLE 1
Cost Calculation

Sl No.	Function Description	Transaction Cost (gas)	Gas Fee (ETH)	
1	Deploy Contract of our system	133405	0.001333	
2	Adding New Company	1068597	0.001069	
3	Seller Registration	45755	0.000046	
4	Product Enrollment	208571	0.000209	
5	Buying Product	41581	0.000042	
6	Product Distribution	55578	0.000056	
Total=0.002755 ETH/ \$8.56				
Deploy= \$4.14				

Here CoinMarketCap [10] was used to convert Ether to US dollars. Remix which is a web browser IDE for developing DApp was used determine the gas needs. MetaMask was used for contract interaction and determining the costings. The cost for deploying our contract in the Rinkeby Test Network is 0.001333 ETH which is equivalent to 4.14 US dollars. Theoverall costing for the system is less than 10 US dollars which proves the cost effectiveness of the proposed model. The product ownership transfer as well product quality assurance costs are also reduced here compared to current market trends to verify product authenticity. A consumer can scan the QR code and verify the ownership transfer of the product. The manufacturer's account address, the seller's account address and name as well as

International Journal of Innovative Research in Science, Engineering and Technology (IJIRSET)



|e-ISSN: 2319-8753, p-ISSN: 2347-6710| www.ijirset.com | Impact Factor: 8.423| A Monthly Peer Reviewed & Referred Journal |

|| Volume 12, Issue 4, April 2023 ||

| DOI:10.15680/IJIRSET.2023.1204057 |

the status of product is recorded in the QR code. If the product status is 'Shipped', the product transfer is genuine and the order is set to 'complete' in the blockchain. The QR code is provided with copy-sensitive digital image pattern.

V. CONCLUSION

Ownership tracking system is being reshaped through distributed ledgers of Blockchain technology. Due to rapid changes in the Ecommerce and business sectors, the current trends of supply chain are being affected. The DApp developed here ensures greater transparency in the supply chain management and can also be entrusted for use in Ecommerce. As such, administrative costs and complicated procedures are eliminated by this process. Besides, the cost for enrolling each product in the proposed model is only 0.000209 ether which is equivalent to 0.65 US dollars that can sufficiently reduce costs for large chain stores. The model also ensures enduser verification system through a QR code and transactions here can be verified on Etherscan too. As future work of the proposed model, the functions included can be improved further to bring reliability in the supply chain management.

REFERENCES

- [1] https://phys.org/news/2019-03-counterfeit-pirated-goods-global.html
- [2] https://www.statista.com/statistics/1117921/sales-losses-due-to-fakegood-by-industry-worldwide/
- [3] T. J. Sayyad, "Fake Product Identification Using Blockchain Technology," in International Journal of Future Generation Communication and Networking, vol. 14, pp. 780-785, 2021, ISSN: 2233-7857 IJFGCN
- [4] T. Tambe, S. Chitalkar, M. Khurud, M. Varpe, S. Y. Raut, "Fake Product Detection Using Blockchain Technology," in International Journal of Advance Research, Ideas and INNOVATIONS in Technology, vol. 7, pp. 314-319, 2021, IJARIIE-ISSN(O)-2395-4396
- [5]Maroju, Praveen Kumar. "AI-Powered DMAT Account Management: Streamlining Equity Investments And Mutual Fund Transactions."
- [6] J. Ma, S. Lin, X. Chen, H. Sun, Y. Chen and H. Wang, "A Blockchain-Based Application System for Product Anti-Counterfeiting," in IEEE Access, vol. 8, pp. 77642-77652, 2020, doi: 10.1109/ACCESS.2020.2972026.
- [7] K. Toyoda, P. T. Mathiopoulos, I. Sasase and T. Ohtsuki, "A Novel Blockchain-Based Product Ownership Management System (POMS) for Anti-Counterfeits in the Post Supply Chain," in IEEE Access, vol. 5, pp. 17465-17477, 2017, doi: 10.1109/ACCESS.2017.2720760.
- [8] Y. P. Tsang, K. L. Choy, C. H. Wu, G. T. S. Ho and H. Y. Lam, "Blockchain-Driven IoT for Food Traceability With an Integrated Consensus Mechanism," in IEEE Access, vol. 7, pp. 129000-129017, 2019, doi: 10.1109/ACCESS.2019.2940227.
- [9]Vimal Raja, Gopinathan (2017). Predicting Default Rates in Credit Scoring Models using Advanced Mining Algorithms. International Journal of Innovative Research in Science, Engineering and Technology 6 (12):23188-23193. [10]Devaraju, S. Optimizing Data Transformation in Workday Studio for Global Retailers Using Rule-Based Automation. Journal of Emerging Technologies and Innovative Research, 7(4), 69-74.
- [11] S. Anandhi, R. Anitha and S. Venkatasamy, "RFID Based Verifiable Ownership Transfer Protocol Using Blockchain Technology," 2018 IEEE International Conference on Internet of Things (iThings) and IEEE Green Computing and Communications (GreenCom) and IEEE Cyber, Physical and Social Computing (CPSCom) and IEEE Smart Data (SmartData), 2018, pp. 1616-1621, doi: 10.1109/Cybermatics 2018.2018.00270.
- [12] S. Rahmadika, B. J. Kweka, C. N. Z. Latt and K. Rhee, "A Preliminary Approach of Blockchain Technology in Supply Chain System," 2018 IEEE International Conference on Data Mining Workshops (ICDMW), 2018, pp. 156-160, doi: 10.1109/ICDMW.2018.00029.
- [13]Devaraju, S. (2021). Leveraging blockchain for secure and compliant cross-border payroll systems in multinational corporations. International Journal of Innovative Research in Science, Engineering and Technology, 10(4), 4101-4108. [14] https://coinmarketcap.com/converter/eth/usd/





Impact Factor: 8.423







INTERNATIONAL JOURNAL OF INNOVATIVE RESEARCH

IN SCIENCE | ENGINEERING | TECHNOLOGY







📵 9940 572 462 🔯 6381 907 438 🔀 ijirset@gmail.com

