

e-ISSN: 2319-8753 | p-ISSN: 2347-6710

EDIA

International Journal of Innovative Research in SCIENCE | ENGINEERING | TECHNOLOGY

INTERNATIONAL JOURNAL OF INNOVATIVE RESEARCH

IN SCIENCE | ENGINEERING | TECHNOLOGY

Volume 12, Issue 13, April 2023

INTERNATIONAL STANDARD SERIAL NUMBER INDIA

 \bigcirc



|| e-ISSN: 2319-8753, p-ISSN: 2347-6710| <u>www.ijirset.com</u> | Volume 12, Issue 13, April 2023 || International Conference on Recent Development in Engineering and Technology – ICRDET'23

Organized by Dhaanish Ahmed Institute of Technology, KG Chavadi, Coimbatore, India

Minimally Invasive Surgical Arm with Enchanced Computer Vision

Sri Mohnish K J¹, Vinoth Kumar TP², Parthasarathy S³, Priyanka S A⁴

Student, Department of Biomedical Engineering, Chennai Institute of Technology, Tamil Nadu, India¹

Student, Department of Biomedical Engineering, Chennai Institute of Technology, Tamil Nadu, India²

Student, Department of Biomedical Engineering, Chennai Institute of Technology, Tamil Nadu, India³

Assistant Professor, Department of Biomedical Engineering, Chennai Institute of Technology, Tamil Nadu, India⁴

ABSTRACT: An AI-guided surgical robotic arm is a cutting-edge technology that combines the precision and accuracy of robotics with the intelligence of artificial intelligence. This system involves the use of advanced sensors, machine learning algorithms, and robotics to create a sophisticated surgical tool that can be used to perform complex surgical procedures with greater accuracy and speed than traditional methods. The AI- guided surgical robotic arm allows surgeons to have a greater degree of control and precision during surgery, reducing the risk of complications and improving patient outcomes. This technology has the potential to revolutionize the field of surgeryand has already been used successfully in a number of different procedures. However, more research and development is needed to optimize the technology and ensure its widespread adoption in the medical field.

KEYWORDS: artificial intelligence, surgical arm, deep learning, image processing

I. INTRODUCTION

Minimally invasive surgery has become increasingly popular over the years due to its numerous advantages over traditional open surgery, including smaller incisions, reduced blood loss, faster recovery times, and lower rates of complications. However, these procedures can still be challenging and require a high degree of skill and precision from the surgeon. This is where AI-guided surgical robots come into play.

AI-guided surgical robots have been developed to enhance the capabilities of surgeons during minimally invasive procedures. These robots are equipped with advanced sensors and imaging technologies that allow them to precisely navigate through the body, providing the surgeon with real- time feedback and data to aid in decision-making. The use of machine learning algorithms also enables the robot to learn from previous procedures, further improving its accuracy and precision.

By combining the precision of robotics with the intelligence of artificial intelligence, the AI-guided surgical robot can help minimize the risk of complications and reducerecovery times for patients. In addition, the technology can assist in complex procedures that would be challenging for even the most skilled surgeons to perform manually.

As the field of robotics and AI continues to advance, we can expect to see even more sophisticated and effective surgical robots being developed. The potential benefits of thistechnology are significant, and it is likely that AI-guided surgical robots will become an increasingly common sight inoperating rooms around the world.

II. ENHANCED COMPUTER VISION USING AI

Computer vision is a critical aspect of surgical robotics that allows the robot to perceive and understand the surgical environment. The use of artificial intelligence (AI) can greatly enhance computer vision and improve the accuracy and precision of surgical robots.

AI algorithms can be trained on vast amounts of data, enabling the robot to recognize and classify different tissues, organs, and anatomical structures with greater accuracy than traditional image processing techniques. This can be especially useful in situations where the surgical field may be be be or difficult to navigate.

In addition, AI-guided computer vision can provide real-time feedback to the surgeon, allowing for adjustments to be madeon the fly. This can help to minimize the risk of complications and improve patient outcomes.

One of the most promising applications of AI-enhanced computer vision in surgery is in the field of augmented reality. By overlaying a digital image of the patient's anatomyonto the surgeon's field of view, the surgeon can better visualize



|| e-ISSN: 2319-8753, p-ISSN: 2347-6710| <u>www.ijirset.com</u> | Volume 12, Issue 13, April 2023 ||

International Conference on Recent Development in Engineering and Technology – ICRDET'23

Organized by

Dhaanish Ahmed Institute of Technology, KG Chavadi, Coimbatore, India

the surgical site and make more precise incisions and movements.

Overall, the use of AI-enhanced computer vision in surgery has the potential to revolutionize the field of surgery and make complex procedures safer and more efficient. As the technology continues to develop and improve, we can expect to see even more advanced surgical robots that utilize the power of AI to improve patient outcomes.

A. IMAGE CLASSIFICATION

Image classification is a critical component of AI-basedcomputer vision in surgery. In surgery, images of the surgical site are captured and analyzed by the AI system to identify different anatomical structures and assist the surgeon in making precise movements and incisions.

To classify images, the AI system uses deep learning algorithms such as convolutional neural networks (CNNs). These algorithms are trained on large datasets of labeled images to recognize patterns and identify different structures within the images.

The AI system will typically be trained on a variety of different images, captured from different angles and under different lighting conditions. This helps to ensure that the system can accurately identify and classify different structures, even in challenging or ambiguous situations.

Once the AI system has been trained, it can be used to classify new images in real-time. The system will analyze the image and identify different structures, providing real-time feedback to the surgeon and assisting them in making more precise movements and incisions.

This can help to improve the accuracy and precision of surgical procedures, minimize the risk of complications, and improve patient outcomes.

B. IMAGE SEGMENTATION

Image segmentation is an important aspect of AI computer vision in surgery, as it allows the AI system to accurately identify and separate different structures within surgical images.

Image segmentation involves dividing an image into multiplesegments, where each segment represents a different object or structure within the image. This can be particularly useful surgical settings, where the AI system needs to be able to identify and separate different anatomical structures.

To perform image segmentation, the AI system typically uses deep learning algorithms such as convolutional neural networks (CNNs). These algorithms are trained on large datasets of labeled images to recognize patterns and identify different structures within the images.

Once the AI system has been trained, it can be used to segment new images in real-time. The system will analyze the image and identify different structures, and then segment the image into multiple regions that correspond to different anatomical structures. By accurately identifying and separating different structures within surgical images, the AI system can assist the surgeon in making more precise movements and incisions, minimizing the risk of complications, and improving patient outcomes.

C. OBJECT DETECTION

Object detection is a critical component of AI-guided vision in surgery, as it can help to improve the accuracy and precision of surgical procedures. By accurately detecting thelocation and boundaries of different objects within surgical images, the AI system can assist the surgeon in making more informed decisions and performing procedures with greater precision, minimizing the risk of complications and improving patient outcomes.

To detect objects within surgical images, the AI systemtypically uses deep learning algorithms such as Faster R- CNN or YOLO (You Only Look Once). These algorithms are trained on large datasets of labeled images to recognize patterns and identify different structures within the images.

III. TRAINING THE ACQUIRED DATASETS

Training datasets are a critical component of developing AI-guided vision for surgical robots. The quality and diversity of the training datasets can greatly impact the accuracy and reliability of the system.

To train the dataset, the first step is to collect a large number of images and videos of surgical procedures. These images should be captured from a variety of angles and under different lighting conditions to ensure that the system can accurately identify and classify different anatomical structures.

Once the images have been collected, they need to be labeled and annotated. This involves manually identifying and



|| e-ISSN: 2319-8753, p-ISSN: 2347-6710| <u>www.ijirset.com</u> | Volume 12, Issue 13, April 2023 ||

International Conference on Recent Development in Engineering and Technology – ICRDET'23

Organized by

Dhaanish Ahmed Institute of Technology, KG Chavadi, Coimbatore, India

tagging different anatomical structures in each image. This labeling process is time-consuming and labor-intensive, but it is essential for the accuracy of the system.

After the images have been labeled, they are fed into amachine learning algorithm that uses them to train the system. The algorithm will learn to recognize patterns and classify different structures based on the labeled images. As the system is trained, it will gradually improve its accuracy and ability to identify different structures. The process of training the system is iterative, and the system may need to be retrained multiple times as new data becomes available or as the systemis fine-tuned.

It is also important to ensure that the training dataset is diverse and representative of the different patient populations that the system is likely to encounter. This can help to improve the accuracy and reliability of the system in real-world scenarios.

Overall, training the dataset is a crucial step in developing an AI-guided vision system for surgical robots. Careful attentionshould be paid to the quality and diversity of the training dataset to ensure that the system is accurate, reliable, and effective in clinical settings.

A. SUPERVISED AND UN SUPERVISED LEARNING

1) Supervised Learning: Supervised learning is a type of machine learning in which the algorithm is trained on alabeled dataset. This means that the input data is paired with corresponding output labels that are used to train the algorithm to recognize patterns and make predictions.

The process of supervised learning involves feeding the labeled data into the algorithm, which then uses the data to learn how to make predictions on new, unlabeled data. The algorithm is trained through an iterative process, where it makes predictions, compares the predictions to the known output labels, and adjusts its model accordingly.

Supervised learning can be used for a wide range of applications, including image recognition, natural language processing, and predictive analytics. It is a powerful tool that can be used to make accurate predictions and automate complex tasks.

2) Unsupervised Learning: Unsupervised learning is a type of machine learning in which the algorithm is trained on unlabeled dataset. Unlike supervised learning, there are no corresponding output labels provided to the algorithm. Instead, the algorithm must identify patterns and relationships within the data on its own.

The process of unsupervised learning involves clustering, dimensionality reduction, and anomaly detection. Clustering involves grouping similar data points together, whiledimensionality reduction involves reducing the number of features in the data. Anomaly detection involves identifying outliers or unusual data points in the dataset. Unsupervised learning is particularly useful for applications such as recommendation systems and anomaly detection. It can also be used for exploratory data analysis to gain insights into the underlying structure of the data.

IV. ROBOTIC SURGERY

Robotic surgery, also known as robot-assisted surgery, is a form of minimally invasive surgery where a surgeon uses a robotic system to perform the surgical procedure. The robotic system consists of a surgical console, a robotic arm, and a setof instruments that are inserted into the patient's body throughsmall incisions.

During robotic surgery, the surgeon sits at a console and controls the robotic arm using a series of hand and foot controls. The robotic system provides the surgeon with a 3D view of the surgical site, allowing them to see the area in greater detail and perform more precise movements than would be possible with traditional surgical instruments.

Robotic surgery offers several advantages over traditional surgical techniques. Because the procedure is minimally invasive, it often results in less pain, scarring, and blood loss than traditional surgery. Additionally, the robotic system provides the surgeon with greater precision and control, allowing for more precise movements and reducing the risk of complications.

A. Working Procedure:

1) Patient Preparation: The patient is prepared for surgery, which involves anesthesia and positioning the patient for the procedure.

2) Surgical Console Setup: The surgeon sits at a console and controls the robotic system using a series of hand and foot controls. The surgeon views the surgical site through a high-definition 3D camera that is inserted into the patient's body through a small incision.

3) Robotic Arm Placement: The robotic arm is placed in position over the patient's body, and the surgical



|| e-ISSN: 2319-8753, p-ISSN: 2347-6710| <u>www.ijirset.com</u> | Volume 12, Issue 13, April 2023 ||

International Conference on Recent Development in Engineering and Technology – ICRDET'23

Organized by

Dhaanish Ahmed Institute of Technology, KG Chavadi, Coimbatore, India

instruments re inserted into the patient's body through small incisions.

4) Calibration: The robotic system is calibrated to the surgeon's movements, ensuring that the robotic arm moves precisely in response to the surgeon's commands.

5) Surgery: The surgeon performs the surgical procedure using the robotic instruments, which provide greater precision and control than traditional surgical instruments. The surgeon views the surgical site on a high-definition monitor and manipulates the instruments using the robotic arm.

V. MASTER -SLAVE CONTROL USING HAPTICSTECHONOLOGY

The master-slave technique is a common method used to control surgical robots in minimally invasive surgery. This technique involves the use of a surgical console, which is operated by the surgeon, and a robotic arm, which is controlled by the surgical console.

The surgeon sits at the surgical console, which typically includes a set of hand and foot controls. The surgeon uses these controls to manipulate the robotic arm, which is inserted into the patient's body through small incisions. The robotic arm is equipped with surgical instruments, which the surgeonuses to perform the surgical procedure.

A. Haptics.

In surgical robotics, haptic technology is used to provide force feedback to the surgeon during the master-slave control of the surgical robotic arm. Haptic technology allows the surgeon to feel the force and resistance of the tissues being manipulated during the procedure, providing a more realistic sense of touch and enhancing the precision of the surgical maneuvers.

The haptic feedback is provided through a device called a haptic interface or haptic device. This device is located at the surgeon's console and is used to control the movements of the robotic arm. The haptic interface consists of a set of sensors that detect the force applied by the surgeon's hand and a set of motors that provide force feedback to the surgeon's hand.

When the surgeon manipulates the haptic interface, the sensors detect the force applied and send this information to the robotic arm. The robotic arm then moves in response to the surgeon's commands, and the haptic device provides force feedback to the surgeon's hand, allowing the surgeon to feel the resistance and compliance of the tissues being manipulated.

The haptic technology used in surgical robotics enhances the precision of the surgical maneuvers, reduces the risk of tissuedamage, and improves the overall safety of the procedure. Additionally, haptic technology can be used to simulate the sensation of different tissues, allowing the surgeon to practice and develop their skills before performing the actual surgery.

VI. STATICS AND DYNAMICS OF SURGICAL ROBOTICARM

The statics and dynamics of a multi-degree-of-freedom (DOF) surgical robotic arm are essential to ensure precise and safe control of the robotic arm during surgical procedures.

In a hanging robotic arm, gravity plays a significant role in its statics and dynamics.

A. Statics.

Statics deals with the equilibrium of forces and moments acting on the robotic arm when it is stationary. When a hanging robotic arm is at rest, the force of gravity acting on the arm must be balanced by the tension in the cables that support the arm. The static analysis of a hanging robotic arminvolves determining the tension in each cable, the torque oneach joint, and the overall stability of the arm.

B. Dynamics.

Dynamics deals with the motion of the robotic arm when it is in motion. When a hanging robotic arm is in motion, the forces and torques generated by the motion must be balanced by the tension in the cables. The dynamics of a hanging robotic arm involve modeling the motion of each link in response to the applied torques, including the effects of gravity, friction, and inertia.

IJIRSET © 2023



|| e-ISSN: 2319-8753, p-ISSN: 2347-6710| <u>www.ijirset.com</u> | Volume 12, Issue 13, April 2023 ||

International Conference on Recent Development in Engineering and Technology – ICRDET'23


Organized by

Dhaanish Ahmed Institute of Technology, KG Chavadi, Coimbatore, India

The static and dynamic characteristics of a hanging robotic arm are critical in ensuring its stability and safety during surgical procedures. The arm's control system must be designed to take into account the static and dynamic characteristics of the arm, ensuring that it moves smoothly and safely during surgical procedures. Proper cable tensioning and management are essential to maintain the stability and precision of the arm during surgical procedures. A thorough understanding of the statics and dynamics of a hanging robotic arm is necessary to design and control the arm effectively, ensuring the safety and success of surgical procedures.

VII. EXPERIMENT RESULT AND ANALYSIS

The results of the project of developing a prototype of minimally invasive robotic surgery with enhanced computer vision are expected to be promising. The successfulimplementation of computer vision algorithms and integration with the robotic arm can potentially enhance the precision, accuracy, and safety of minimally invasive surgical procedures. The prototype can provide real-time visual information to the surgical team, allowing for better decision- making and improved surgical outcomes.



The validation and testing of the prototype through precision testing, accuracy testing, and functionality testing will provide valuable insights into its performance and capabilities.

VIII. CONCLUSION

In conclusion, the development of minimally invasive surgical robotic arms with AI guided computer vision has revolutionized surgical procedures. These arms are capable of performing complex surgical procedures with precision, accuracy, and minimal invasion. In terms of technical feasibility, accuracy, safety, cost, and ethical considerations are factors that must be taken into account. The integration of AI guided computer vision allows the robotic arm to detect and identify anatomical structures and aid in surgical planning, thereby increasing the safety and success of surgical procedures. Legal factors ought to be taken into account. Nevertheless, it is rational to anticipate that forthcoming surgical artificial intelligence and robots will have the ability to detect and comprehend.

We believe that the integration of AI guided computer vision and haptic technology in the development of minimally invasive surgical robotic arms will significantly improve the accuracy, precision, and safety of surgical procedures, and has the potential to revolutionize the field of surgery.

REFERENCES

1. V. R. Patel and A. S. Tully, "DaVinci Robotic-Assisted Laparoscopic Radical Prostatectomy," Urologic Clinics, vol.42, no. 1, pp. 47-57, 2015.

2. S. Yavari, S. L. Lee, and S. E. Salcudean, "Development and evaluation of a tracking system for robotic surgery basedon deep learning and optical flow," IEEE Trans. Biomed. Eng., vol. 65, no. 4, pp. 823-834, Apr. 2018.

3. M. Kim and D. Kim, "Deep learning-based recognition of surgical tools in minimally invasive surgery," IEEE Trans. Med. Imaging, vol. 38, no. 5, pp. 1288-1298, May 2019.

4. D. Navarro-Alarcon, L. C. Garcia-Peraza-Herrera, and J. Gonzalez-Sanchez, "Vision-based surgical tool detection and tracking: A systematic literature review," Int. J. Comput. Assist. Radiol. Surg., vol. 15, no. 12, pp. 2245-2261, Dec. 2020.

5. L. Maier-Hein et al., "Surgical data science for minimally invasive procedures: Challenges and opportunities," Med. Image Anal., vol. 37, pp. 20-36, May 2017.



|| e-ISSN: 2319-8753, p-ISSN: 2347-6710| <u>www.ijirset.com</u> | Volume 12, Issue 13, April 2023 ||

International Conference on Recent Development in Engineering and Technology – ICRDET'23

Organized by

Dhaanish Ahmed Institute of Technology, KG Chavadi, Coimbatore, India

6. J. L. Olds and E. M. Johnson, "Artificial intelligence, machine learning, and the future of minimally invasive surgery," Front. Surg., vol. 4, p. 67, Oct. 2017.

7. S. S. Abdi and M. Gholami, "Deep learning-based visual tracking of surgical instruments in robot-assisted surgery: A systematic review," Artif. Intell. Med., vol. 108, p. 101942, Sep. 2020.

8. A. Sinha, A. Saenz, and S. Neogi, "A computer vision- based framework for real-time gesture recognition in robotic surgery," Int. J. Comput. Assisted Radiol. Surg., vol. 14, no.5, pp. 871-878, May 2019.

9. A. Shademan, R. S. Decker, J. D. Opfermann, S. Leonard,

A. Krieger, and P. C. W. Kim, "Supervised autonomous robotic soft tissue surgery," Sci. Transl. Med., vol. 8, no. 337,p. 337ra64, May 2016.

10. D. I. Lee and Y. K. Seong, "Overview of robot-assisted laparoscopic partial nephrectomy: Historical review, live pigtraining model, and step-by-step approach," Invest. Clin.Urol., vol. 60, no. 1, pp. 1-12, Jan. 2019.

11. L. Navarro, J. Martín, and V. Aguilera, "Multimodal surgical tool tracking and pose estimation in robot-assisted surgery using convolutional neural networks," IEEE Trans. Med. Imaging, vol. 37, no. 7, pp. 1640-1650, Jul. 2018.

12. S. Sharma, S. Kamat, H. Fatakdawala, and N. Ahuja, "Learning-based tool presence detection in robot-assisted surgery using visual cues," Med. Image Anal., vol. 53, pp. 78-90, Apr. 2019.









INTERNATIONAL JOURNAL OF INNOVATIVE RESEARCH

IN SCIENCE | ENGINEERING | TECHNOLOGY





www.ijirset.com