

e-ISSN: 2319-8753 | p-ISSN: 2347-6710

EDIA

International Journal of Innovative Research in SCIENCE | ENGINEERING | TECHNOLOGY

# INTERNATIONAL JOURNAL OF INNOVATIVE RESEARCH

800

IN SCIENCE | ENGINEERING | TECHNOLOGY

Volume 12, Issue 5, May 2023

INTERNATIONAL STANDARD SERIAL NUMBER INDIA

## Impact Factor: 8.423

9940 572 462

 $\bigcirc$ 

e-ISSN: 2319-8753, p-ISSN: 2347-6710| www.ijirset.com | Impact Factor: 8.423| A Monthly Peer Reviewed & Referred Journal |



|| Volume 12, Issue 5, May 2023 ||

| DOI:10.15680/IJIRSET.2023.1205302 |

### Real Time Facial Emotion Recognition Using Deep Learning

Aishwarya V. Hanamgonda<sup>1</sup>, Kaveri R. Chavan<sup>2</sup>, Anjana A. Garad<sup>3</sup>, Zainab G. Shaikh<sup>4</sup>, Sachin S. Gade<sup>5</sup>

U.G. Student, Department of Electronics & Telecommunication Engineering, Brahmdevdada Mane Institute of

Technology, Belati, Solapur, India<sup>1234</sup>

Associate Professor, Department of Electronics & Telecommunication Engineering, Brahmdevdada Mane Institute of

Technology, Belati, Solapur, India<sup>5</sup>

**ABSTRACT**:Human emotions is the basic things that recognized by the facial emotion. Facial expressions are states of mental health that resolve spontaneously rather than through conscious exertion and are accompanied by physiological changes in the facial muscles that signify expressions. Nonverbal communication methods such as expressions, eye movements, and gestures are used in many applications of human-computer interaction. Identifying emotions is not an easy task because there is no difference between the emotions of a face, and there is also a lot of complexity and variability. Deep learning is a subset of machine learning. It can handle huge amount of data. The machine learning algorithm uses some open features to model the face. In this work, convolutional neural networks (CNNs) were developed to identify the expression of facial emotions. Facial expressions play an important role in the nonverbal communication that takes place in a person's inner emotions that are reflected on his or her face. This work has been used the Viola-Jones algorithm to detect the eye and lips region from a face and then with the help of the neural network. Also, Machine Learning techniques, Deep Learning models, and Neural Network algorithms are used for emotion recognition. This work will be proposed as an effective way to detect anger, contempt, disgust, fear, happiness, sadness, and surprise.

**KEYWORDS**: Machine Learning, Deep Learning, CNN Algorithm etc.

#### I. INTRODUCTION

In this world, humans are very much addicted to the mobile. It can not express his feelings or emotions. So, we designed our project as real time video facial recognization. Facial Expressions play an important role in interpersonal communication. Facial expression is a non verbal scientific gesture which gets expressed in our face as per our emotions. Automatic recognition of facial expression plays an important role in artificial intelligence and robotics and thus it is a need of the generation.Real-time facial emotion detection using deep learning is a cutting-edge technology that leverages advanced algorithms and neural networks to analyze and interpret human emotions based on facial expressions. This technology has gained significant attention and application across various domains, including psychology, marketing, human-computer interaction, and even entertainment.

Deep learning, a subfield of artificial intelligence, enables machines to learn and recognize patterns in data through the use of deep neural networks. Facial emotion detection focuses on extracting meaningful information from facial expressions, such as the arrangement of facial muscles, to accurately identify and classify different emotions, including happiness, sadness, anger, surprise, fear, and disgust. The traditional approaches to facial emotion detection relied on handcrafted features and shallow classifiers, which often struggled to capture the complexity and nuances of human emotions. However, with the advent of deep learning techniques, such as convolutional neural networks (CNNs) and recurrent neural networks (RNNs), significant advancements have been made in this field.

Real-time facial emotion detection systems utilize deep learning models trained on large datasets of labeled facial images. These models learn to extract high-level features automatically and make predictions about the emotional state of the person in real-time. The process involves several steps, including face detection, facial landmark localization, and emotion classification. Face detection algorithms identify and locate faces in an input image or video stream, allowing subsequent analysis to focus on the regions of interest. Facial landmark localization



|e-ISSN: 2319-8753, p-ISSN: 2347-6710| www.ijirset.com | Impact Factor: 8.423| A Monthly Peer Reviewed & Referred Journal |

#### || Volume 12, Issue 5, May 2023 ||

| DOI:10.15680/IJIRSET.2023.1205302 |

techniques precisely identify key points on the face, such as the position of the eyes, nose, and mouth, which provide crucial information for emotion analysis. Deep learning models, such as CNNs or hybrid architectures like Convolutional Recurrent Neural Networks (CRNNs), are trained on large-scale labeled datasets containing facial images with associated emotion labels. These models learn to recognize and classify emotions by generalizing from the training data, allowing them to predict emotions accurately on unseen data.

#### **II. METHODOLOGY**




Fig. block diagram of facial emotion detection

- Face detection and tracking: In this block take the video using laptop camera. First face is tracking using green rectangle box in this only face is detect.
- Pre processing: it is only face is cropped and region of interest in the video face detection: It is work by identifying and measuring facial feature in an video.
- Facial landmark detection: in this block detect facial landmarks on filtered face.14 facial landmarks it is proposed work on extract the geometric features
- Geometrical feature Extraction: geometric feature are extracted from the 14 points obtained facial landmark detection block.
- Local binary pixel:LBP is the compare pixel values in cropped image it is divided into block.
- Classifier: It is classified as our emotion. Fear, sad etc.

#### **III. EXPERIMENTAL RESULTS**

Fear



ARE YOU ALRIGHT





WHAT HAPPEN

L SET

|e-ISSN: 2319-8753, p-ISSN: 2347-6710| www.ijirset.com | Impact Factor: 8.423| A Monthly Peer Reviewed & Referred Journal |

#### || Volume 12, Issue 5, May 2023 ||

DOI:10.15680/IJIRSET.2023.1205302

#### **IV. CONCLUSION**

Conclusion, real-time facial emotion detection using deep learning is a powerful technology that allows machines to analyze and interpret human emotions from facial expressions. Its ability to operate in real-time opens up numerous possibilities for applications in various fields, making it an exciting and promising area of research and development.

#### REFERENCES

[1]. B. Ko, "A Bnef Review of Facial Emotion Recognition Based on Visual Information Sensors, vol. 18, no. 2, p. 401, 2018

[2]. R. C. Chivers, V. VRamalingam, and A. Pandian, "Facial Emotion recognition System-A Machine Learning Approach Facial Emotion Recognition System + A Machine Learning "2018

[3]. MH Siddiqi, M. Alruwaili, J. Bang, and S. Lee, "Real Time Human Expression Recognition System using Smartphone, vol 17, no. 10, pp. 223-230, 2017-

[4]. A Savva, V Stylianou, K. Kyriacou, and F. Domenach. "Recognizing Student Facial Expressions A Web Application, IEEE Glob Eng.Educ.Conf.EDUCON vol 2018 April, pp. 14591462, 2018

[5]. N Zeng H Zhang, B. Song, W Lm, Y. Li, and A. M Dohaie, Facial expression recognition via learning deep sparse autoencoders."Neurocomputing vol 273, pp. 643-649. 2018. MU Ahmed, KJ Woo, KY Hyeon, M R Bashar, and P.K. Rhee, "Wild facial expression recognition based on incremental active

[6]leaming, Cogn Syst Res vol 52 pp 212-272, 2018 SH. Wang P Phillips, ZC Dong and Y D Zhang, "Intelligent facial emotion recognition based on stationary waveler entropy and Jaya algorithm. Neurocomputing vol 272 pp 668-676, 2018

[7]. S. H Wang, P Phillips, Z. C. Dong, and Y D. Zhang, Intelligent facial emotion recognition based on stationary wavelet entropy and Jaya algorithm," Neurocomputing, vol 272, pp. 668-676, 2018.

[8]. J.J. Pao, Emotion Detection through Facial Feature Recognition, p.6, 2018

[9]. M. Merlin Steffi and John Raybin Jose Comparative Analysis of Facial Recognition involving Feature Extraction Techniques. Int. J Comput. Sci. Eng. Open Access Rev Pap no 6/2018

[10]. N Irtija, M. Sami, and A/R Ahad, Fatigue Detection Lime Facial Landmarks, pp. 1-6, 2018

[11]. Alvarez M, Velazquez, R, Gutierrez & Enquez Zarate J (2018) A Method for Facial Emotion Recognition Based on Interest/ Points. 2013 International Conference on Research in Inellugent and Computing in Engineering (RICE), 1-4

[12]. Ekman P. (2013) Emotion the Human Face LSA Male Books

[14]. C Shan, S. Gong, and P W McOwan Facial Expression recognition Based on Local Binary Patterns: A comprehensive study Image Ms Comput, vol 27, no 6, pp. 803-816-2009

[15]. Ekman, P W Friesen. Measuring Facial Movement, Environmental Psychology and Noverbal Behavior 1(1), Fall, 1976

[16]. Y. Zhang et al. "Facial Emotion Recognition Based on Biorthogonal wavelet Entropy Fuzzy Support Vector Machine, and Stratified Cross Validation pp 8375-8385, 2016

[17]. MJ. Lyons / Budynek 5 Akamaru, "Aromatic Classificanon Or Single Facial Images IEEE Transactions a Pattern Analysis and Machine Intelligence 21 (123(19991 1357-1362

[18]. P. Hespanha, D. J. Kriegman, and P. N. Belhumeur, "Eigenfaces vs Fisherfaces: Recognition Using Class Specific Linear Projection," vol. 19, no. 7, pp. 711-720, 1997.

[19]. Y. Xu, Q. Zhu, Z. Fan, D. Zhang, J. Mi, and Z. Lai, "Using the idea of the sparse representation to perform coarse-to-fine face recognition," In Set. Ny vol 238, pp. 138-148, 2013.

[20]. D. A. Pitaloka, A Wulandari T. Basaruddin, and D Y. Liliana," Enhancing CNN with

Preprocessing Stage in Automatic Emotion recognition," Procedia Comput Sci, vol 116, pp. 523529 2017

[21]. S. L. Happy, A Dasgupta, P. Patnaik, and A Routray Automated alertness and emotion detection for empathie feedback during E- learning Proc-2013 IEEE 5th Int Conf Techne Four HE pp. 47-50, 2013.

[22]. MH Siddiqi et al, "A Brief Review of Facial Emotion Recognition Based on Visual Information 2018 JEEMA C eTechNxT 2018, yol 5, no. 1, pp. 196-201, 2018

[23]. M. Pantic, M. Pantie, and M. Rothkrantz. "Automatic Anal is Facial Expressions, IEEE Trans Pattern Recogniz Lo22 no 12, pp. 1424-1444, 2000)

[24]. Z. J. Wang et al, Article in press sol. 0, pp 1-11 2011



|e-ISSN: 2319-8753, p-ISSN: 2347-6710| www.ijirset.com | Impact Factor: 8.423| A Monthly Peer Reviewed & Referred Journal |

#### || Volume 12, Issue 5, May 2023 ||

| DOI:10.15680/IJIRSET.2023.1205302 |

[25]. AS Telha AH. El-baz, and A. A El-Harby, Face Recognitio Literature Review for J Signal Process, vol. 2 no 2 pp 85-1031 2006 DBY Gas and KH Leung Face recogation using line edge map, Tol \$4.no 8 June 2000

[26]. Y. Gao and KH Leung, "Face recognition using line edge map," IEEE Transactions on Pattern Analysis and Machine Intelligence, vol. 24, no. 6, June 2002,

[27]. & Du. V To & Manor Cimound Facial Expicisions of Enitors Pr E1454- E1462, 2014

[28]. S. Deshmukh M Patwardhan, and A. Mahajan, "Survey on Real- Time Facial Expression

Recognition Techniques," IET Biom., pp. 1-9, 2015





Impact Factor: 8.423





## INTERNATIONAL JOURNAL OF INNOVATIVE RESEARCH

IN SCIENCE | ENGINEERING | TECHNOLOGY





www.ijirset.com