



e-ISSN: 2319-8753 | p-ISSN: 2347-6710

# IJIRSET

International Journal of Innovative Research in  
**SCIENCE | ENGINEERING | TECHNOLOGY**

# INTERNATIONAL JOURNAL OF INNOVATIVE RESEARCH

IN SCIENCE | ENGINEERING | TECHNOLOGY

Volume 12, Issue 5, May 2023

**ISSN** INTERNATIONAL  
STANDARD  
SERIAL  
NUMBER  
INDIA

Impact Factor: 8.423

9940 572 462

6381 907 438

[ijirset@gmail.com](mailto:ijirset@gmail.com)

[www.ijirset.com](http://www.ijirset.com)



# Network Function Virtualization

Mrutyunjay Kharade<sup>1</sup>, Rama Bansode<sup>2</sup>

P.G. Student, Department of Computer Application, PES's Modern College of Engineering, Pune, Maharashtra, India<sup>1</sup>

Research Scholar, TMV Pune & Asst. Professor, P.E.S. Modern College of Engineering, Pune, Maharashtra, India<sup>2</sup>

**ABSTRACT:** NFV has attracted considerable attention in both industry and academic circles as a revolutionary approach to telecommunications service delivery. By decoupling network functions (NF) from the underlying physical equipment, NFV has the potential to significantly reduce operating expenses (OPEX) and capital expenses (CAPEX) while enabling rapid deployment of new services with greater flexibility and shorter time-to-value. Although NFV is still in its early stages, it provides ample opportunity for researchers to explore novel architectures, systems, and applications, as well as evaluate various alternatives and trade-offs in technology development to enable successful NFV implementation. This article provides an overview of NFV, its connection with related areas such as software-defined networking (SDN) and cloud computing, a comprehensive review of the current state of the art in NFV, and highlights promising avenues for future research in this area. In addition, the article highlights key NFV projects, standardization efforts, early implementation examples, use cases, and commercial products.

**KEYWORDS:** Network function virtualization, virtual network functions, software defined networking, networking, virtualization.

## I. INTRODUCTION

The telecommunications industry has traditionally relied on physical devices for each service function, resulting in inflexible network topologies and high costs for telecommunications service providers. However, the increasing demand for diverse and high-speed services poses challenges for purchasing and managing new equipment. In addition, competition and over-the-top services make it difficult to increase subscription fees without risking customer churn. To overcome these challenges, TSPs are looking for more powerful and flexible networks that can reduce costs and improve service flexibility.

NFV (Network Function Virtualization) has emerged as a solution by decoupling network functions from physical equipment. This allows network functions to be deployed as software instances that can be deployed on standard servers, switches and storage at different locations. This allows services to be partitioned into virtual network functions (VNFs) that can be easily moved and instantiated without the need to install new hardware. The introduction of NFV gives TSPs the flexibility to open up their network capacity and services to users and other services. This enables faster and more cost-effective provisioning of new network services, resulting in improved service flexibility. However, implementing NFV requires a different approach to network service delivery than traditional methods. This includes decoupling software and hardware, which enables independent development of both components and facilitates flexible deployment of network functions by reallocating and distributing infrastructure resources.

One of the key benefits of decoupling network functions is dynamic scaling. This allows TSPs to scale the performance of VNFs more dynamically and granularly based on actual traffic demands. It's important to note that NFV can be implemented without resource virtualization, where software-based network functions run on physical machines as long as they can run on commodity servers. However, the benefits of flexibility, dynamic scaling and energy efficiency offered by virtualized resources make NFV an attractive choice. Hybrid scenarios, where functions coexist on both virtualized and physical resources, can also play a critical role in the transition to NFV.

## II. METHODOLOGY

Network Function Virtualization (NFV) is an architectural framework that aims to virtualize and consolidate network functions on commodity hardware, replacing traditional concentrated network mechanisms. The methodology for implementing NFV involves several key steps.



The following is an overview of the typical NFV methodology:

1. **Requirements analysis:** identify the network functions and services that are suitable for virtualization. Determine the performance, scalability and reliability requirements for each network function.
2. **Virtual Network Functions (VNF) Design:** Decompose the network functions into software modules called Virtual Network Functions (VNFs). Define the interfaces and interactions between VNFs and other network components. Resource allocation and orchestration-Determine the resource requirements for each VNF, including CPU, memory, storage, and network connectivity. Develop an orchestration framework that can dynamically allocate and manage resources as needed.
3. **Infrastructure design:** design the underlying infrastructure needed to host VNFs. This includes selecting hardware platforms such as servers and switches, and virtualization technologies such as hypervisors or containers.
4. **Virtualization and deployment:** virtualize network functions using technologies such as hypervisors (e.g., KVM, VMware) or containerization platforms (e.g., Docker, Kubernetes). Deploy VNFs on the virtualized infrastructure.
5. **Management and orchestration (MANO):** Implement a management and orchestration system to monitor and control the VNFs. This includes managing the lifecycle of VNFs, scaling VNF instances as needed, and ensuring fault tolerance and high availability.
6. **Service chaining and network slicing:** Define service chaining policies to determine the order and sequence of network functions required for a given service. Implement network slicing to create isolated virtual networks with tailored network functions and resources for different services or clients.
7. **Test and validate:** Perform comprehensive testing to validate the functionality, performance and scalability of virtualized network functions and the overall NFV infrastructure.
8. **Integration and migration:** Integrate NFV infrastructure with existing network components and systems, such as SDN controllers and legacy networks. Plan and execute the migration of network functions from traditional appliances to virtualized instances.
9. **Operations and Maintenance:** establish operational procedures and processes to monitor, maintain, and troubleshoot NFV infrastructure and virtualized network functions. Implement mechanisms for software upgrades, patch management and security.

It's important to note that the specific methodology may vary depending on the needs of the business, the existing infrastructure, and the NFV solution being implemented. The steps above provide a general overview of the key considerations and activities involved in NFV deployment.

### III. DESCRIPTION OF HARDWARE

In network function virtualization (NFV), hardware plays a critical role in providing the underlying infrastructure to host and run virtualized network functions. The hardware components in NFV are responsible for providing the necessary compute, storage and networking resources to support the virtualized environment.

Here are some important hardware components in NFV:

1. **Servers:** servers are the foundation of the NFV infrastructure. They host the virtual machines or containers that run the virtual network functions (VNFs). Servers should have sufficient computing power (CPU), memory (RAM), and storage capacity to meet the demands of running multiple VNF instances simultaneously. High-performance servers with multiple cores and ample memory are typically used to ensure optimal performance.
2. **Storage:** Storage plays a critical role in NFV for storing virtual machine images, VNF configurations and other data. The storage infrastructure should provide adequate capacity, performance and reliability. Storage technologies such as solid-state drives (SSDs) or network-attached storage (NAS) systems are commonly used to provide fast and scalable storage for virtualized environments.
3. **Network infrastructure:** NFV relies on a robust network infrastructure to enable communication between VNFs, between VNFs and physical network devices, and between various NFV infrastructure components. This includes switches, routers, and network interfaces that support high-speed data transmission and low-latency communications. Software-defined networking (SDN) technologies are often used in conjunction with NFV to enable flexible and programmable network configurations.



4. **Hardware acceleration:** Some network functions require specialized hardware acceleration to achieve the required level of performance. For example, hardware offload cards can be used to accelerate tasks such as packet processing, encryption/decryption, or deep packet inspection. These acceleration hardware components can be integrated into the NFV infrastructure to improve performance and efficiency for specific VNFs.
5. **Management and Orchestration Systems (MANO):** Hardware components that support NFV include the servers and storage infrastructure required to run the management and orchestration systems. These systems perform tasks such as VNF lifecycle management, resource allocation, and fault monitoring. The hardware for MANO 's systems should be able to handle the management overhead, and it should be resilient to ensure continuous operation.
6. **Security hardware:** Security is an important aspect of NFV. Hardware components such as firewalls, intrusion prevention systems (IPS), and encryption devices can be integrated into the NFV infrastructure to provide advanced security capabilities. These hardware components help protect the virtualized network functions and underlying infrastructure from potential threats and vulnerabilities.

It's important to note that the specific hardware requirements for NFV may depend on factors such as the scale of the deployment, the performance requirements of the network functions and the specific needs of the business. NFV solutions can be implemented with a combination of off-the-shelf hardware components and specialized hardware tailored to the specific requirements of the virtualized network functions.

#### IV. ADVANTAGES

Network Function Virtualization (NFV) offers several advantages that make it an attractive approach to modernizing and optimizing network infrastructures. Here are some of the key benefits of NFV:

1. **Agility and flexibility:** NFV enables dynamic and flexible deployment of network functions as software on a virtualized infrastructure. It enables network operators to quickly increase or decrease the capacity of network functions as needed, easily introduce new services, and quickly adapt to changing business requirements. This flexibility helps reduce time-to-market for new services and improves overall network responsiveness.
2. **Cost savings:** NFV eliminates the need for dedicated, proprietary hardware appliances for each network function. Instead, network functions are virtualized and run on industry-standard servers and commodity hardware. This results in significant cost savings by reducing capital expenditures (CAPEX) on expensive specialized hardware and improving hardware utilization through consolidation.  
**Scalability and elasticity:** NFV enables network operators to dynamically scale network functions in response to changing traffic patterns and service requirements. It enables automatic scaling of virtualized instances based on predefined policies or real-time monitoring, ensuring efficient resource allocation and optimal performance. NFV also supports horizontal scaling and allows network functions to be distributed across multiple servers to improve scalability.
3. **Service innovation and rapid deployment:** NFV separates network functions from the underlying hardware, providing a platform for service innovation and faster service deployment. Network operators can easily introduce and test new services without the need for extensive hardware changes. This enables a shorter time-to-market for innovative services, allowing operators to remain competitive in the market.
4. **Improved resource utilization:** NFV enables better use of hardware resources by consolidating multiple network functions into a common infrastructure. This results in greater hardware efficiency and lower operating costs. In addition, NFV enables dynamic allocation of resources based on demand, resulting in optimal resource utilization and cost savings.
5. **Network resiliency and high availability:** NFV provides inherent mechanisms for redundancy and high availability. Virtualized network functions can be deployed across multiple servers or data centers, ensuring service continuity even in the event of hardware or network failures. NFV platforms can also support automatic failover and disaster recovery mechanisms to minimize service interruptions.
6. **Simplified management and orchestration:** NFV introduces centralized management and orchestration systems that simplify the deployment, configuration and management of network functions. It provides a unified view of the network that enables operators to efficiently monitor and control the entire virtualized infrastructure. NFV also enables automation of network operations, reducing manual intervention and improving operational efficiency.



These benefits of NFV contribute to increased network flexibility, cost savings, improved scalability, faster service delivery and enhanced management capabilities. By leveraging virtualization technologies, NFV revolutionizes the way networks are designed, deployed and operated, resulting in more efficient and flexible network infrastructures.

## V. RESULT

With the increasing demand for real-time, on-demand and online services at lower costs, telecommunications service providers (TSPs) are looking for new approaches to flexibly deliver these services while achieving savings in operational and capital costs. Network Function Virtualization (NFV) has emerged as a promising solution to make network equipment more open and allow TSPs to become more flexible and innovative while reducing operations and maintenance costs. NFV, along with Software-Defined Networking (SDN) and cloud computing, is expected to play a significant role in future telecom service delivery.

In this research paper, we introduced NFV and provided an overview of the architecture defined by ETSI (European Telecommunications Standards Institute). We proposed a reference business model and examined key design considerations. We also compared NFV with closely related areas such as SDN and cloud computing, and highlighted ongoing research efforts to combine these technologies. We also discussed key standardization efforts, research projects, commercial products, and initial NFV proof-of-concept implementations. In addition, we identified key research areas critical to the success of NFV and its application to Information-Centric Networking (ICN) and Internet of Things (IoT) and summarized the results of our survey. It is important to address these research areas to prevent TSPs deploying NFV from becoming dependent on vendor-specific solutions, which is counter to the original goal of NFV.

We have found that many current NFV solutions, particularly from the industry, focus primarily on resource pooling of vendor-specific resources hosted in the cloud, rather than addressing the core requirements of NFV, including flexibility, interoperability, integrated management, orchestration, and service automation. Such deployments are expected to continue to grow as NFV progresses from labs and proof-of-concepts to trials and commercial deployments. Vendors are investing significant resources in the development of NFV solutions as NFV moves toward widespread adoption. Therefore, it is critical that specification and standards bodies finalize specifications in a timely manner to avoid limitations or inability to impact deployed solutions.

## VI. CONCLUSION

In summary, network function virtualization (NFV) is a transformative approach that virtualizes network functions and replaces traditional hardware-based devices with software running on commodity servers. NFV offers a number of benefits that are reshaping the way networks are designed, deployed and operated.

By decoupling network functions from proprietary hardware, NFV enables cost reduction through hardware consolidation, better resource utilization and lower operating costs. NFV promotes flexibility and service innovation by providing a flexible platform for rapid deployment of new services and dynamic scaling based on demand.

NFV brings scalability and elasticity to network infrastructures, enabling operators to efficiently allocate resources, optimize performance and respond to changing traffic patterns. It simplifies operations and management through centralized orchestration and automation, reducing manual effort and increasing operational efficiency.

With its inherent resilience and fault tolerance, NFV improves network reliability and availability, ensuring uninterrupted services even in the event of outages or disruptions. In addition, NFV promotes vendor independence and interoperability by leveraging standardized interfaces and protocols, giving operators the flexibility to choose the best solutions from multiple vendors.

Overall, NFV is revolutionizing networks by enabling cost savings, enabling service innovation, improving scalability and elasticity, simplifying operations, increasing resiliency, and promoting vendor flexibility. As network operators adopt NFV, we can expect to see further advances and innovations that will transform the telecommunications industry and provide more efficient, flexible, and responsive networks for the future.



|| Volume 12, Issue 5, May 2023 ||

| DOI:10.15680/IJIRSET.2023.1205350 |

#### REFERENCES

- [1] ETSI NFV Industry Specification Group(<https://www.etsi.org/technologies/nfv>)
- [2] Network Function Virtualization: Concepts and Applicability in 5G Networks" by S. Chaisiri, N. Hassan, and M. A. Hossain
- [3] "Network Functions Virtualization (NFV) with a Touch of SDN" by Rajendra Chayapathi and Alok Srivastava
- [4] "NFV and SDN Handbook: Network Virtualization and Services Orchestration in the 5G Era" by Gerard Nguengang and Dominique Barthel
- [5] "Network Function Virtualization: An Introduction, Benefits, Enablers, Challenges & Call for Action" by Deutsche Telekom, NTT, Telefónica, and AT&T
- [6] "Network Functions Virtualization (NFV): State of the Art and Research Challenges" by Raouf Boutaba et al.



**INNO SPACE**  
SJIF Scientific Journal Impact Factor  
**Impact Factor: 8.423**



**ISSN** INTERNATIONAL  
STANDARD  
SERIAL  
NUMBER  
INDIA



# INTERNATIONAL JOURNAL OF INNOVATIVE RESEARCH

IN SCIENCE | ENGINEERING | TECHNOLOGY

**9940 572 462** **6381 907 438** **ijirset@gmail.com**



[www.ijirset.com](http://www.ijirset.com)

Scan to save the contact details