

e-ISSN: 2319-8753 | p-ISSN: 2347-6710

EDIA

International Journal of Innovative Research in SCIENCE | ENGINEERING | TECHNOLOGY

INTERNATIONAL JOURNAL OF INNOVATIVE RESEARCH

800

IN SCIENCE | ENGINEERING | TECHNOLOGY

Volume 12, Issue 5, May 2023

INTERNATIONAL STANDARD SERIAL NUMBER INDIA

Impact Factor: 8.423

9940 572 462

 \bigcirc



|e-ISSN: 2319-8753, p-ISSN: 2347-6710| www.ijirset.com | Impact Factor: 8.423| A Monthly Peer Reviewed & Referred Journal |

|| Volume 12, Issue 5, May 2023 ||

DOI:10.15680/IJIRSET.2023.1205058

Smart Solar Water Intake Monitoring System for Animals

Mr. Praveen M¹, Mirza KP², Sreenath K³, Veekshith⁴, Vikas V⁵

¹Assistant Professor of Electronics and Communication Engineering, Yenepoya Institute of Technology, Moodbidri,

Karnataka, India

^{2,3,4,5} Student8thSemester, DepartmentofElectronics and Communication Engineering, Yenepoya Institute ofTechnology,

Moodbidri, Karnataka, India

ABSTRACT: This article discusses the concept of a water dispenser for animals using RFID technology. The system consists of a water dispenser equipped with an RFID reader and a database that stores information about individual animals. RFID tags are attached to each animal, containing a unique identification number associated with the animal's information in the database. When an animal approaches the dispenser, the RFID reader detects the tag and provides the animal with water based on its specific needs. The benefits of using an RF ID-based water dispenser include individualized water consumption monitoring and preventing overconsumption. Overall, this system is an efficient way to ensure animals receive appropriate water intake while tracking individual consumption

KEYWORDS: SOLAR, RFID, ANIMAL MONITORING

I. INTRODUCTION

Water is essential for the survival and health of all living beings, including animals. In situations where animals are kept in captivity or managed in large populations, providing them with adequate access to water can be challenging. It is also important to monitor their water consumption to ensure they are receiving the appropriate amount of water for their specific needs. To address these challenges, a water dispenser for animals using RFID technology has been developed.

The system uses radio frequency identification (RFID) technology to identify and track individual animals and provide them with water based on their specific needs. The water dispenser is equipped with an RFID reader and a database that stores information about each animal. RFID tags are attached to each animal, containing a unique identification number associated with the animal's information in the database. When an animal approaches the dispenser, the RFID reader detects the tag and provides the animal with water based on its specific needs.

II. PROBLEM STATEMENT

Animal welfare and husbandry management require accurate data on water intake patterns, but existing methods for measuring water consumption are often inaccurate and labor-intensive.

Water quality is also important for animal health, but there is currently no efficient way to monitor it in remote areas where animals live.

Wildlife populations are often difficult to monitor, and information on their water availability and use is limited, making it challenging to develop conservation strategies.

III.METHODOLOGY

The methodology for developing a water dispenser for animals using RFID technology involves several steps, including:

<u>System Design</u>: The design of the system involves identifying the requirements for the water dispenser, including the types of animals to be served, the volume of water required, and the frequency of water replenishment. The system is designed to accommodate the specific needs of each animal, with the RFID technology used to identify individual animals and provide them with water based on their unique requirements.

•



|e-ISSN: 2319-8753, p-ISSN: 2347-6710| www.ijirset.com | Impact Factor: 8.423| A Monthly Peer Reviewed & Referred Journal |

|| Volume 12, Issue 5, May 2023 ||

| DOI:10.15680/IJIRSET.2023.1205058 |

<u>RFID Tagging</u>: Each animal is fitted with an RFID tag containing a unique identification number. The tag is attached to the animal in a way that ensures it can be easily detected by the RFID reader.

<u>RFID Reader and Database</u>: The water dispenser is equipped with an RFID reader that detects the tag and reads the animal's information from the database. The database contains information about each animal, including their unique identification number, water consumption requirements, and any other relevant information.

<u>Water Dispensing</u>: When an animal approaches the water dispenser, the RFID reader detects the tag and reads the animal's information from the database. The dispenser then provides the animal with water based on its specific needs, such as its age, breed, or health condition. The water dispenser is designed to provide an adequate amount of water to each animal while preventing over consumption.

<u>Testing and Validation</u>: The system is tested to ensure it operates effectively and efficiently in providing animals with water based on their specific needs. Validation of the system involves comparing the results obtained from the system with the expected outcomes.

Overall, the methodology involves the design, implementation, and testing of a water dispenser for animals using RFID technology to ensure animals receive adequate water intake while providing an efficient way to track individual consumption.

IV.BLOCK DIAGRAM




Fig 2 : Block diagram of smart water intake monitoring system for animals

V.MATERIALS

A.Arduino NANO:

Arduino Uno is a popular microcontroller board based on the ATmega328P microcontroller. It is an open-source platform that provides an easy and affordable way for anyone to get started with electronics and programming. The Arduino Uno board has 14 digital input/output pins, 6 analog inputs, a 16 MHz quartz crystal, a USB connection for programming and power, an ICSP header, and a reset button. It can be powered through the USB connection or an external power supply.

B. motor pump:

Motor pump are basically a Electric motors mainly used for changing energy from electrical to mechanical. Here in motor we use a pump mechanism to motorwhich is used to move fluids by using forces like air.due to this Air moves forward which produce a flow.

C.Water level sensor:

A water level sensor is a device that is used to measure the water level in a tank, reservoir, or other container. It can be used for a variety of applications, such as monitoring the water level in a swimming pool, detecting leaks in plumbing systems, and controlling irrigation systems.



|e-ISSN: 2319-8753, p-ISSN: 2347-6710| www.ijirset.com | Impact Factor: 8.423| A Monthly Peer Reviewed & Referred Journal |

|| Volume 12, Issue 5, May 2023 ||

| DOI:10.15680/IJIRSET.2023.1205058 |

D.Temperature Sensor:

A temperature sensor is a device that is used to measure temperature and convert it into an electrical signal that can be interpreted and displayed. Temperature sensors are used in a wide variety of applications, including industrial control systems, HVAC systems, medical equipment, and consumer electronics.

E. RFID module:

RFID modules consist of an antenna and a transceiver, which are used to communicate with RFID tags. When an RFID tag is brought near the antenna, it receives energy from the antenna and sends back its unique identification code to the module. The module then decodes the code and sends it to a microcontroller or computer for processing.

F. Battery(12v):

A 12V battery is a type of rechargeable battery that produces a nominal voltage of 12 volts. It is commonly used as a power source in a wide range of applications, including automotive, marine, and recreational vehicles, as well as backup power systems for homes and businesses.

G. Solar Panel:

A solar panel is a device which basically used to convert sunlight to electric source. Solar panels are made up of photovoltaic cells, which are connected together to form a solar array. They are commonly used to generate electricity in both residential and commercial applications.

H. Buzzer:

A buzzer is an electronic device that produces a loud, audible sound when it receives an electrical signal. Buzzers are commonly used as alarms, warning signals, and in electronic games and toys.

I. LED display:

LED displays are made up of individual LED modules, which are arranged in a matrix. Each module contains multiple LEDs that can be individually controlled to create different colors and patterns. The modules are then connected together to form a larger display.

VI.CONCLUSION

In conclusion, a water dispenser for animals using RFID technology can provide several benefits, including improved animal health, efficient water usage, and automated water dispensing. It can also provide individualized care and realtime tracking while reducing labor costs. However, implementing an RFID system can be costly and complex, and there are potential risks associated with tag loss, system malfunction, and power dependency. Despite these challenges, a water dispenser for animals using RFID technology can be a valuable tool for farmers and animal owners looking to improve animal welfare and increase efficiency in water management. Ultimately, the decision to implement an RFID system should be carefully evaluated based on individual needs and circumstances.

REFERENCES

[1]."Design of a Smart Solar-Powered Water Trough for Animal Monitoring" by Oluyinka O. Oludayo and Olalekan S. Olusegun. In this paper, the authors describe the design and implementation of a solar-powered water trough with sensors to monitor the water intake of animals.

[2]. "A Smart Solar-Powered Water Trough for Cattle" by Ian G. F. Dunn and John W. McBride. This paper presents a design for a solar-powered water trough with a sensor system to monitor the water intake of cattle, including an algorithm for predicting when the water level will be depleted.

[3]. "Development of a Solar-Powered Water Monitoring System for Livestock" by Muhammad Awais, Muhammad Zain-ul-Abdin, and Muhammad Imran. This paper describes the design and implementation of a solar-powered water monitoring system for livestock that includes sensors to detect the water level, water temperature, and water quality.



|e-ISSN: 2319-8753, p-ISSN: 2347-6710| www.ijirset.com | Impact Factor: 8.423| A Monthly Peer Reviewed & Referred Journal |

|| Volume 12, Issue 5, May 2023 ||

DOI:10.15680/IJIRSET.2023.1205058

BIOGRAPHY



Mr.Praveen M, AssistantProf., (ECE). Education: Visvesvaraya Technological University, Karnataka, India. Affiliations andfunctions:assistant professor in the Department of Electronics and Communication Department of Engineering at Yenepoya Institute of Technology, Moodbidri, Karnataka.Research interests: Image processing, Publications: 4 International papers and 2 National paper.

Mr.Vikas V, Student, Electronics and Communication Engineering at Yenepoya Institute of Technology, Moodbidri, Karnataka.



Mr.Veekshith, Student, Electronics and Communication Engineering at Yenenpoya Institute of Technology, Moodbidri, Karnataka.



Mr.Mirza KP, Student, Electronics and Communication Engineering at Yenepoya Institute of Technology, Moodbidri, Karnataka.



Mr.Sreenath K, Student, Electronics and Communication Engineering at Yenepoya Institute of Technology, Moodbidri, Karnataka.

IJIRSET©2023





Impact Factor: 8.423





INTERNATIONAL JOURNAL OF INNOVATIVE RESEARCH

IN SCIENCE | ENGINEERING | TECHNOLOGY





www.ijirset.com