



e-ISSN: 2319-8753 | p-ISSN: 2347-6710

IJIRSET

International Journal of Innovative Research in
SCIENCE | ENGINEERING | TECHNOLOGY



INTERNATIONAL JOURNAL OF INNOVATIVE RESEARCH

IN SCIENCE | ENGINEERING | TECHNOLOGY

Volume 12, Special Issue 1, April 2023

ISSN INTERNATIONAL
STANDARD
SERIAL
NUMBER
INDIA



9940 572 462



6381 907 438



ijirset@gmail.com



www.ijirset.com

Advanced Skin Diseases Diagnosis Leveraging Image Processing

Mrs Sundara Jeyalakshmi¹, Yeswanth T², Sanjay S³, Ragul M⁴, Mugunthan kumar M⁵

Assistant Professor, Department of Electronics and Communication Engineering, Adhiyamaan College of Engineering,
Krishnagiri, Tamil Nadu, India¹

UG Scholar, Department of Electronics and Communication Engineering, Adhiyamaan College of Engineering,
Krishnagiri, Tamil Nadu, India^{2,3,4,5}

ABSTRACT: Air pollution affects mortal skin in numerous ways. Skin conditions are common in densely peopled regions. These conditions have a ruinous impact on people's lives by creating a huge need for the complaint opinion. The proposed work on skin complaint determination system aims for an accurate opinion using image processing. The methodology outlined then aims to identify skin complaint by checking the input image. The system involves filtering of the input handed to remove noise, conversion of image to a grayscale image, and image segmentation. point birth is used to minimize the quantum of data to be reused by the classifier. The SVM (Support Vector Machine) is also used in the image bracket to identify the skin complaint. The increased use of technology has led to an effective and accurate way of opinion that aids in curing the complaint more expeditiously. Using the proposed system skin conditions similar as rosacea, carcinoma, psoriasis and acne are linked with a high accuracy.

KEYWORDS: SVM, Diagnosis, Skin Diseases.

I.INTRODUCTION

Mortal skin varies in consistence in certain regions like, soles and triumphs except. It has two layers the epidermis (external) and dermis (inner). Collagen and elastic factors present in the skin are responsible for the unique inflexibility that mortal skin has. The skin provides a unique guard which protects within limits against mechanical forces, or penetration by colorful chemical agents, which beget several conditions similar as rosacea, acne, psoriasis. Hence skin complaint identification has come one of the most demanding and seductive exploration areas in the once many times. This paper describes a system of complaint opinion that would be accessible for dermatologists to reduce individual faults, and helps the pastoral population in relating the complaint at the foremost, where the means of drug is scarce. The input image is preprocessed in order to remove noise, this is pivotal in order to get accurate results as any form of deformation in the input image results in the defective or incorrect affair which can lead to inaccurate opinion. The filtered image is also converted into a grayscale image. point birth is done using GLCM (Gray Levels-occurrence Matrix) features used to characterize the skin lesions are grounded on texture analysis. The statistical features are also given to the SVM (Support Vector Machine) classifier which is used for the bracket of images. The paper discusses the fashion that directly detects conditions similar as psoriasis and other complaint infected skin images. Image processing system is enforced in MATLAB, for skin complaint discovery. In this paper, since the dataset isn't fluently accessible, images collected from several internet coffers have been used for both training and testing. The dataset contains images of Skin conditions similar as acne, psoriasis, carcinoma, rosacea and several other conditions, which can be used for training. The images of diseases such as melanoma, rosacea, psoriasis have been collected to create an appropriate dataset which contains 105 images for training and testing purposes. Filtering is often used to remove the background noise from an image. After demising the image, adaptive median filtering is applied to remove some hair like material from skin image, thresholding is the simplest and most used method of segmentation.

II. RELATED WORK

2.1 Automatic detection of melanoma skin cancer using texture analysis”m. sheha,m.s. mabrouk anda. sharawy. 2012.

Carcinoma is considered the most dangerous type of skin cancer. Beforehand and accurate opinion depends substantially on important issues, delicacy of point uprooted and effectiveness of classifier system. This paper presents a robotic system for carcinoma opinion applied on a set of dermoscopy images. This study Proposes, an automated system for demarcation between melanocytic nevi and nasty carcinoma avoiding segmentation process using texture analysis. Texture analysis refers to the characterization of regions in an image by their texture content. Texture analysis is used in a variety of operations, including remote seeing, automated examination, and medical image processing. The system uses the way of Pre-processing, point birth, point selection, bracket and also evaluation. System enables texture analysis without being limited by selection and discovery of structure of interest.

2.2 “Air quality monitoring in Civic surroundings” M.B. marinov, I. topalov, e. gieva and g.

NIKOLOV Quality of the air in megacity and civic areas is the most important factor that directly influences the prevalence of conditions and decreases the quality of life. Taking applicable opinions in a timely period depends on the dimension and analysis of the parameters of the air, which creates the need for the development of real time air quality monitoring. The use of multi-parameter air quality monitoring systems makes it possible to do a detailed position analysis of major adulterants and their sources. These covering systems are important factors in numerous smart megacity systems for covering air quality and for controlling the main contaminant attention in civic areas. In this paper we present an approach for cost-effective dimension of applicable environmental parameters, grounded on a scalable detector array with integrated am perometric and infrared gas detectors. Air pollution may appear from anthropogenic or natural sources. Large- scale assiduity, which is decreasingly deposited outside metropolitan regions and civic areas, isn't considered to be the primary source for the inferior air quality.

III. PROPOSED METHOD

In this paper, we propose a system to identify whether a given sample is affected with Carcinoma or not. The way involved in this study are collecting labeled data of images that are pre-processed, leveling those images and getting the pixel intensities of images into an array, subjoining all similar arrays into a database, training the SVM with labeled data using a suitable kernel, and using the trained data to classify the samples successfully. The results show that the achieved delicacy of bracket is about 90. The proposed system for skin complaint discovery is grounded on several ways similar as preprocessing, grayscale conversion, segmentation point birth and bracket. These way are performed in order to successfully identify the skin complaint as the delicacy with which the skin complaint is linked depends upon the quality of the image given as input. This paper uses colorful preprocessing ways to enhance the image quality. The increase in the quantum of environmental pollution has adverse goods on mortal health, thereby causing several skin diseases. An image analysis procedure for feting colorful skin lesions under contactless skin opinion terrain is proposed. In this paper, an image processing procedure for feting skin lesions over contactless skin imaging device is proposed. trials show that assaying the shadow of the skin lesions can effectively descry and classify the lesion of concern. The proposed procedure is composed of five stages Preprocessing, Parameter Configuration, Abnormal Area Separation, Lesion Recognition, and Categorization and Visualization.

IV. EXISTING METHOD

Skin Conditions similar as Melanoma and Carcinoma are frequently relatively hard to descry at an early stage and it's indeed harder to classify them independently. lately, it's well known that, the most dangerous form of skin cancer among the other types of skin cancer is carcinoma because it's much more likely to spread to other corridor of the body if not diagnosed and treated beforehand. In order to classify these skin conditions, “ Support Vector Machine(SVM) ” a Machine Learning Algorithm can be used.

V.EXPERIMENT RESULTS

We've used Convolutional Neural Network (CNN). A Convolutional Neural Network (CNN or Con Net) is a order of deep neural networks, where the machine learns on its own and divide the data handed into the situations of vaticination and in a veritably short period of time gives the accurate results. A Convolutional Neural Network(CNN) is an algorithm in deep literacy which correspond of a combination of convolutional and pooling layers in sequence and also followed by completely connected layers at the end as like multilayer neural network. CNN stands out among all indispensable algorithms in classifying images. pivotal characteristics are meagre Connectivity, Shared Weights and Pooling point so as to prize the stylish features. Also, the use of Graphical Processing Units(GPUs) have shrivelled the training time of deep literacy styles. Giant databases of labelled data Andre-trained networks are now intimately available.

The partition of an image into several parts is necessary in digital image processing and analysis of the image and a common technique used to achieve this is image segmentation which is based upon the pixel values and the pixel characteristics of the image. The image segmentation is done by separating the regions of contrast and by forming sets of pixels basing upon shape and color. Image segmentation technique called thresholding is used to identify those tissue types in the images. Thresholding is a method to separate groups of objects in a scene.

The first and the most important step in the entire process is the collection of input images from the stoner, thus the image should be reused to enhance the image quality. The figure 4 shows the image that's considered as input in this paper. The input given is an image of the complaint carcinoma. Input acquired from the stoner is anatomized and the corresponding complaint is linked. In order to achieve accurate results the image is filtered.

In this step the input image is resized and also filtered in order to achieve high delicacy. The filtering process is done using an adaptive standard sludge to remove unwanted deformations similar as noise. The input RGB image is also converted into a grayscale image in order to dwindle the quantum of information handed for each pixel. The grayscale converted image and the affair of the adaptive standard sludge which is used to remove noise from the input image.

“ further the delicacy, better is the model ”. Every model is estimated grounded on the delicacy achieved and the loss attained. There are two rigor involved confirmation delicacy And Test delicacy. Before this confirmation set is different from Train set i.e. confirmation set is independent from the Train set, confirmation set is used for opting parameters.



Fig.1.INPUT IMAGE




Fig. 3. Fully connected network




Fig. 2. IMAGE SEGMENTATION

Skin Disease	Input Images	Detected Images	Accuracy
Acne	26	23	83%
Psoriasis	23	21	92%
Melanoma	27	24	89%
Rosacea	24	20	84%

Fig 4. Accuracy Table

The affair, that's the linked skin complaint is displayed in the GUI(Graphical stoner Interface) under the bracket button. The GUI has several fields that give fresh information similar as entropy, area chance of the spread of the complaint which is calculated grounded upon the input image. The figure 9 shows the GUI which displays the affair as psoriasis, and also showcases the features similar as area, border and entropy.

VI.CONCLUSION AND FUTURE WORK

The proposed work shows the enhancement in relating the skin conditions at different stages using image processing ways grounded on activepre-processing, thresholding and SVM classifier. The proposed work is to prize the features of the image given as input and descry the complaint through the uprooted features videlicet area, border, mean and entropy. The proposed system identifies the skin conditions with an delicacy of 89. The system can be trained to identify several other skin conditions by expanding the dataset of images used for both training and testing to cover the other conditions as well. The delicacy rate of the SVM classifier in the proposed system can also be increased by considering birth of other features similar as unity, correlation and discrepancy, piecemeal from the features uprooted in this paper.

REFERENCES

- [1]. M. B. Marinov, I. Topalov, E. Gieva and G. Nikolov, "Air quality monitoring in urban environments," 2016 39th International Spring Seminar on Electronics Technology (ISSE), Pilsen, 2016, pp. 443-448.
- [2]. Haddad and S. A. Hameed, "Image Analysis Model For Skin Disease Detection: Framework," 2018 7th International Conference on Computer and Communication Engineering (ICCCE), Kuala Lumpur, 2018.
- [3]. Extraction of Skin Lesions from Non-Dermoscopic Images Using Deep Learning Mohammad H. Jafari, Ebrahim Nasr-Esfahani, Nader Karimi, S.M. Reza Soroushmehr, Shadrokh Samavi, Kayvan Najarian.
- [4]. Segmentation and Classification of Skin Lesions for Disease Diagnosis Sumithra R, Mahamad Suhil, D.S.Guru, Department of Studies in Computer Science, University of Mysore, Mysore, India.
- [5]. Manish Kumar and Rajiv Kumar, "A I TELLIGE T SYSTEM TO DIAG OSIS THE SKI DISEASE", VOL. 11, O. 19, OCTOBER 2016.
- [6]. Automatic segmentation of skin lesions from dermatological photographs by Jeffrey Glaister A thesis presented to the University of Waterloo in fulfillment of the thesis requirement for the degree of Master of Applied Science in Systems Design Engineering Waterloo, Ontario, Canada, 2013.
- [7]. M. H. Chowdhury and W. D. Little, "Image thresholding techniques," IEEE Pacific Rim Conference on Communications, Computers, and Signal Processing. Proceedings, Victoria, BC, Canada, 1995, pp. 585-589.
- [8]. Santhosh Narmal Akash A, A. Ajith, V. Goel, P. Vazirani and M. M. Roja, "Digital dermatology: Skin disease detection model using image processing," 2017 International Conference on Intelligent Computing and Control Systems (ICICCS), Madurai, 2017, pp. 168-173.
- [9]. J. Serra, "Image segmentation," Proceedings 2003 International Conference on Image Processing (Cat. No.03CH37429), Barcelona, Spain, 2003, pp. I-345.
- [10]. M.VASANTHA, & BHARATHI, & DRV.SUBBIAH, & S DHAMODHARAN, (2010). Medical Image Feature, Extraction, Selection and Classification. International Journal of Engineering Science and Technology.
- [11]. Yujun Yang, Jianping Li and Yimei Yang, "The research of the fast SVM classifier method," 2015 12th International Computer Conference on Wavelet Active Media Technology and Information Processing (ICCWATIP), Chengdu, 2015, pp. 121-124.
- [12]. M. Sheha, M. S. Mabrouk and A. Sharawy. 2012. Automatic detection of melanoma skin cancer using texture analysis. Int. J. Comput. Appl. 42(20): 22-26.
- [13]. Turner, J, and B Kelly. "Emotional dimensions of chronic disease." The Western journal of medicine vol. 172,2 (2000): 124-8. doi:10.1136/ewjm.172.2.124
- [14]. Jain, Sonia & Barambhe, MS & Jain, Jyoti & Jajoo, UN & Pandey, Neha. (2016). Prevalence of skin diseases in rural Central India: A community-based, cross-sectional, observational study. Journal of Mahatma Gandhi Institute of Medical Sciences. 21. 111. 10.4103/0971- 9903.189537.
- [15]. Kumar, N & Kumar, P & Pramodh, K & Karuna, Yepuganti. (2019). Classification of Skin diseases using Image processing and SVM. 1-5. 10.1109/ViTECoN.2019.8899449.

International Journal of Innovative Research in Science, Engineering and Technology*An ISO 3297: 2007 Certified Organization**Volume 12, Special Issue 1, April 2023***10th National Conference on Frontiers in Communication and Signal Processing Systems (NCFCSPPS '23)****5th -6th April 2023****Organized by****Department of ECE, Adhiyamaan College of Engineering, Hosur, Tamilnadu, India****BIOGRAPHY**

Mrs. Sundara Jeyalakshmi V
Assistant Professor,
Department of Electronics and
Communication Engineering,
Adhiyamaan College of
Engineering(Autonomous),Hosur.



Yeswanth T,
Bachelor of Engineering (student),
Adhiyamaan College of Engineering
(Autonomous),Hosur.



Sanjay S,
Bachelor of Engineering (student),
Adhiyamaan College of
Engineering(Autonomous), Hosur.



Ragul M,
Bachelor of Engineering (student),
Adhiyamaan College of
Engineering(Autonomous),Hosur.



Mugunthan kumar M
Bachelor of Engineering (student),
Adhiyamaan College of
Engineering(Autonomous), Hosur.



SJIF: 8.423



INTERNATIONAL
STANDARD
SERIAL
NUMBER
INTERNATIONAL CENTRE



INTERNATIONAL JOURNAL OF INNOVATIVE RESEARCH

IN SCIENCE | ENGINEERING | TECHNOLOGY

 **9940 572 462**  **6381 907 438**  **ijirset@gmail.com**



www.ijirset.com

Scan to save the contact details