

Volume 12, Issue 9, September 2023



**Impact Factor: 8.423** 





6381 907 438







 $|e\text{-}ISSN: 2319\text{-}8753, p\text{-}ISSN: 2347\text{-}6710| \underline{www.ijirset.com} \mid Impact\ Factor: 8.423|\ A\ Monthly\ Peer\ Reviewed\ \&\ Referred\ Journal\ |\ Monthly\ Peer\ Reviewed\ Barrier |\ Monthly\ Peer\ Reviewed$ 

|| Volume 12, Issue 9, September 2023 ||

| DOI:10.15680/IJIRSET.2023.1209080 |

# Monocotyledons Diversity in the Wetlands of Ramgarh Vishdhari Wildlife Sanctuary of Bundi District, South-East Rajasthan

### Dr. O. P. SHARMA

Professor, Department of Botany, Government College Bundi, Rajasthan, India

**ABSTRACT:** Monocotyledons diversity of wet lands of Ramgarh Vishdhari Wildlife sanctuary of Bundi district of Rajasthan are considered in this communication. A number of waterbodies founds in this area. The importance of wetland plant diversity for sustainable life support system is well known. Good drainage systems support the hydrophytes and moisture loving taxa.

KEYWORDS: Ecosystem, Flora, Hydrophytes, Monocotyledons, Wetlands

#### I. INTRODUCTION

Wetlands diversity are dominated by the influence of water and encompass of heterogeneous habitat. Both aquatic and semi-aquatic vegetations are included in wetland ecosystems. The floristic survey of various habitat like ponds, rivers, lakes, marshy places etc. was undertaken of sanctuary area. The vegetation differs of free floating, swamps, marshy places, moist and shady places near the water bodies. Macrophytes are beneficial to others because they provide food for fish, aquatic animals and human beings.

Ramgarh Vishdhari Wildlife sanctuary has large forest ecosystem in Haroti region. Different physical regions are present in the sanctuary. It is located in Bundi district of Rajasthan state and 45 Km. away from it. The sanctuary lies in the south-eastern part of Rajasthan between 24° 59' 11" to 25° 53' 11" North latitude and 75° 19' 30" to 76° 49' 30" East longitudes. An attempt has been made to prepare a floristic account of monocotyledons diversity of wetland of Ramgarh Vishdhari Wildlife sanctuary of Rajasthan.

### II. RELATED WORKS

Notable studies on the aquatic and wetland angiosperm plants of India were done by Deb (1976), Singh & Satyanarayan (2012), Chowdhury and Das (2013), Jadhav (2016) and Sharma (2022). Important contribution from ecological and floristic studies includes Sculthorpe, 1967; Shringi, 1981; Shetty and Pandey, 1983; Pascal and Pellissier, 1996; Baruah, Mitali and Saikia, 2000; Sujana and Sivaperuman, 2008; Sharma, 2010; Meena, 2012; Sharma, 2013; Sikarwar, 2014 and Sharma, 2022. Monocotyledons vegetations of wetland of Ramgarh Vishdhari Wildlife have been observed in this communication.

### III. METHODOLOGY

The paper is based on current exploration and field observation of the area. The present work is outcome of exhaustive plant diversity survey in area of Ramgarh Vishdhari Wildlife sanctuary of Bundi district of Rajasthan by the author in 2020 to 2023. Observed plant species are being described in results and discussions. Monocotyledons diversity of wet lands of area of have been recorded in present enumeration.

# International Journal of Innovative Research in Science, Engineering and Technology (IJIRSET)



 $|e\text{-}ISSN: 2319\text{-}8753, p\text{-}ISSN: 2347\text{-}6710| \underline{www.ijirset.com} \mid Impact\ Factor: 8.423|\ A\ Monthly\ Peer\ Reviewed\ \&\ Referred\ Journal\ |\ Monthly\ Peer\ Reviewed\ Barrier |\ Monthly\ Peer\ Reviewed$ 

|| Volume 12, Issue 9, September 2023 ||

# | DOI:10.15680/IJIRSET.2023.1209080 |

### IV. EXPERIMENTAL RESULTS

A number of water ponds built in the villages which exist in the Ramgarh Vishdhari Wildlife sanctuary retain water till late in winters. Mez River and Machali River support a variety of aquatic flora and fauna in the area. In addition, the wetland areas of sanctuary are favourite grounds of many bird's species. Certain physical regions are found in sanctuary area. During the monsoon season a number of streams flow out of the reserve.

Important water bodies and wetlands in forest areas of Ramgarh Vishdhari Wildlife sanctuary are following:

- 1. Phool Sagar
- 2. Bhenrupura talab
- 3. Thandi Jhari
- 4. Mez River
- 5. Jait Sagar
- 6. Shambu Sagar
- 7. Thikrada talab
- 8. Banganga reservoir
- 9. Jamunia Deh
- 10. Banskhol Kui
- 11. Jhal Khoh
- 12. Amba Wala Nala
- 13. Ramjhar
- 14. Machali river
- 15. Semlya Deh

Check list of recorded monocotyledons taxa (Botanical names and family) of wetlands of area is enumerated in Table - 1, which are arranged alphabetically.

TABLE - 1

| S.  | BOTANICAL NAME                                   | FAMILY          |
|-----|--|-----------------|
| No. |  |                 |
| 1   | Aponogeton natans (L.) Engl. & K. Krause.        | Aponogetonaceae |
| 2   | Arnudo donax L.                                  | Poaceae         |
| 3   | Brachiaria ramosa L. Stapf                       | Poaceae         |
| 4   | Bulbostylis barbata (Rottb.) C. B. Clarke.       | Cyperaceae      |
| 5   | Coix aquatica Roxb.                              | Poaceae         |
| 6   | Cyperus alopecuroides Rottb.                     | Cyperaceae      |
| 7   | Cyperus alternifolius subsp. flabelliformis Kük. | Cyperaceae      |
| 8   | Cypersus bulbosus Vahl.                          | Cyperaceae      |
| 9   | Cyperus compressus L.                            | Cyperaceae      |



 $|e\text{-}ISSN: 2319\text{-}8753, p\text{-}ISSN: 2347\text{-}6710| \underline{www.ijirset.com} \mid Impact\ Factor: 8.423|\ A\ Monthly\ Peer\ Reviewed\ \&\ Referred\ Journal\ |\ Monthly\ Peer\ Reviewed\ Barrier |\ Monthly\ Peer\ Reviewed$ 

# || Volume 12, Issue 9, September 2023 ||

# | DOI:10.15680/IJIRSET.2023.1209080 |

| 10 | Cyperus nutans Vahl.                                | Cyperaceae       |
|----|---|------------------|
| 11 | Cyperus rotundus L.                                 | Cyperaceae       |
| 12 | Eleocharis atropurpurea (Retz.) J.Presl & C.Presl   | Cyperaceae       |
| 13 | Fimbristylis dichotoma (L.) Vahl.                   | Cyperaceae       |
| 14 | Fimbristylis ferruginea (L.) Vahl.                  | Cyperaceae       |
| 15 | Hydrilla verticillata (L. f.) Royle.                | Hydrocharitaceae |
| 16 | Juncus bufonius L.                                  | Juncaceae        |
| 17 | Lemna perpusilla Torrey                             | Lemnaceae        |
| 18 | Najas graminea Del.                                 | Najadaceae       |
| 19 | Najas marina L.                                     | Najadaceae       |
| 20 | Najas minor All.                                    | Najadaceae       |
| 21 | Nechamandra alternifolia (Roxb. ex-Wight) Thwaites. | Hydrocharitaceae |
| 22 | Ottelia alismoides (L.) Pers.                       | Hydrocharitaceae |
| 23 | Phoenix sylvestris (L.) Roxb.                       | Arecaceae        |
| 24 | Polypogon monspeliensis (L.) Desf.                  | Poaceae          |
| 25 | Pontederia crassipes Mart.                          | Pontederaceae    |
| 26 | Pontederia vaginalis Burm.f.                        | Pontederaceae    |
| 27 | Potamogeton crispus L.                              | Potamogetonaceae |
| 28 | Potamogeton perfoliatus L.                          | Potamogetonaceae |
| 29 | Sagittaria guayanensis Kunth.                       | Alismataceae     |
| 30 | Sagittaria sagittifolia L.                          | Alismataceae     |
| 31 | Schoenoplectiella articulata (L.) Lye               | Cyperaceae       |
| 32 | Schoenoplectiella roylei (Nees) Lye                 | Cyperaceae       |
| 33 | Schoenoplectus scirpoides (Schrad.) Browning        | Cyperaceae       |
| 34 | Spirodella polyrhiza (L.) Schleid.                  | Lemnaceae        |
| 35 | Stuckenia pectinata (L.) Börner                     | Potamogetonaceae |
| 36 | Typha domingensis Pers.                             | Typhaceae        |
| 37 | Vallisneria spiralis L.                             | Hydrocharitaceae |
| 38 | Wolffia arrhiza (L.) Horkel. ex Wimm.               | Lemnaceae        |
| 39 | Zannichellia palustris L.                           | Zannichelliaceae |

Table 1 - Check list of Monocotyledons taxa of Wetlands of Ramgarh Vishdhari Wildlife sanctuary

Extensive taxonomical surveys were conducted in different seasons to evaluate the aquatic vegetations of area. Thirty-nine monocot plants species were recorded during this investigation from different water bodies of Ramgarh Vishdhari Wildlife sanctuary.

# V. CONCLUSION

Monocotyledons has peculiar characters like they are mostly herbs, leaves large, parallel veined, perianth generally trimerous, free or united, embryo with one cotyledon, hypogeal, radicle forming tap root which is short lived and is replaced by adventitious roots. Angiosperm diversity plays a crucial role in maintaining the ecosystem of any area. Wetland habitats of the area like ponds, rivers, lake, marshy places etc. are under threat at present. Considering these reasons, the taxonomical survey of Monocotyledons plants of wetlands of Ramgarh Vishdhari Wildlife sanctuary of Bundi district of Rajasthan was undertaken.

## International Journal of Innovative Research in Science, Engineering and Technology (IJIRSET)



|e-ISSN: 2319-8753, p-ISSN: 2347-6710| www.ijirset.com | Impact Factor: 8.423| A Monthly Peer Reviewed & Referred Journal |

|| Volume 12, Issue 9, September 2023 ||

# | DOI:10.15680/IJIRSET.2023.1209080 |

#### REFERENCES

- 1. Baruah, Mitali and Saikia, L.R. (2000). Biological Spectrum of a floristic community in and around Dibrugarh university campus. Indian Journal of Eco. 27 (1): 1 15.
- 2. Chowdhury, A. & Das A.P. (2013). Aquatic and semi aquatic macrophytic diversity of Karala at Jalpaiguri, West Bengal India and their growth form analysis. Int J Pharm Bio Sci., 4(4) (B): 1336 -1343.
- 3. Deb, D.B. (1976). A study on the aquatic vascular plants of India. Bull. Bot. Soc. Bengal. 29: 155-170.
- 4. Jadhav, D. (2016). Floristic diversity of aquatic and wetland Macrophytes of Malawa region of Madhya Pradesh. Phytotaxonomy, 12: 181-186.
- 5. Meena, S.L. (2012). A checklist of the vascular plants of Banaskantha district, Gujarat, India Nelumbo 54: 39-91.
- 6. Pascal, J.P. and Pellissier, R. (1996). Structure and floristic composition of a tropical evergreen forest in south west India. J. Trop. Ecol. 190 216.
- 7. Sculthorpe, C.D. (1967). The Biology of Aquatic Vascular Plants. Edward Arnold (pb.) London.
- 8. Sharma, O.P. (2010). Studies on biological spectrum of Bundi (South-East Rajasthan) and environs. Life Science Bulletin. Vol. 7 (2): 173 175.
- 9. Sharma, O. P. (2013). Angiosperm associate species of pteridophytes of Bundi (South-East Rajasthan): A case study. Ad. Plant Sci. 26 (II): 473-474.
- 10. Sharma, O. P. 2022. Drainage System of Ramgarh Vishdhari Wildlife Sanctury, Rajasthan, India. IJIRSET. Volume 11, Issue 4: 3819-3822.
- 11. Sharma, O.P. 2022. Floristic diversity of Monocotyledons. Agrobios Research Publishers, Jodhpur. 1-191.
- 12. Shetty, B.V. and Pandey, R.P. (1983). Flora of Tonk district, Rajasthan, Flora of India, Ser. 3, B.S.I. Howrah pp 1-253.
- 13. Shringi, O.P. (1981). Botany of Jhalawar district, Rajasthan-1: Grasses, J. Econ. Tax. Bot. 2: 85-105.
- 14. Sikarwar, RLS. (2014). Angiosperm diversity assessment of Chitrakootthe legendary place of Vindhyan range, India. J. Econ. Tax. Bot.38: 563 619.
- 15. Singh, S.M. & Satyanarayan (2012). Diversity of aquatic and wetland macrophytes in Keetham lake of U.P. Phytotaxonomy, 12: 181-186.
- 16. Sujana, K. A. and Sivaperuman, C. (2008). Preliminary studies on flora of Kole wetlands, Thrishul, Kerala. Indian Forester. 23 (4): 1079-1086.





**Impact Factor: 8.423** 







# INTERNATIONAL JOURNAL OF INNOVATIVE RESEARCH

IN SCIENCE | ENGINEERING | TECHNOLOGY







📵 9940 572 462 🔯 6381 907 438 🔀 ijirset@gmail.com

