

e-ISSN: 2319-8753 | p-ISSN: 2347-6710

DIA

# International Journal of Innovative Research in SCIENCE | ENGINEERING | TECHNOLOGY

# INTERNATIONAL JOURNAL OF INNOVATIVE RESEARCH

IN SCIENCE | ENGINEERING | TECHNOLOGY

Volume 13, Issue 2, February 2024

INTERNATIONAL STANDARD SERIAL NUMBER INDIA

# Impact Factor: 8.423

9940 572 462

6381 907 438

 $\bigcirc$ 







|e-ISSN: 2319-8753, p-ISSN: 2347-6710| www.ijirset.com | Impact Factor: 8.423| A Monthly Peer Reviewed & Referred Journal |

Volume 13, Issue 2, February 2024

| DOI:10.15680/IJIRSET.2024.1302030 |

# Brain Stroke Prediction Using Machine Learning Approach

Mrs. T.Neetha Reddy, C. Anurag Pradyumna, Mithesh Malve, Geethika Vemula

U.G. Student, Department of Artificial Intelligence, Anurag University, Venkatapur, Telangana, India

Assistant Professor, Department of Artificial Intelligence, Anurag University, Venkatapur, Telangana, India

**ABSTRACT**: Stroke is a medical condition in which poor blood flow to the brain results in cell death. Nowadays stroke has been found by inspecting the affected individuals. Using these risk factors, a number of works have been carried out for predicting and classifying stroke diseases. Most of the models are based on data mining and machine learning algorithms. In many nations, stroke is the main cause of endomorphy and death. The goal of this research was to figure out how to make things better. We have used the stroke disease data set from Kaggle. Patients can benefit from data that has been pre-processed. Ischemic stroke and stroke haemorrhage are two forms of stroke, Individuals are divided into two categories using machine learning methods. Machine learning techniques were employed seven times in this investigation. Logistic Regression, Support Vector Machine (SVM), Random Forest, Cat Boost, Naive Bayes, K-nearest Neighbours Because of this, our findings, Cat Boost makes the best accuracy, along with precision and recall values, and the f1-Score.

KEYWORDS: Stroke, Machine Learning, Endomorphy, Medical Condition, Prediction, Data Mining.

## I. INTRODUCTION

Atrial fibrillation, a cardiac condition characterized by irregular heartbeats, stands as a prominent precursor to stroke, which can have dire consequences, including fatality. For medical professionals, the arduous and time-consuming task of predicting and preventing strokes is an ongoing challenge. Stroke, a disease that predominantly affects individuals aged 65 and above, inflicts significant damage to the brain, resembling the destructive impact of a "coronary episode." It ranks as the third leading cause of death in the United States and other agricultural nations. The occurrence of a stroke is intimately tied to the impairment of cerebral blood flow, manifesting in two primary categories: ischemic strokes and hemorrhagic strokes. The former results from insufficient blood supply, while the latter is characterized by bleeding within the brain. Both types necessitate prompt and distinct treatments to mitigate their devastating effects.

#### II. LITERATURE SURVEY

- 1. Analyzing the Performance of Machine Learning Algorithms for Stroke Detection (2023) The application of machine learning algorithms has demonstrated promise in the early diagnosis of strokes in the rapidly changing field of healthcare. In order to gain a better understanding of these algorithms' strengths and limits in recognizing stroke cases, this study examines how well they function.
- 2. Stroke Prediction Using Machine Learning Algorithms (2023) The use of machine learning in stroke prediction is becoming more and more relevant as the discipline develops. The viability of using machine learning models to anticipate strokes and facilitate early intervention is investigated in this research study.
- 3. Brain Stroke Prediction Using Machine Learning Approach (2021) Machine learning-based brain stroke prediction made significant progress in 2021. This work explores the use of Support Vector Machines, a type of machine learning, to forecast brain strokes. Although support vector machines are employed, it is mentioned that this method might be less precise.
- 4. Evaluating Machine Learning Algorithms for Stroke Detection (2023) The use of machine learning techniques has expanded the range of stroke detection options. The performance evaluation of several algorithms, such as



e-ISSN: 2319-8753, p-ISSN: 2347-6710 www.ijirset.com | Impact Factor: 8.423 A Monthly Peer Reviewed & Referred Journal |

## Volume 13, Issue 2, February 2024

# | DOI:10.15680/IJIRSET.2024.1302030 |

K-Nearest Neighbors, Random Forest, and Decision Trees, is the main objective of this study. Some of these algorithms have been found to have false negative rates and lengthy training times.

5. Logistic Regression and Naive Bayes Algorithms for Stroke Prediction (2022) This study investigates the use of Naive Bayes and logistic regression methods for stroke prediction. The study does point out that these models could be time-consuming and demand additional computer space.

#### III. PROPOSED SYSTEM

Here in the proposed system, For finding stroke disease classification, machine learning techniques are K-Nearest Neighbours(KNN),Support Vector Machine (SVM), & other machine learning algorithms like Random Forest, Cat Boost, Logistic Regression, Naive Bayes, and Multi-layer Perceptron. Cat Boost has got the best accuracy using nowadays that can improve the accuracy to find out the stroke disease.

#### **IV. ARCHITECTURE**



#### **ALGORITHMS :**

1.Random Forest:- Type: Ensemble Learning- Features: Merges several decision trees to produce predictions with higher accuracy. It's like combining the wisdom of a crowd to make reliable and effective predictions for both regression and classification tasks.

2.K-Nearest Neighbour (KNN):- Type: Instance-Based Learning- Features: Classifies data points based on the majority class of their K-nearest neighbours. Imagine it as connecting data points to their closest neighbours to make decisions, which is particularly efficient with smaller datasets.

3.Naive Bayes:- Type: Probabilistic Classification- Features: It assumes features are independent, much like pieces of a puzzle fitting together. This approach works effectively in tasks such as spam and text classification.

4.Support Vector Machine (SVM):- Type: Discriminative - Features: Identifies the best hyperplane to separate data into classes, like finding the optimal line to divide points on a graph. SVM is efficient, especially for high-dimensional data in both regression and classification tasks.

5. Cat Boost:- Type: Gradient Boosting- Features: Cat Boost is a specialized algorithm for handling categorical features. Think of it as a well-balanced scale, requiring minimal adjustment, and delivering robust predictive performance.



e-ISSN: 2319-8753, p-ISSN: 2347-6710 www.ijirset.com | Impact Factor: 8.423 | A Monthly Peer Reviewed & Referred Journal |

# Volume 13, Issue 2, February 2024

# DOI:10.15680/IJIRSET.2024.1302030

6.Decision Tree:- Type: Non-parametric- Features: Decision trees construct a tree-like structure, making decisions at each branching point, similar to how you make decisions based on choices. They're easy to understand but require careful pruning to avoid overfitting.

7. Multi-Layer Perceptron's (MLP):- Type: Neural Network- Features: MLPs are like interconnected layers of neurons in the brain, used for complex tasks like recognizing patterns in images and speech.

#### **IMPLEMENTATION:**

Step 1: Data Ingestion The first order of business was to open the dataset by loading it into a suitable data processing environment. The data was imported from the CSV file, ready for further analysis.

Step 2: Data Splitting With the dataset at hand, the data was strategically divided into two distinct subsets: the training set and the test set. This partition is crucial to evaluate the performance of machine learning algorithms accurately.

Step 3: Algorithm Implementation The heart of the operation lay in the application of machine learning algorithms to the segmented data. Multiple algorithms were put to work, each aiming to detect and predict bleeding occurrences based on the available data. During this process, algorithmic performances were scrutinized.

Step 4: Random Forest Excellence Among the array of algorithms at play, one shone exceptionally bright- Cat Boost. This algorithm displayed the highest accuracy score, signifying its efficacy in bleeding diagnosis. Its robust capabilities in handling categorical features likely played a pivotal role in achieving this feat.

Step 5: User-Friendly Interface Auser-friendly interface was crafted, offering an array of functionalities to the user. These included the ability to explore vital sections like the home page, an informative 'about' section, and the option to access the data split, model performance metrics, predictions, and visual representations in the form of graphs.

Step 6: Flask Framework Integration To bring the entire operation together seamlessly, the Flask framework was adopted. Flask not only facilitated the development of a web-based interface but also ensured that all these components interact harmoniously. Users could navigate the application effortlessly and, in the end, receive precise bleeding diagnosis predictions.

#### **DATA FLOW DIAGRAM :**



|e-ISSN: 2319-8753, p-ISSN: 2347-6710| www.ijirset.com | Impact Factor: 8.423| A Monthly Peer Reviewed & Referred Journal |



Volume 13, Issue 2, February 2024

| DOI:10.15680/IJIRSET.2024.1302030 |

**RESULTS :** 

(A) 1.0 0.8 Accuracy 0.6 0.4 0.2 0.0 Logistic XG Regression Boost Decision KNN Random SVM Ada Cat Tree Forest Boost Boost Algorithms







e-ISSN: 2319-8753, p-ISSN: 2347-6710 www.ijirset.com | Impact Factor: 8.423 | A Monthly Peer Reviewed & Referred Journal |

# Volume 13, Issue 2, February 2024

# | DOI:10.15680/IJIRSET.2024.1302030 |

### V. CONCLUSION

In this, we use machine learning methods to classify the stroke data. Then, eight algorithms—Logistic Regression, K-Nearest Neighbours, Naive Bayes, Decision Tree, Random Forest, Multi-layer Perceptron, Deep Learning and Support Vector Machine, and Cat Boost—are compared to perform classification. Our experiment indicates that, when compared to other assessed classification methods, the Cat Boost approach was employed as a classification methodology. The cat surge method provides the highest degree of accuracy. The precision of the categorization algorithm using the value of the default optimization parameter has not been examined nonetheless. The classification model possesses the possibility for improvement right now. To raise the machine learning algorithm's accuracy, parameters need to be adjusted. More individuals than individuals with ischemic strokes and brain haemorrhages.

# REFERENCES

- 1. Concept of Stroke by Healthline.
- 2. Dataset named 'Stroke Prediction Dataset' from Kaggle: <u>https://www.kaggle.com/datasets/fedesoriano/stroke-prediction-dataset/code</u>
- 3. StrokePrediction Using Machine Learning Algorithms: <u>https://ijirem.org/DOC/2-strokeprediction-using-machine-learningalgorithms.pdf</u>.
- 4. G.R.Kumar, P.Vyshnavi, S. Prasanna, T. H. Reddy, C. Charanya, and P. Chandrababu, "Brain Stroke Detection Using Machine Learning', IJREAM, vol. 5, no. 3, pp. 34–36, Mar. 2022.
- 5. Mr.M.THIRUNAVUKKARASU,et.al. International Journal of Engineering Research and Applications www.ijera.com ISSN: 2248-9622, Vol. 13, Issue 4, April 2023, pp. 237-242.









# INTERNATIONAL JOURNAL OF INNOVATIVE RESEARCH

IN SCIENCE | ENGINEERING | TECHNOLOGY





www.ijirset.com