



e-ISSN: 2319-8753 | p-ISSN: 2347-6710

IJRSET

International Journal of Innovative Research in
SCIENCE | ENGINEERING | TECHNOLOGY

INTERNATIONAL JOURNAL OF INNOVATIVE RESEARCH

IN SCIENCE | ENGINEERING | TECHNOLOGY

Volume 13, Issue 4, April 2024

ISSN INTERNATIONAL
STANDARD
SERIAL
NUMBER
INDIA

Impact Factor: 8.423

 9940 572 462

 6381 907 438

 ijirset@gmail.com

 www.ijirset.com

Green Plumbing- for Sustainable Future

Hemangi Khairnar¹, Parth Kacha², Anuja Pathare³, Mrs. Bhagyashri Dhande⁴, Mr. Vikas Pawar⁵

Diploma Student, Department of Civil Engineering, MET-BKC Institute of Technology (P), Nashik,
M.H., India^{1,2,3}

HOD, Department of Civil Engineering, MET-BKC Institute of Technology (P), Nashik,
M.H., India⁴

Lecturer, Department of Civil Engineering, MET-BKC Institute of Technology (P), Nashik,
M.H., India⁵

ABSTRACT: Green plumbing practices are integral to sustainable water management, offering solutions to mitigate the strain on freshwater resources and reduce environmental impact. This paper explores the principles and technologies behind green plumbing, focusing on innovative approaches such as greywater recycling, rainwater harvesting, and efficient fixture design.

Greywater recycling systems offer a sustainable solution for water reuse in urban environments, where water scarcity and wastewater management are pressing issues. This paper examines the design, implementation, and benefits of greywater recycling systems, which capture and treat wastewater from sources such as sinks, showers, and laundry for reuse in non-potable applications. We discuss the technical aspects of greywater treatment, including filtration and disinfection methods, as well as the potential challenges and considerations for system implementation.

KEY WORDS: Greywater Recycling, Water reuse, Wastewater treatment, Water conservation, Environmental impact, Sustainable building practices, green plumbing.

I. INTRODUCTION

Green plumbing refers to the practice of using sustainable plumbing technologies and practices to reduce the environmental impact of water use and improve overall efficiency. It encompasses a wide range of strategies, from water-efficient fixtures and appliances to innovative water recycling systems. Green plumbing is crucial for addressing water scarcity, reducing energy consumption, and minimizing pollution. Green plumbing system involves greywater recycling system, rainwater harvesting etc.

Greywater recycling systems are a sustainable solution for managing household wastewater, offering a way to reuse water from sinks, showers, and laundry for non-potable purposes. Greywater, which accounts for the majority of household wastewater, can be treated and reused for activities such as toilet flushing, irrigation, and landscaping, reducing the demand for fresh water and minimizing the environmental impact of wastewater disposal.

II. METHODOLOGY

Greywater recycling system: Greywater recycling system also known as greywater reuse, is the process of capturing and treating waste water from sources such as sinks, showers, baths and washing machines for non-potable uses. Unlike black water (waste water from toilets) which requires extensive treatment, greywater is relatively clean and can be reused for purposes like irrigation, toilet flushing and laundry etc.



Fig. No. 1 Greywater recycling system

III. PROCESS OF GREYWATER RECYCLING SYSTEM:

1. Collection: Greywater is collected from sources such as sinks, showers, baths, and washing machines. A separate plumbing system is typically installed to collect and divert greywater to a treatment and storage system.
2. Pre-treatment: Before storage and reuse, greywater may undergo pre-treatment to remove large particles and debris. This can be done through a simple filter or settling tank.
3. Treatment: Greywater is then treated to remove impurities and pathogens. Treatment methods may include filtration, settling, and disinfection. Advanced treatment technologies such as membrane filtration or UV disinfection may also be used for higher quality greywater reuse.
4. Storage: Treated greywater is stored in a tank or reservoir until it is needed to reuse. Proper storage is important to prevent contamination and ensure the availability of greywater for non-potable uses.
5. Distribution: Greywater can be distributed for various non-potable uses, such as irrigation, toilet flushing, and laundry. Distribution systems should be designed to deliver greywater efficiently and safely to the intended use points.
6. Monitoring and Maintenance: Regular monitoring and maintenance of the greywater system are essential to ensure its proper functioning and to prevent potential issues such as clogging or contamination.




Fig. No. 2 Filtration of Greywater

IV. FILTRATION UNIT SPECIFICATION:

1. Gravel: Gravel, due to its specific characteristics, is an extremely effective filter media. Its irregular shape and size create gaps and voids that trap and retain suspended solids, sediments, and larger particles. This helps in removing visible impurities and improving water clarity.
2. Coarse sand: Sand filters are widely used in water purification and remove suspended matter by a completely different mechanism. Instead of the water passing through small orifices through which particles cannot pass, it runs through a bed of filter medium, typically 0.75 mm sand 750 mm deep.
3. Fine sand: Sand filtration is used for the removal of suspended matter, as well as floating and sinkable particles.
4. Activated carbon: The activated carbon removes certain chemicals that are dissolved in water passing through a filter containing GAC by trapping (adsorbing) the chemical in the GAC.
5. Cotton: The cotton ball layer helps to keep the other layers of your filter from falling out into your water. The sand layer acts as a coarse filter for large muddy particles and to keep the activated charcoal or clay particles from getting into the cleaned water.

V. ENVIRONMENTAL IMPACT OF GREYWATER SYSTEM

Greywater systems can have both positive and negative environmental impacts. On the positive side, they can reduce the strain on municipal water supplies by recycling water that would otherwise be wasted, thus conserving freshwater resources. Additionally, greywater reuse can lower household water bills and decrease the energy required for water treatment and distribution.

However, there are potential negative environmental impacts to consider as well. Improperly designed or maintained greywater systems can lead to contamination of soil and groundwater with chemicals, pathogens, and nutrients present in the wastewater. This can harm local ecosystems and human health if not managed correctly. Furthermore, greywater systems may require additional energy for installation and maintenance, which could offset some of the environmental benefits they provide. Proper design, installation, and maintenance are essential to minimize these negative impacts and maximize the environmental benefits of greywater systems.

VI. ENVIRONMENTAL AND ECONOMY BENEFITS OF GREYWATER SYSTEM

Water Conservation: By recycling greywater, households can reduce their reliance on freshwater sources for non-potable uses, thus conserving water and reducing the strain on water resources.

Energy Savings: Treating and distributing freshwater requires energy. By using recycled greywater, energy consumption for water treatment and transport can be reduced, contributing to lower carbon emissions.

Cost Savings: Recycling greywater can lead to reduced water bills and lower energy costs associated with water heating, as recycled greywater is typically at ambient temperature and requires less heating than freshwater.

Improved Soil Health: Greywater contains nutrients that can benefit plants when used for irrigation, reducing the need for chemical fertilizers.

Drought Resilience: During periods of drought or water restrictions, greywater recycling can help maintain landscaping and reduce water stress on plants.

Despite these benefits, greywater recycling requires careful planning, design, and maintenance to ensure the quality of the recycled water and to prevent health risks. Treatment systems may include physical, biological, and chemical processes to remove impurities and pathogens. Additionally, local regulations and guidelines should be followed to ensure the safe and legal use of greywater.

VII. DRAWBACK OF GREYWATER RECYCLING SYSTEM

1. **Complexity and Maintenance:** Greywater systems can be complex to design, install, and maintain. Regular maintenance is required to ensure that the system functions properly and to prevent issues such as clogging and contamination.

2. **Cost:** The initial cost of installing a greywater system can be relatively high, especially for larger or more complex systems. However, this cost may often be offset by long-term savings on water bills and reduced environmental impact.

3. **Health and Safety Concerns:** Greywater may contain pathogens and other contaminants that can pose health risks if not properly treated and managed. It is important to follow proper guidelines and regulations for greywater reuse to mitigate these risks.

4. **Regulatory Compliance:** Greywater systems are subject to regulations and guidelines that vary by location. Obtaining permits and complying with regulations can add complexity and cost to the installation and operation of a greywater system.

5. **Water Quality and Use Restrictions:** The quality of greywater may not always be suitable for all non-potable uses, especially if it is not properly treated. Additionally, some jurisdictions may have restrictions on the use of greywater for certain purposes.

7. **Limited Availability:** In areas where greywater is not readily available or where the cost of implementing a greywater system is prohibitive, alternative water conservation measures may be more practical and maintained.

VIII. CONCLUSION

A greywater system can offer numerous benefits, including water conservation, reduced strain on municipal water supplies, and cost savings for homeowners or businesses. However, its effectiveness depends on various factors such as local regulations, the quality of the greywater treatment, and the intended use of the treated water.

In conclusion, greywater systems present a promising solution for sustainable water management, particularly in regions facing water scarcity or where water resources are strained. With proper design, installation, and maintenance,



graywater systems can contribute significantly to reducing water consumption and environmental impact. However, it's essential to conduct thorough research, adhere to relevant regulations, and ensure the system's efficiency and safety to maximize its benefits.

REFERENCES

- [1] Al-Jayyousi OR (2003) Greywater reuse: towards sustainable water management. *Desalination* 156(1–3):181–192
- [2] Abeer Albalawneh , Tsun-Kuo Chang (2015) REVIEW OF THE GREYWATER AND PROPOSED REYWATER RECYCLINGSCHMEFORAGRICULTURALIRRIGATIONREUSES.DOI:10.29121/granthaalayah.v3.i12.2015.2882
- [3] Shrikant Kate (2020) Greywater Treatment Using Wetland.DOI: 10.13140/RG.2.2.30417.35689
- [4] Michael Oteng-Peprah & Mike Agbesi Acheampong (2018) Greywater Characteristics, Treatment Systems, Reuse Strategies and User Perception.DOI: 10.1007/s11270-018-3909-8
- [5] M. B. Sushmitha, H. N. Chanakya and Himanshu Kumar Khuntia (2017).Efficient Grey Water Treatment and Reuse Options for India.DOI: 10.1007/978-981-13-2619-6_12



INTERNATIONAL
STANDARD
SERIAL
NUMBER
INDIA



INTERNATIONAL JOURNAL OF INNOVATIVE RESEARCH

IN SCIENCE | ENGINEERING | TECHNOLOGY

 9940 572 462  6381 907 438  ijirset@gmail.com



www.ijirset.com

Scan to save the contact details