



e-ISSN: 2319-8753 | p-ISSN: 2347-6710

IJRSET

International Journal of Innovative Research in
SCIENCE | ENGINEERING | TECHNOLOGY



INTERNATIONAL JOURNAL OF INNOVATIVE RESEARCH

IN SCIENCE | ENGINEERING | TECHNOLOGY

Volume 13, Issue 8, August 2024

ISSN INTERNATIONAL
STANDARD
SERIAL
NUMBER
INDIA

Impact Factor: 8.524

9940 572 462

6381 907 438

ijirset@gmail.com

www.ijirset.com

Robotic Swarm Intelligence: Decentralized and Self-Organizing Mechanisms for Complex Tasks

Pracheeta Kalra, Dr. Rama Bansode

P.G. Student, Department of MCA, PES Modern College of Engineering, Shivajinagar, Maharashtra, India

Professor, Department of MCA, PES Modern College of Engineering, Shivajinagar, Maharashtra, India

ABSTRACT: Robotic swarm intelligence, inspired by the collective behaviour of social insects, orchestrates groups of robots through decentralized and self-organizing mechanisms. This approach, characterized by emergent behaviour, stigmergy, and self-organization, enables robots to interact locally and adaptively with their environment, accomplishing complex tasks without centralized control. Applications of robotic swarm intelligence span diverse fields, including search and rescue, environmental monitoring, and autonomous construction, owing to their collaborative and autonomous nature. Advancements in communication, sensing, and control technologies have further augmented the potential of robotic swarms. Future research will focus on scalability, robustness, and adaptability, and integrating artificial intelligence and machine learning, to enhance swarm intelligence. Robotic swarm intelligence represents a transformative avenue in robotics, poised to redefine how we tackle complex challenges in the future.

KEYWORDS: Robotic Swarm Intelligence, Decentralized Mechanisms, Emergent Behaviour, Stigmergy, Autonomous Robots, Artificial Intelligence Integration

I. INTRODUCTION

Swarm intelligence, a phenomenon observed in various biological systems, has inspired numerous computational and engineering applications. The collective behaviour emerging from the interactions of simple agents or individuals can lead to complex and intelligent patterns at the swarm level. Robotic swarm intelligence aims to harness these principles by developing autonomous, self-organized multi-robot systems capable of tackling challenges that would be difficult or impossible for a single robot to accomplish

Overview of Swarm Intelligence

Swarm intelligence is a decentralized approach to problem-solving inspired by the collective behaviour of social insects, such as ants, bees, and termites, as well as other animal groups like flocks of birds or schools of fish. These systems exhibit remarkable capabilities in areas like foraging, nest construction, and decision-making, despite the simplicity of individual agents. Swarm intelligence principles include concepts such as stigmergy (indirect communication through the environment), self-organization, and decentralized control [1]. The core idea behind swarm intelligence is that simple rules governing individual agents can lead to complex and intelligent behaviour at the swarm level, without the need for centralized control or global knowledge.

One of the key advantages of swarm intelligence is its scalability and robustness. As the number of agents in the swarm increases, the collective behaviour often becomes more efficient and effective. Additionally, the decentralized nature of swarm systems makes them inherently fault-tolerant, as the failure of individual agents does not necessarily compromise the entire system's functionality [2].

Motivation for Swarm Robotics Intelligence

The application of swarm intelligence principles to multi-robot systems offers several advantages over traditional centralized approaches. Robotic swarms can be more robust, scalable, and fault-tolerant, as the failure of individual robots does not necessarily compromise the entire system. This paradigm holds promises for applications in areas like search and rescue, environmental monitoring, exploration, and distributed sensing.

Objective and Scope of Research

This research paper aims to provide a comprehensive overview of robotic swarm intelligence, encompassing its underlying principles, system architectures, and potential applications. It will explore the challenges and opportunities associated with the design and deployment of swarm robotics systems, as well as the latest developments and future directions in this field. Specific topics covered will include decentralized control strategies, communication and coordination mechanisms, scalability and fault tolerance, task allocation and exploration strategies, and real-world applications of robotic swarms.

II. RELATED WORK

Swarm intelligence has its roots in the study of collective behaviour in natural systems, such as ant colonies, bee swarms, and bird flocks. Researchers have been inspired by the remarkable capabilities of these systems, which emerge from the interactions of simple individuals following relatively straightforward rules.

Principles of swarm intelligence

Swarm intelligence systems are characterized by several principles that govern the behaviour of individual agents and the collective behaviour of the swarm. These principles include:

- **Self-organization:** Swarm intelligence systems exhibit self-organizing behaviour, where global patterns emerge from local interactions between agents without centralized control or predefined blueprints [5].
- **Decentralized control:** There is no single agent or centralized controller dictating the behaviour of the swarm. Instead, each agent follows simple rules based on local information and interactions with nearby agents and the environment.
- **Stigmergy:** Agents communicate indirectly by modifying their shared environment, leaving cues or signals that influence the behaviour of other agents. This form of indirect communication is known as stigmergy.
- **Redundancy and fault tolerance:** Swarm intelligence systems are inherently redundant and fault tolerant. The failure or loss of individual agents does not necessarily compromise the overall functionality of the swarm, as the remaining agents can compensate and continue to operate [17].
- **Scalability:** Swarm intelligence systems can typically scale well, with larger swarm sizes often leading to more efficient and effective collective behaviour [9].

Related Work

The study of swarm intelligence has inspired numerous applications in optimization, robotics, and artificial intelligence. One of the earliest and most well-known examples is the Ant Colony Optimization (ACO) algorithm, which was inspired by the foraging behaviour of ants and has been successfully applied to various combinatorial optimization problems [11].

In the realm of robotics, swarm intelligence principles have been applied to multi-robot systems, giving rise to the field of swarm robotics. Researchers have developed decentralized control strategies, communication protocols, and coordination mechanisms for robotic swarms, enabling them to tackle tasks such as area coverage, formation control, and collective transport [13].

Biological Inspirations of Swarm Intelligence

Swarm robotics draws inspiration from various natural systems that exhibit collective behaviour, including social insects, flocks of birds, and schools of fish. Understanding the mechanisms underlying these biological systems has provided valuable insights for designing and implementing swarm robotic systems.

1. Social Insects:

One of the primary sources of inspiration for swarm robotics is the behaviour of social insects, particularly ants, bees, and termites. These insects have evolved sophisticated mechanisms for collective problem-solving, task allocation, and self-organization, despite the simplicity of individual agents [7].

Ant colonies, for instance, have been extensively studied for their foraging behaviour, nest construction, and collective decision-making processes. Ants communicate through pheromone trails, a form of stigmergy, which allows them to find the shortest paths to food sources and coordinate their activities [15]. This principle has been applied to swarm robotics for tasks such as path planning and exploration.

Honeybee swarms exhibit remarkable collective intelligence in activities like nest site selection and temperature regulation within their hives. The decentralized decision-making process used by honeybees, known as the "waggle dance," has inspired communication and consensus-building strategies in swarm robotics.

2. Flocking and Schooling:

Another source of inspiration for swarm robotics is the collective behaviour observed in flocks of birds and schools of fish. These systems exhibit remarkable coordination and self-organization, allowing them to navigate efficiently, avoid predators, and exploit resources collectively.

The flocking behaviour of birds is governed by simple rules, such as maintaining a certain distance from neighbours, aligning with the average heading of nearby flock mates, and avoiding collisions. These rules have been adapted to develop decentralized control strategies for coordinating swarms of robots in tasks like formation control, collective motion, and obstacle avoidance.

Similarly, the schooling behaviour of fish, which involves coordinated movements and rapid collective responses to external stimuli, has inspired algorithms for swarm robotic systems to exhibit dynamic and adaptive collective behaviour [19].

By studying and understanding these biological systems, researchers have gained insights into the principles and mechanisms that enable collective intelligence, self-organization, and decentralized coordination. These insights have been instrumental in developing swarm robotic systems that can tackle complex tasks through the collaboration and coordination of simple robots.

Existing Applications of Robotic Swarm Intelligence

Robotic swarm intelligence has been explored and applied in various domains, leveraging the unique capabilities of swarm systems, such as scalability, fault tolerance, and collective intelligence. Some of the existing applications of robotic swarm intelligence include:

1. Search and Rescue Operations:

Swarm robotics has shown promise in search and rescue scenarios, where teams of robots can collaborate to cover large areas efficiently and locate victims or survivors in disaster zones. The redundancy and fault tolerance of swarm systems make them well-suited for operating in hazardous environments [11].

Researchers have developed swarm algorithms for tasks like cooperative mapping, victim detection, and navigation in cluttered or partially damaged environments [2]. The decentralized nature of swarm systems allows robots to adapt and reconfigure themselves dynamically in response to changing conditions or obstacles.

2. Environmental Monitoring and Exploration:

Swarm robotics has found applications in environmental monitoring and exploration tasks, such as monitoring pollution levels, tracking wildlife, or surveying remote or inaccessible areas. Swarms of small, low-cost robots can be

deployed to collect data and cover large areas more efficiently than a single robot or a team of larger, more expensive robots.

For example, robotic swarms have been used for tasks like monitoring ocean environments, tracking the spread of oil spills, and mapping the distribution of invasive species in ecosystems. The collective behaviour of the swarm allows for robust and scalable data collection and processing.

3. Distributed Sensing and Mapping:

Robotic swarms can be employed for distributed sensing and mapping tasks, leveraging the collective sensing capabilities of multiple robots. This approach is particularly useful in scenarios where a single robot may have limited sensing range or where redundancy is desired for improved accuracy and fault tolerance [4].

Swarm systems have also been explored for tasks like mapping radiation levels in nuclear facilities or detecting and localizing chemical or biological agents in hazardous environments.

3. Collective Construction and Manipulation:

Swarm robotics has been investigated for collective construction and manipulation tasks, where teams of robots collaborate to assemble structures, transport objects, or manipulate materials. The collective behaviour of the swarm can enable the execution of tasks that would be challenging or impossible for individual robots. Examples include using swarms of robots for constructing temporary shelters, building structures in extra-terrestrial environments, or manipulating and transporting large or irregularly shaped objects [18]. The decentralized coordination and self-organization of swarm systems allow for adaptability and robustness in these tasks.

III. ROBOTIC SWARM INTELLIGENCE

Robot Composition and Design

The design and composition of individual robots within a swarm system play a crucial role in determining the overall performance and capabilities of the swarm. Swarm robotics often favours simple, low-cost, and resource-constrained robots to achieve scalability and redundancy. However, the specific robot design depends on the intended application and the requirements of the swarm system.

1. Robot Morphology:

For tasks in confined or cluttered environments, researchers have explored swarms of small, wheeled or legged robots with compact designs. In contrast, aerial swarms composed of quadcopters or fixed-wing drones have been used for applications like environmental monitoring or surveillance [14].

Modular and reconfigurable robot designs have also been investigated, allowing individual robots to combine or disassemble to adapt to different task requirements or environmental conditions [12].

2) Sensing and Communication:

Swarm robots typically rely on local sensing and communication capabilities to perceive their surroundings, interact with other robots, and make decentralized decisions. Common sensors used in swarm robotics include cameras, range finders, infrared sensors, and various other environmental sensors.

Communication between robots is crucial for coordination and information sharing within the swarm. Depending on the application and constraints, researchers have explored various communication mechanisms, such as wireless radio, infrared, or even stigmergic communication through the environment.

3) Energy and Computational Resources:

Due to the emphasis on simplicity and scalability, swarm robots often have limited energy and computational resources. Researchers have investigated energy-efficient designs, including solar-powered robots, energy harvesting mechanisms, and low-power sensing and processing units [8].

In terms of computational resources, swarm robots may have limited on-board processing power, relying on simple control algorithms and distributed computation across the swarm. Advanced techniques like cloud robotics, where computation is offloaded to external servers, have also been explored to overcome the limitations of individual robot resources.

4) Heterogeneity and Specialization:

While many swarm robotics systems consist of homogeneous robots with identical capabilities, some researchers have explored heterogeneous swarms with specialized robots for different tasks or functions [4]. This approach can improve the overall efficiency and robustness of the swarm by leveraging the strengths of different robot designs.

For example, some robots may be optimized for exploration and mapping, while others are designed for carrying and transporting objects or performing specific manipulation tasks [9].

Communication and Coordination Mechanisms

Effective communication and coordination are crucial for swarm robotics systems to achieve collective behaviour and accomplish complex tasks. Several mechanisms have been explored to enable information sharing and coordination among robots within a swarm:

1) Stigmergy:

Inspired by the indirect communication observed in social insects like ants, stigmergy involves modifying the environment to influence the behaviour of other robots. This approach does not require direct communication between robots but relies on shared environmental cues or markers [6].

For example, robots can deposit virtual pheromone trails in their shared digital map to guide other robots towards areas of interest or mark obstacles [3]. Stigmergy has been used in applications such as path planning, exploration, and task allocation.

2) Direct Communication:

Many swarm robotics systems employ direct communication between robots, using various wireless technologies like radio frequency (RF), infrared (IR), or visible light communication. These communication channels allow robots to share sensor data, coordinate actions, and disseminate information throughout the swarm.

For instance, robots can broadcast their positions and sensor readings to nearby robots, enabling collective mapping or obstacle avoidance. Direct communication is often used in conjunction with decentralized control algorithms for tasks like formation control or collective transport [16].

3) Consensus and Synchronization:

In certain applications, swarm robots need to reach a consensus or synchronize their actions, even in the absence of centralized control. Consensus algorithms, inspired by biological systems like flocking birds or schooling fish, enable robots to align their behaviour and make collective decisions based on local interactions and information exchange.

These algorithms have been applied to tasks such as collective motion, rendezvous, and distributed sensor fusion, where robots must agree on a common target or decision while maintaining decentralized coordination [5].

Decentralized Control and Decision-Making

A key aspect of swarm robotics is the absence of a centralized controller or global information source. Instead, robots rely on local sensing, communication, and decentralized control algorithms to make decisions and coordinate their actions within the swarm.

1) Behaviour-based Control:

Behaviour-based control approaches decompose the overall swarm behaviour into simpler individual behaviours or rules that each robot follows based on local information. These behaviours can then be combined or switched based on the robot's sensory inputs and interactions with other robots or the environment.

For example, in a foraging task, individual robots may follow behaviours like wandering, pheromone following, and object avoidance, which collectively result in the desired swarm-level behaviour of locating and retrieving resources.

2) Distributed Optimization and Learning:

Swarm robotics systems can leverage distributed optimization and learning techniques to achieve collective decision-making and adaptation. These approaches involve robots iteratively refining their actions or policies based on local observations and interactions, without relying on a central optimizer or supervisor.

Examples include distributed reinforcement learning algorithms, where robots learn optimal policies through trial-and-error interactions with the environment and other robots [19]. These techniques have been applied to tasks like task allocation, area coverage, and collective transport.

3) Emergent Behaviours:

One of the key features of swarm robotics is the emergence of complex, intelligent behaviours at the swarm level, despite the simplicity of individual robots and their local interactions. These emergent behaviours arise from the collective dynamics of the swarm and are not explicitly programmed or controlled centrally [20].

For instance, in a construction task, simple rules governing individual robots' motion and brick placement can lead to the emergence of complex structures at the swarm level. Understanding and leveraging these emergent behaviours is an active area of research in swarm robotics.

IV. APPLICATIONS AND FUTURE DIRECTIONS

Search and Rescue Operations

One of the most promising applications of swarm robotics is in search and rescue operations, where teams of robots can be deployed to assist in locating and rescuing victims in disaster-affected areas or other hazardous environments. Swarm systems offer several advantages over traditional approaches, including increased robustness, scalability, and the ability to cover large areas efficiently.

1) Current Applications:

Swarm robotics has already been explored for various search and rescue tasks, such as mapping and exploration of disaster zones, victim detection and localization, and navigation through cluttered or partially damaged environments [10].

These maps can then be used to guide search and rescue efforts and plan optimal paths for victim retrieval.

Another application involves using swarms of robots equipped with specialized sensors, such as thermal cameras or gas detectors, to locate and identify victims or hazardous materials in disaster zones. The redundancy and distributed sensing capabilities of swarm systems can improve the chances of detection and provide more comprehensive coverage.

2) Challenges and Future Directions:

While promising progress has been made, there are still several challenges that need to be addressed to fully realize the potential of swarm robotics in search and rescue operations.

One of the key challenges is developing robust and fault-tolerant communication and coordination mechanisms that can operate effectively in environments with limited connectivity, interference, or obstacles [17]. Reliable information sharing and decision-making among robots in these conditions are crucial for successful search and rescue missions.

Another challenge lies in achieving effective task allocation and coordination among heterogeneous robot swarms, where different robots may have specialized capabilities or sensors [8]. Efficient strategies are needed to distribute tasks optimally and leverage the strengths of each robot type within the swarm.

Future research directions may include developing adaptive and self-organizing swarm algorithms that can dynamically reconfigure and respond to changes in the environment or mission objectives [1].

Environmental Monitoring and Exploration

Swarm robotics offers unique advantages for environmental monitoring and exploration tasks, leveraging the collective sensing capabilities and distributed nature of multi-robot systems. These applications range from monitoring pollution levels and tracking wildlife to exploring and mapping remote or hazardous environments.

1) Current Applications:

Swarms of small, low-cost robots have been deployed for tasks such as monitoring ocean environments, tracking the spread of oil spills, and mapping the distribution of invasive species in ecosystems [13]. The redundancy and distributed sensing capabilities of swarm systems can provide more comprehensive coverage and improve data collection accuracy compared to single-robot approaches.

In the field of precision agriculture, swarms of robots have been used for tasks like monitoring crop health, soil analysis, and targeted application of pesticides or fertilizers [4]. The ability to coordinate and distribute sensing and actuation tasks among multiple robots can lead to more efficient and sustainable agricultural practices.

2) Challenges and Future Directions:

One of the key challenges in environmental monitoring and exploration is developing robust and energy-efficient swarm systems that can operate autonomously for extended periods in remote or harsh environments. Researchers are exploring strategies such as energy harvesting, adaptive task allocation, and energy-aware control algorithms to address this challenge.

Distributed Sensing and Mapping

Swarm robotics offers a compelling approach for distributed sensing and mapping applications, where teams of robots collaborate to build comprehensive and accurate representations of their environment. This approach can be particularly useful in scenarios where a single robot may have limited sensing range or where redundancy is desired for improved accuracy and fault tolerance.

1) Current Applications:

Swarm systems have been explored for tasks such as mapping underground environments like mines or caves, where multiple robots collaborate to construct 3D maps and share information about environmental conditions. The distributed sensing capabilities of the swarm can provide more comprehensive coverage and improve mapping accuracy, even in challenging or hazardous environments.

Another application involves using swarms of robots for radiation mapping in nuclear facilities or detecting and localizing chemical or biological agents in hazardous environments [20]. The redundancy and distributed sensing capabilities of swarm systems can improve detection accuracy and provide more comprehensive coverage compared to single-robot approaches.

2) Challenges and Future Directions:

One of the key challenges in distributed sensing and mapping is developing effective coordination and information fusion strategies that can operate in a decentralized manner, without relying on a central controller or global information source [15]. Researchers are exploring techniques such as distributed Kalman filters, consensus algorithms, and stigmergy-based approaches to address this challenge.

Future research may involve integrating swarm robotics with other technologies, such as simultaneous localization and mapping (SLAM) algorithms or advanced sensing modalities, to improve the accuracy and robustness of distributed sensing and mapping applications.

Potential Future Applications

While swarm robotics has already shown promise in various applications, the field continues to evolve, and new potential applications are emerging. Here are some promising future applications:

1) Extra-terrestrial Exploration and Construction:

Swarm robotics could play a crucial role in exploring and constructing infrastructure on other planetary bodies, such as the Moon or Mars. Swarms of robots could be deployed to map and analyse the terrain, identify resources, and construct habitats or other structures using in-situ materials. The inherent redundancy and fault tolerance of swarm systems would be advantageous in these challenging extra-terrestrial environments.

2) Medical and Biomedical Applications:

Researchers are exploring the use of microscale or nanorobotic swarms for medical applications, such as targeted drug delivery, minimally invasive surgery, or monitoring and repairing biological systems from within [3]. The ability of swarm systems to operate in confined spaces and adapt to dynamic environments could be beneficial in these applications.

3) Swarm Manufacturing and Assembly:

Swarm robotics could revolutionize manufacturing and assembly processes by enabling the collaborative construction of complex structures or products through the coordinated efforts of multiple robots [9]. This approach could lead to more flexible and adaptive manufacturing systems capable of rapid reconfiguration and customization.

4) Disaster Response and Resilient Infrastructure:

Swarm systems could be employed for disaster response and resilient infrastructure applications, such as deploying swarms of robots for search and rescue operations, repairing damaged infrastructure, or monitoring and maintaining critical systems [9]. The distributed nature of swarm systems could improve the resilience and robustness of these applications in the face of disruptions or failures.

V. CONCLUSION

Robotic swarm intelligence, inspired by the collective behaviour observed in natural systems, offers a compelling paradigm for developing autonomous multi-robot systems capable of tackling complex tasks through cooperation and self-organization. This research paper has provided a comprehensive overview of swarm robotics, covering its underlying principles, system architectures, challenges, and applications.

The background section explored the biological inspirations for swarm robotics, drawing from the remarkable capabilities of social insects, flocks of birds, and schools of fish. These natural systems exhibit emergent behaviours that arise from the local interactions of simple individuals, principles that researchers have adapted to develop decentralized and self-organizing robotic swarms.

The paper delved into the composition and design of individual robots within swarm systems, highlighting the trade-offs between simplicity, scalability, and functionality. It also discussed communication and coordination mechanisms, such as stigmergy, direct communication, and consensus algorithms, which enable swarm robots to share information and coordinate their actions.

Furthermore, the challenges and opportunities associated with swarm robotics were explored, including issues related to scalability, fault tolerance, exploration and task allocation, as well as adaptation and self-organization. Researchers have developed various approaches inspired by natural systems and complex adaptive processes to address these challenges, paving the way for more robust and efficient swarm robotic systems.

The applications of swarm robotics were also highlighted, with a focus on search and rescue operations, environmental monitoring and exploration, distributed sensing and mapping, and several promising future applications in domains like extra-terrestrial exploration, medical applications, and swarm manufacturing.

REFERENCES

- [1] Bonabeau, E., Dorigo, M., & Theraulaz, G. (1999). *Swarm intelligence: from natural to artificial systems*. Oxford university press.
- [2] Şahin, E. (2004). *Swarm robotics: From sources of inspiration to domains of application*. In *International workshop on swarm robotics* (pp. 10-20). Springer, Berlin, Heidelberg.
- [3] Navarro, I., & Matía, F. (2013). *An introduction to swarm robotics*. ISRN Robotics, 2013.
- [4] Hölldobler, B., & Wilson, E. O. (2009). *The superorganism: the beauty, elegance, and strangeness of insect societies*. WW Norton & Company.
- [5] Dorigo, M., Birattari, M., & Stutzle, T. (2006). *Ant colony optimization*. IEEE Computational Intelligence Magazine.
- [6] Seeley, T. D. (2010). *Honeybee democracy*. Princeton University Press.
- [7] Werfel, J., Petersen, K., & Nagpal, R. (2014). *Designing collective behaviour in a termite-inspired robot construction team*. Science.
- [8] Rubenstein, M., Ahler, C., & Nagpal, R. (2012). *Kilobot: A low cost scalable robot system for collective behaviours*. In *IEEE International Conference on Robotics and Automation*.
- [9] Bayindir, L., & Şahin, E. (2007). *A review of studies in swarm robotics*. Turkish Journal of Electrical Engineering & Computer Sciences.
- [10] Reynolds, C. W. (1987). *Flocks, herds and schools: A distributed behavioral model*. ACM SIGGRAPH Computer Graphics.
- [11] Grassé, P. P. (1959). *La reconstruction du nid et les coordinations interindividuelles chez Bellicositermes natalensis et Cubitermes sp. la théorie de la stigmergie*. Insectes Sociaux.
- [12] Couzin, I. D., & Krause, J. (2003). *Self-organization and collective behaviour in vertebrates*. *Advances in the Study of Behaviour*.
- [13] Hauert, S., Zufferey, J. C., & Floreano, D. (2009). *Reverse-engineering of dynamically scalable multirobotic systems*. In *IEEE/RSJ International Conference on Intelligent Robots and Systems*.
- [14] Murphy, R. R., Tadokoro, S., Nardi, D., Jacoff, A., Fiorelli, P., Choset, H., & Erkmén, A. M. (2008). *Search and rescue robotics*. In *Springer Handbook of Robotics*. Springer, Berlin, Heidelberg.
- [15] Couzin, I. D., Krause, J., Franks, N. R., & Levin, S. A. (2005). *Effective leadership and decision-making in animal groups on the move*. Nature.
- [16] Rubenstein, M., Cornejo, A., & Nagpal, R. (2014). *Programmable self-assembly in a thousand-robot swarm*. Science.
- [17] Francesca, G., & Birattari, M. (2016). *Automatic design of robot swarms: achievements and challenges*. *Frontiers in Robotics and AI*.

- [18] Ducatelle, F., Di Caro, G. A., Pinciroli, C., & Gambardella, L. M. (2011). Self-organized cooperation between robotic swarms. *Swarm Intelligence*.
- [19] Arkin, R. C. (1998). *Behaviour-based robotics*. MIT press.
- [20] Winfield, A. F., & Nembrini, J. (2006). Safety in swarm robotic systems. In *International Conference on Swarm Intelligence*. Springer, Berlin, Heidelberg.



INTERNATIONAL
STANDARD
SERIAL
NUMBER
INDIA



INTERNATIONAL JOURNAL OF INNOVATIVE RESEARCH

IN SCIENCE | ENGINEERING | TECHNOLOGY

 9940 572 462  6381 907 438  ijirset@gmail.com



www.ijirset.com

Scan to save the contact details