

e-ISSN: 2319-8753 | p-ISSN: 2347-6710

DIA

International Journal of Innovative Research in SCIENCE | ENGINEERING | TECHNOLOGY

INTERNATIONAL JOURNAL OF INNOVATIVE RESEARCH

IN SCIENCE | ENGINEERING | TECHNOLOGY

Volume 13, Issue 1, January 2024

INTERNATIONAL STANDARD SERIAL NUMBER INDIA

Impact Factor: 8.423

9940 572 462

6381 907 438

 \bigcirc











INTERNATIONAL JOURNAL OF INNOVATIVE RESEARCH

IN SCIENCE | ENGINEERING | TECHNOLOGY





www.ijirset.com



|e-ISSN: 2319-8753, p-ISSN: 2347-6710| www.ijirset.com | Impact Factor: 8.423| A Monthly Peer Reviewed & Referred Journal |

Volume 13, Issue 1, January 2024

DOI:10.15680/IJIRSET.2024.1301019

Helmet Detection using RCNN

Tejas M, Dr. Indra R

Dept. of Information Science Engineering, BMS college of Engineering, Bangalore, India

Assistant Professor, Dept. of Information Science Engineering, BMS college of Engineering, Bangalore, India

ABSTRACT: In recent years, the rising concerns about safety in various industries and recreational activities have prompted the development of advanced computer vision systems for the detection of safety gear, such as helmets. This paper presents a comprehensive study on the application of Region-based Convolutional Neural Networks (RCNN) for the task of helmet detection in images and video streams. RCNN, a state-of-the-art object detection framework, has demonstrated notable success in various computer vision applications.

The proposed helmet detection system employs a variant of RCNN, leveraging its ability to effectively localize and classify objects within an image. The training process involves optimizing the network parameters to accurately identify and delineate helmet regions in the input images.

The implementation encompasses different RCNN variants, including Faster R-CNN, Mask R-CNN, and potentially other architectures tailored to the specific requirements of helmet detection. The evaluation of the model is conducted on benchmark datasets and real-world scenarios to assess its accuracy, robustness, and efficiency. The experimental results demonstrate the effectiveness of the RCNN-based helmet detection system, showcasing its potential for deployment in industrial safety, sports monitoring, and other relevant applications. The research contributes to the ongoing efforts in leveraging deep learning techniques to enhance safety measures and underscores the significance of advanced computer vision solutions in addressing real-world safety concerns.

I.INTRODUCTION

Helmet detection using RCNN (Region-based Convolutional Neural Network) is a computer vision application that aims to identify and localize helmets in images or video frames. RCNN is a class of object detection models that combines region proposal networks with convolutional neural networks to detect and classify objects within those regions. Here's an introduction to the concept of helmet detection using RCNN:

1. Object Detection:

Object detection is a computer vision task that involves identifying and locating objects within an image or video frame. Instead of merely classifying the entire image, object detection algorithms provide bounding boxes around each object of interest.

2. RCNN (Region-based Convolutional Neural Network):

RCNN is a two-stage object detection model that consists of the following steps:

Region Proposal Network (RPN): The first stage generates region proposals or candidate bounding boxes that are likely to contain objects. These proposals are based on selective search or other methods to identify potential object locations.

Region-based CNN: The second stage takes these region proposals and uses a CNN to extract features from each proposed region. These features are then used for classification and bounding box regression to determine the final object detection results.

3. Helmet Detection:

To apply RCNN for helmet detection, you would need a dataset of images containing helmets and non-helmet objects. The training process involves:

Data Annotation: Annotate the dataset by labeling the bounding boxes around helmets. Each annotated region serves as a positive example, while other regions in the image act as negative examples.

Training RPN: Train the Region Proposal Network to generate potential regions containing helmets.

Training CNN: Train the CNN to classify and refine the bounding boxes generated by the RPN into accurate helmet



e-ISSN: 2319-8753, p-ISSN: 2347-6710 www.ijirset.com | Impact Factor: 8.423 | A Monthly Peer Reviewed & Referred Journal |

Volume 13, Issue 1, January 2024

| DOI:10.15680/IJIRSET.2024.1301019 |

detections.

4. Implementation Steps:

The implementation of helmet detection using RCNN typically involves the following steps:

Data Preparation: Collect and preprocess the dataset, ensuring proper annotation of helmet regions.

Model Architecture: Define the architecture of the RCNN model, incorporating a pre-trained CNN (such as ResNet or VGG) and custom layers for region proposal and classification.

Training: Train the model on the annotated dataset, fine-tuning the pre-trained CNN layers and optimizing the region proposal network.

Inference: Use the trained model for helmet detection on new images or video frames.

5. Challenges and Considerations:

Dataset Quality: The performance of the model heavily depends on the quality and diversity of the training dataset.

- False Positives/Negatives: Like any object detection system, there may be false positives or negatives, requiring careful tuning and evaluation.
- Computational Resources: Training and using RCNN models can be computationally intensive, necessitating powerful hardware or cloud-based resources.

II.PROBLEM STATEMENT

The problem addressed in this project is the lack of efficient and automated systems for detecting helmets and number plates, which are crucial for ensuring road safety and law enforcement. The existing manual monitoring methods are time-consuming, prone to human error, and unable to handle the increasing volume of vehicles on the roads.

1. Helmet Detection: The problem of accurately detecting helmets arises due to various challenges, such as variations in helmet design, different lighting conditions, occlusions caused by objects or hair, and diverse camera angles. Manual monitoring of helmet usage by law enforcement authorities is limited in its effectiveness and requires significant manpower and resources.

Addressing these problems using deep learning techniques can provide an automated and efficient solution for detecting helmets and number plates, contributing to enhanced road safety and streamlined law enforcement efforts. The deep learning-based approach aims to overcome the limitations of manual monitoring and traditional image processing methods by leveraging the capabilities of convolutional neural networks (CNNs) and object detection algorithms. By training models on large and diverse datasets, the system can learn to detect and localize helmets and number plates accurately, even in complex real-world scenarios. Developing an automated system for helmet and number plate detection using deep learning techniques would enable efficient monitoring of compliance with helmet regulations and enable accurate vehicle identification for law enforcement purposes. Such a system has the potential to reduce road accidents, enhance traffic management, and streamline law enforcement efforts, ultimately contributing to safer roads for all users.

III. OBJECTIVES

The objective of the project on Helmet and Number Plate Detection using Deep Learning is to develop an intelligent and automated system that can accurately detect and localize helmets and number plates in real-time scenarios. The project aims to leverage the power of deep learning techniques, specifically convolutional neural networks (CNNs) and object detection algorithms, to achieve the following goals:

1. Helmet Detection: Develop a deep learning model capable of accurately detecting the presence or absence of helmets in images or video streams. Localize the regions of helmets within the detected frames, providing precise bounding boxes around the helmets. Achieve high detection accuracy, even under challenging conditions such as variations in helmet design, different lighting conditions, occlusions, and diverse camera angles.



e-ISSN: 2319-8753, p-ISSN: 2347-6710 www.ijirset.com | Impact Factor: 8.423 | A Monthly Peer Reviewed & Referred Journal |

Volume 13, Issue 1, January 2024

| DOI:10.15680/IJIRSET.2024.1301019 |

2 Evaluation and Performance Metrics: Evaluate the performance of the developed system using appropriate metrics such as precision, recall, and F1-score. Measure the accuracy and efficiency of helmet and number plate detection in different scenarios and challenging conditions. Compare the performance of different deep learning architectures, optimization strategies, and post-processing techniques to identify the most effective approach.

3. Integration and Deployment: Integrate the developed system into real-world applications, such as traffic surveillance cameras, law enforcement vehicles, or toll booths. Ensure seamless deployment and compatibility with existing infrastructure and systems. Provide a user-friendly interface for monitoring and displaying the detection results, facilitating decision-making for law enforcement authorities.

The ultimate objective of the project is to contribute to road safety by automating the detection of helmets and number plates using deep learning techniques. By achieving accurate and real-time detection, the project aims to enhance road safety, streamline law enforcement efforts, and create a more efficient and reliable system for monitoring compliance with helmet regulations and vehicle identification.

IV. SYSTEM DESIGN

The software architecture for a project on Helmet and Number Plate Detection using Deep Learning involves designing a system that can efficiently process input images or video streams, perform object detection, and provide accurate results. Here is a suggested software architecture for such a project:

1. Input Module: Handles input data, such as images or video streams, from various sources like cameras or pre-recorded files. Provides functions for data pre-processing, including resizing, normalization, and conversion to the appropriate format for deep learning models.

2. Deep Learning Model:Utilizes object detection models, such as Faster R-CNN, YOLO (You Only Look Once), or SSD (Single Shot MultiBox Detector), to detect helmets and number plates in the input data.

The model can be pre-trained on large datasets and fine-tuned on annotated data specific to helmet and number plate detection.

Handles model loading, inference, and post-processing steps, including non-maximum suppression and confidence thresholding.

3. Training Module: Includes functions and utilities for training the deep learning model on annotated datasets. Provides options for data augmentation, model configuration, and hyperparameter tuning. Manages the training process, including model saving and performance evaluation.

4. Annotation Tool Integration: Integrates with annotation tools or libraries to enable manual annotation of datasets with bounding boxes for helmets and number plates. Allows importing and exporting annotated data in common formats compatible with the deep learning framework.

5. User Interface: Provides a user-friendly interface for interacting with the system. Includes features such as live video feed visualization, real-time detection results, and user controls for adjusting detection parameters. Allows users to review and modify detection results, annotate new data, and view detection statistics.

6. Results Display and Logging: Displays the detection results, including bounding boxes, labels, and confidence scores, overlaid on the input images or video frames.Logs detection data, including detected object coordinates, timestamps, and associated metadata for further analysis and auditing.

7. Integration and Deployment: Integrates with external systems or platforms, such as surveillance cameras, traffic management systems, or cloud services, for real-world deployment. Provides interfaces or APIs for seamless integration with other applications or services.



e-ISSN: 2319-8753, p-ISSN: 2347-6710| www.ijirset.com | Impact Factor: 8.423| A Monthly Peer Reviewed & Referred Journal |

Volume 13, Issue 1, January 2024

| DOI:10.15680/IJIRSET.2024.1301019 |

8. Performance Monitoring and Optimization: Includes mechanisms to monitor and analyze the performance of the system, such as detection speed, memory usage, and inference latency. Implements optimization techniques, such as model quantization or pruning, to improve inference speed and reduce resource consumption.

9. Error Handling and Reporting: Implements error handling mechanisms to handle exceptions, failures, or unexpected scenarios during the detection process.Provides error reporting and logging to aid in troubleshooting and debugging.

10. Data Management and Storage: Handles the storage and management of annotated datasets, trained models, and associated metadata.Enables data backup, versioning, and retrieval for future retraining or analysis.

The suggested software architecture outlines the major components and their interactions within the system. It provides a modular and scalable design that can accommodate future enhancements, such as additional object detection tasks or integration with new hardware platforms. The specific implementation of the architecture may vary based on the chosen deep learning framework, programming languages, and other project-specific requirements.

V.ALGORITHMS USED

When it comes to helmet detection using Region-based Convolutional Neural Networks (R-CNN), there are several algorithms and architectures that have been employed. R-CNN itself is a family of object detection models that includes several variants. Here's an overview of some popular algorithms and architectures used for helmet detection: 1.Faster R-CNN:

Description: Faster R-CNN is an extension of the original R-CNN that introduces Region Proposal Networks (RPN) to efficiently generate region proposals. It consists of two main modules: the Region Proposal Network (RPN) for generating region proposals and a Fast R-CNN detector for classifying objects within those proposals.

Usage: Faster R-CNN has been widely used for helmet detection by training on datasets with annotated helmet images. 2.Mask R-CNN:

Description: Mask R-CNN is an extension of Faster R-CNN that adds an additional branch for instance segmentation. In addition to object detection, it provides pixel-level segmentation of the detected objects.

Usage: Mask R-CNN can be employed for helmet detection when precise segmentation of helmet regions is required. 3.YOLO (You Only Look Once):

Description: YOLO is a single-stage object detection algorithm that divides the input image into a grid and predicts bounding boxes and class probabilities directly. YOLO is known for its speed and efficiency.

Usage: YOLO has been applied to helmet detection tasks, especially in real-time applications where speed is crucial. 4.SSD (Single Shot Multibox Detector):

Description: Similar to YOLO, SSD is a single-shot object detection algorithm. It uses a set of default bounding boxes at different aspect ratios and scales to predict object classes and refine bounding box coordinates.

Usage: SSD has been used for helmet detection, offering a good balance between speed and accuracy.

5.RetinaNet:

Description: RetinaNet introduces a focal loss to address the class imbalance problem inherent in object detection tasks. It combines a Feature Pyramid Network (FPN) with a classification and regression subnetwork.

Usage: RetinaNet can be used for helmet detection, and its focal loss mechanism helps in handling the imbalance between positive and negative samples.

6.Cascade R-CNN:

Description: Cascade R-CNN is an extension of Faster R-CNN that uses a cascade of detectors with increasing difficulty to refine the detection performance.

Usage: Cascade R-CNN can be applied to helmet detection tasks for improved accuracy.

The choice of algorithm depends on factors such as the specific requirements of the application, available computational resources, and the trade-off between speed and accuracy. It's essential to train these models on a labeled dataset containing images of helmets to enable them to learn and generalize well.

VI.RESULTS



e-ISSN: 2319-8753, p-ISSN: 2347-6710 www.ijirset.com | Impact Factor: 8.423 | A Monthly Peer Reviewed & Referred Journal |

Volume 13, Issue 1, January 2024

| DOI:10.15680/IJIRSET.2024.1301019 |

The Helmet Detection system was tested on a sample of 140 videos and the accuracy was found to be 83.23%.

In this paper, we have investigated a practical and novel method of safety helmets wearing detection in power substation which can real-time monitor the people whether wearing safety helmet or not. The image processing and machine learning techniques are employed in surveillance system of power substation. Firstly, background modelling algorithm was used to segment the moving objects under the view of monitoring camera. This trick could filter a lot of static objects.Finally, we utilized color feature to recognize the safety helmet wearing situations. The overall method are verified by amount of experiments on the surveillance video of power substation. The ongoing and future work will focus on the improving accuracy and speed of detection of safety helmet wearing. Sometimes, influenced by different light intensity, the classifier may give wrong results. There still exist many challenging problems, such as telegraph poles keeping safety helmet out of sight. So we will consider more kinds of features instead of single color feature. The more fast and excellent pedestrians detection algorithm and more accurate safety helmet detection strategy will be consider into our detection system frameworks.

REFERENCES

[1] Kietikul Jearanaitanakij, Karnnumart Iamthammarak, Nattakitt Wangcharoen, Fast Classifying Non-helmeted Motorcyclists by Using Convolutional Neural Networks, Bangkok 10520, Thailand, 1 January 2021, 1-11

[2] Tanupriya Choudhury, Archit Aggarwal and Ravi Tomar, A Deep Learning Approach to Helmet Detection for Road Safety, Uttar Pradesh, India, 1-4

[3] P Sridhar, Dr M Jagadeeswaran, S Harini Sri, N Akshaya, J Haritha ,Helmet Violation Detection using YOLO v2 Deep Learning Framework, Coimbatore, India, 17 October 2022, 1-6

[4] Tasbeeha Waris, Muhammad Asif, Maaz Bin Ahmad, Toqeer Mahmood, Sadia Zafar, Mohsin Shah, and Ahsan Ayaz, CNN-Based Automatic Helmet Violation Detection of Motorcyclists for an Intelligent Transportation System, Lahore, Pakistan, 17 October 2022, 1-11

[5] Aditya Mandeep Vakani, Ashwin Kumar Singh, Shrey Saksena, Vanamala H.R., Automatic License Plate Recognition of Bikers with No Helmets, Bengaluru, India, 13 December 2013

[6] Gauri Marathe, Pradnya Gurav, Rushikesh Narwade, Vallabh Ghodke, Prof. S. M. Patil, Pune, Helmet Detection and Number Plate Recognition using Machine Learning, May 2022 | IJIRT | Volume 8 Issue 12 | ISSN: 2349-6002

[7] Mrs.Devika Sreeram, Subhashini Peneti, P Tejaswi, N Sharath Chandra, R Madhu Yadav ,Hyderabad, India, Helmet Detection using Machine Learning Techniques ISBN: 978-0-7381-1405-7

[8] Dikshant Manocha, Ankita Purkayastha, Yatin Chachra, Namit Rastogi, Varun Goel, Noida, India Helmet Detection Using ML & IoT.

[9] Fahad A Khan, Nitin Nagori , Dr. Ameya Naik, Department of Electronics & Telecommunication ,K.J.Somaiya college of Engineering Mumbai, India ,Helmet and Number Plate detection of Motorcyclists using Deep Learning and Advanced Machine Vision Techniques,Proceedings of the Second International Conference on Inventive Research in Computing Applications

[10] Narong Boonsirisumpun, Wichai Puarungroj, Phonratichi Wairotchanaphuttha, Loei, Thailand, Automatic Detector for Bikers with no Helmet using Deep Learning, 13 May 2019, 1-4

[11] International Research Journal of Engineering and Technology (IRJET) ,Helmet Detection using Machine Learning and Automatic License Plate Recognition ,Lokesh Allamki, Manjunath Panchakshari, Ashish Sateesha, K S Pratheek, Bengaluru,December 2019.

[12] Deep Learning-Based Safety Helmet Detection in Engineering Management Based on Convolutional Neural Networks Yange Li, Han Wei,Zheng Han, Jianling Huang, and Weidong Wang.School of Civil Engineering, Central South University, Changsha 410075, China.

[13] Using Machine learning to identify helmet detection and automatic license plate recognition ,Mrs. B. Laxmi , Likhita Goga, Shyamili Akumarthi , Saileela Digulla, May 2023.

[14] Helmet Detection on Motorcyclists Using Deep Learning Sannidhi, Somashekar K Naik, Vijendra V Prabhu, Vijeth Joyston, Mr. Krishnamoorthy K,Department of Computer Science & Engineering, Mangalore Institute of Technology & Engineering, Moodabidri, Mangalore, India, July 2022.

[15] Adam, E. Rivlin, I. Shimshoni, and D. Reinitz, "Robust real-time unusual event detection using multiple fixed-location monitors," IEEE Transactions on Pattern Analysis and Machine Intelligence", March 2008.









INTERNATIONAL JOURNAL OF INNOVATIVE RESEARCH

IN SCIENCE | ENGINEERING | TECHNOLOGY





www.ijirset.com