

e-ISSN: 2319-8753 | p-ISSN: 2347-6710

EDIA

International Journal of Innovative Research in SCIENCE | ENGINEERING | TECHNOLOGY

INTERNATIONAL JOURNAL OF INNOVATIVE RESEARCH

IN SCIENCE | ENGINEERING | TECHNOLOGY

Volume 13, Issue 3, March 2024

INTERNATIONAL STANDARD SERIAL NUMBER INDIA

Impact Factor: 8.423

9940 572 462

6381 907 438

 \bigcirc





|e-ISSN: 2319-8753, p-ISSN: 2347-6710| www.ijirset.com | Impact Factor: 8.423| A Monthly Peer Reviewed & Referred Journal |

Volume 13, Issue 3, March 2024

| DOI:10.15680/IJIRSET.2024.1303151 |

Earthquake Resistant Building Construction

P. V. Kapure, Pranav Sable, Nitesh Bidkar, Atharva Chavan, Yash Pawar

Professor, Department of Civil Engineering, AISSMS Polytechnic, Pune, India

Department of Civil Engineering, AISSMS Polytechnic, Pune, India Department of Civil Engineering, AISSMS Polytechnic, Pune, India Department of Civil Engineering, AISSMS Polytechnic, Pune, India

ABSTRACT: Taking specific precautionary actions in accordance with recognized scientific recommendations can help to prevent or mitigate the effects of an earthquake. These precautions may help to reduce the loss of life and property in earthquake-prone locations. It is imperative that the general public be educated on the need of following conventional precautions while building in situated earthquake locations. Various institute and workshops modification of engineering curriculum in light of regular earthquakes in various sections of the nation may be of tremendous assistance in minimizing damage.

KEYWORDS: Earthquake, Seismic behaviour, Bhuj, Retrofitting

I. INTRODUCTION

Earthquake happens mechanically and a few instances happens with unpredictable and resulting from a speedy launch strength with inside the earth ensuing earthquake waves. Some important steps should be followed through the development technique to make sure that building is constructed seismic wave resistance. seismic wave proof systems are the ones which can be constructed to resist the outcomes of a seismic wave. systems which can be both earthquake-evidence or have a minimum wave effect that is called earthquake resistance construction. shape may be absolutely secure from the outcomes of seismic waves. The primary motive of seismic wave constructing, on the opposite side, is to broaden systems that could bear earthquake pastime or occasions higher than their traditional analogue, as a result decreasing the lack of lifestyles through taking in remedies at some point of the development point. subsequently, in quaker susceptible places, constructing should consist approach of guarantee balance accessibility, and durability, in addition to an excessive stage of security. Disasters are unexpected events which have adversely affected humans since the dawn of our existence. In response to such events, there have been attempts to mitigate devastating effects of these disasters. Results of such attempts are very encouraging in developed countries but unfortunately and miserably poor in developing countries including ours. Earthquakes are one of the nature's greatest hazards on our planet which have taken heavy toll on human life and property since ancient times. The sudden and unexpected nature of the earthquake event makes it even worse on psychological level and shakes the moral of the people. Man looks upon the mother earth for safety and stability under his feet and when it itself trembles, the shock he receives is indeed unnerving. Mitigation of the devastating damage caused by earthquakes is of prime requirements in many parts of the world. Since earthquakes are so far unpreventable and unpredictable, the only option with us is to design and build the structures which are earthquake resistant.

Seismic Hazard Assessment: Understanding the seismicity of a region is fundamental in designing earthquake-resistant structures. This section will discuss the methods used to assess seismic hazards, including geological studies, historical data analysis, and probabilistic seismic hazard analysis.

Building Codes and Regulations: Building codes and regulations play a crucial role in ensuring the safety and resilience of structures against earthquakes. This section will examine international and local building codes, highlighting their provisions for seismic design and construction.

Structural Engineering Principles: An in-depth understanding of structural engineering principles is necessary for designing earthquake-resistant buildings. This section will cover concepts such as lateral load resistance, damping mechanisms, and dynamic analysis methods.



|e-ISSN: 2319-8753, p-ISSN: 2347-6710| www.ijirset.com | Impact Factor: 8.423| A Monthly Peer Reviewed & Referred Journal |

|| Volume 13, Issue 3, March 2024 ||

| DOI:10.15680/IJIRSET.2024.1303151 |

Construction Materials and Techniques: The choice of construction materials and techniques significantly influences a building's seismic performance. This section will explore various materials and construction methods that enhance seismic resilience, including reinforced concrete, steel frames, base isolation, and damping systems.

Case Studies: Examining real-world examples of earthquake- resistant buildings provides valuable insights into successful design and construction practices. This section will showcase notable case studies from around the world, highlighting innovative approaches and lessons learned.

II. METHEDOLOGY

It has been noticed that earthquakes inflict significant damage either owing to traditional ways or methods that do not adhere to the design ideas of earthquake resistant building. As a result, the possibility of an earthquake must be factored into the design.

Three main categories may be used to describe earthquake- resistant design principles: apartments, embankments, apertures (gate, casement, and storeys), station, and base considerations should be taken.


The arrangement and overall design must be considered in order to provide lateral resistance.

Consideration of heavily loaded and important parts, with reinforcing provided as needed.

It is vital to describe the approaches for resisting earthquakes in constructions in the methodology section.

A). Active & Passive system: Active manage structures are system which have actual time clarification analyzer embedded into them, higher provider and security. static manage structures are not unusual place technology used to face up to or take in the electricity generated through earthquakes. Consider the subsequent scenario: Dampers for Viscous Fluids

B). Shear walls: Buildings with bolstered concrete shear partitions are powerful structure approach for seismic wave and help to face up to gravity and lateral stresses.



C). Bracing:

There are some types of bracings are in practice in construction of building like diagonal, triangular, cross and eccentric type bracing and during earthquake these all bracing resists the earthquake waves and make any construction safe and stable against earthquake.

Apart from it to reduce the effect of earthquake we also use the dampers. dampers decrease the energy level of earthquake Waves





e-ISSN: 2319-8753, p-ISSN: 2347-6710| www.ijirset.com | Impact Factor: 8.423| A Monthly Peer Reviewed & Referred Journal |

Volume 13, Issue 3, March 2024

DOI:10.15680/IJIRSET.2024.1303151

D). **Rollers:** Now days engineers practicing a roller device method in mega commercial building likes malls stadium and statues, result in buildings that do not move with the ground since there is no friction.




E). Base Separation: One of the ways to safeguard a structure against earthquakes is to use base isolation. It is a set of structural features designed to disconnect a superstructure from its substructure while it is lying on shaky ground, therefore safeguarding a building or non-building structure.

When the earth shakes beneath a structure sitting on frictionless rollers, that rollers bear the earthquake waves and reduce the total earthquake force and energy to make the building stable and earthquake resistance.

F). Lightweight materials: In the case of constructions, lightweight materials can significantly withstand earthquake effects.

One of the most common lightweight building materials is lightweight concrete. Lightweight concrete can be manufactured .with lightweight aggregates or foaming additives like aluminium powder.

G). Bands: To ensure and to make any building earthquake resistance there is a band technique which can reduce the earthquake effect on a structure and can make structure earthquake resistance.



H). Retrofitting: This is a method of adding extra power to building that are no capable owing initial structure limitations and substance deterioration caused by time or changes made during use over time. The Masur Temples in Kangra, for example, have been altered to account for the impacts of earthquakes. The response of buildings to earthquakes is altered as aresult of retrofitting. It is less expensive than reconstructing. It has the ability to avert total collapse. First code for earthquake

was introduced in 1962. Currently Bureau of India using following codes in the construction of earthquake resistance structure- In criteria of designing and construction of earthquake resistance building engineers using IS 1893 code. In practice engineers are using IS 4326 codes for earthquake resistance building and construction. For the guiding and improving the existence technique of earthquake resistance building code IS 13827.

In the low strength masonry building construction and for improving the existence technique engineers practicing IS 13828.

For the repair and to improve the existence technique for the earthquake resistance building code IS 13935. For the ductile explanation and for the construction of concrete structure code IS 13920. After practicing these all-codes standards engineers cannot be sure that building will be unaffected by earthquakes of any magnitude. However, to the degree practicable, they ensure that structures can withstand moderate-intensity earthquakes beyond building harm and high intensity earthquake can harm the construction and building.

e-ISSN: 2319-8753, p-ISSN: 2347-6710| www.ijirset.com | Impact Factor: 8.423| A Monthly Peer Reviewed & Referred Journal |



|| Volume 13, Issue 3, March 2024 ||

DOI:10.15680/IJIRSET.2024.1303151



III. RESULTS

Info's from the evidence done on 7.7 Richter scale earthquake That struck bhuj and kutch in Gujarat on January 26, 2001 at 08:46 AM revealed that 20,000 people died 3,40,000 homes were destroyed 6,00,000 people were displaced and another 844000 homes were damaged.

Structures, industrial buildings, rail bridges, roadways, and Monuments were all obliterated by this spectacular Earthquake (Shiva Temple). Bhuj Rajolati Chattri suffered Some damage. Buildings owend by RCC were also severely Damaged.

IV. CONCLUSION

Seismic waves shake the earth, inflicting homes to collapse, and disturb the transportation and disturb the supply chain of basic need like milk fruits and vegetables. landslides and tsunamis are cause of earthquake and in the result of harm the peoples and cause of flood. seismic waves majorly affect the tectonic plates and in result of a movement take place in plates and disturb the earth surface. Along a fault, rock blocks slide beyond each other. Smaller earthquakes, referred to as foreshocks, may also arise earlier than the predominant event, whilst aftershocks may also arise following the primary event. seismic waves are more often than not limited to seismic zones, which might be more often than not related to sea floor, semi ridges, and mountainous regions.

The focus refers to the epicenter of an earthquake. epicenter is a point above the center on the upper earth surface. Earth's surface is only a few tens of kilometers away from most earthquake centers. Shallow-focus earthquakes are those that are less than 70 kilometers deep. Sometimes seismic wave can be in the depth of 300km where middle point of earthquakes can be 70-300 km deep. All of the Earth's earthquake regions have shallow-focus earthquakes, while middle and deep point of seismic activity are nearly entirely linked by earthquake regions on the ocean trenches. An earthquake's aggressiveness is determined by its magnitude, lowness (flat earthquakes are more dangerous), and by its inflictions. The intensity of a seismic wave can be deliberated in condition of the casualty it causes magnitude and the range of earth shakes and power it releases related to the Richter magnitude.

V. ACKNOWLEDGEMENT

We express Proudful thanks to all faculties of civil Engineering Department, Our HOD. Mr. S.G. Anturkar and my mentor Professor Mr. P.V. Kapure and all my friends for their support throughout the work.

REFERENCES

[1]. www.openuniversity.com

[2]. Ana Phillips "what does an earthquake destroy". [3]. Kara rogers, Ashton coffer, "earthquake resistance construction". Nov 05, 2015.

[4]. Sudhir J. Jain, "codes licensing and education", "earthquake spectra, 2019.

[5]. www.openuniversity.com

[6]. www.bmtpc.org

[7]. Daud, M.A.M, M.Z. Selemat and A.Rivai, "effect of thermoplastic polymer waste in lightweight concrete", 2013.

[8]. <u>www.researchgate.net</u>









INTERNATIONAL JOURNAL OF INNOVATIVE RESEARCH

IN SCIENCE | ENGINEERING | TECHNOLOGY





www.ijirset.com