



e-ISSN: 2319-8753 | p-ISSN: 2347-6710

IJIRSET

International Journal of Innovative Research in
SCIENCE | ENGINEERING | TECHNOLOGY



INTERNATIONAL JOURNAL OF INNOVATIVE RESEARCH

IN SCIENCE | ENGINEERING | TECHNOLOGY

Volume 13, Issue 3, March 2024

ISSN INTERNATIONAL
STANDARD
SERIAL
NUMBER
INDIA

Impact Factor: 8.423



9940 572 462



6381 907 438



ijirset@gmail.com



www.ijirset.com

Performance Measurement of OEE Using Data Envelopment Analysis (DEA)

X.Jinphan¹, S.Sanjiev Prasath¹, S.Mani Bharathi¹, K.Nagarajan¹

UG Scholar, Department of Mechanical Engineering, St.Mother Theresa Engineering College, Thoothukudi,
Tamil Nadu, India¹

ABSTRACT: Business processes such as maintenance do the same or similar things day after day and for that reason, their performance must be measured on a regular basis. Measures of performance are needed in order to determine the productivity and the efficiency of an organization. Performance measurement also plays an important role in identifying and tracking progress against organizational goals. Data Envelopment Analysis (DEA) is one of the excellent tools to measure efficiency of business processes and DEA has been widely applied to perform efficiency analysis in many sectors.

KEYWORDS: Performance measurement, Overall Equipment Effectiveness, Data Envelopment Analysis

I. INTRODUCTION

Every business activity is a production process and an organization is a complex set of processes with multiple inputs, production processes, outputs, and customers. Business processes are much like machines; they do the same or similar things day after day and for that reason, their performance must be measured on a regular basis. Measuring work inputs and product outputs is necessary to determine the work capacity and productivity of a process. Measures of performance have been used by management for centuries to review current operational capabilities such as departmental and corporate performance, as well as trend performance achieved based on organizational plan. These measures are needed in order to determine not only if resources and costs have been managed accurately based on achieved production and to determine whether the assets or plant remain in good health. . Performance measurement also play an important role in identifying and tracking progress against organizational goals as well as to identifying opportunities for improvement (U.K Department of Trade and Industry, 2006).

One of the excellent tools to measure efficiency of business processes is Data Envelopment Analysis (DEA). DEA has been widely applied to perform efficiency analysis in many sectors including banks, university, hotel, power plant, and hospital [1-12]. DEA is a technique of analyzing the efficiency of the organization using linear programming. In DEA, the organization under study is called the DMU (Decision Making unit). DMU refer to the collection of private firm,s non-profi t organizations, departments, administrative units, and groups with the same (or similar) goals, functions, standards and market segments. A DMU is regarded as the entity responsible for converting inputs into outputs and DEA measures the efficiency of the conversion process. Rather thanthe conventional one input to one output, DEA evaluates multiple inputs and multiple output systems on the basis of what is most excellent in the efficiency value. The DMU is most efficient if the efficiency obtains a score of one and is inefficient if the score is less than one. Therefore, for every DEA calculation, the objective is to maximize the value of the efficiency [13-24].

Meanwhile, Overall Equipment Effectiveness (OEE) is a key measurement of TPM. It indicates how effective the machines are running. OEE breaks the performance of a machine into three separate but measurable components: Performance Rate (PR), Quality Rate (QR) and Availability (A). Tracking OEE regularly can spot the patterns and influences that cause problems for the machines. Furthermore, measuring OEE can show us the result of our efforts to help the machines perform better. (The productivity Development Team, 2004). This paper applies DEA to measure the efficiency of measurable components of OEE for the activity that had been conducted in six periods. The objectives of this paper are to observe performance trends of the activity over time sequence and to determine the best performing period. This paper is organized as follows; Section two describes the general knowledge about Data Envelopment Analysis [24-36]. Section three applies DEA to measure the efficiency of measurable components of OEE in six periods. Finally, we conclude our work in section four.

II. DATA ENVELOPMENT ANALYSIS

DEA is a technique of analyzing the efficiency of the organization using linear programming.

Let,

j : number of DMU being compared in the DEA analysis DMU_j : DMU number j

DMU_0 : target DMU

θ : efficiency rating of the DMU being evaluated by DEA

y_{rj} : amount of output r used by DMU_j

x_{ij} : amount of input i used by DMU_j

i : number of inputs used by the DMU

r : number of outputs generated by the DMU

u_r : coefficient or weight assigned by DEA to output r v_i : coefficient or weight assigned by DEA to input i

where,

$j=1,2,\dots,n$, $r=1,2,\dots,s$, $i=1,2,\dots,m$

The DEA efficiency measure for a DMU j is given by a ratio of weighted sum of outputs to weighted sum of inputs:

$$\theta = \frac{\sum_{r=1}^s u_r y_{rj}}{\sum_{i=1}^m v_i x_{ij}} \quad (1)$$

Formally, the DEA efficiency measure for a target DMU_0 is formulized by the following fractional programming.

$$\max \theta_o = \frac{\sum_{r=1}^s u_r y_{ro}}{\sum_{i=1}^m v_i x_{io}} \quad (2)$$

subject to

$$\frac{\sum_{r=1}^s u_r y_{rj}}{\sum_{i=1}^m v_i x_{ij}} \leq 1 \quad (j=1,\dots,n)$$

$$u_1, u_2, \dots, u_s \geq 0, \quad v_1, v_2, \dots, v_m \geq 0$$

Replace above fractional programming by the following linear programming,

$$\text{Max } \theta (= \sum_{r=1}^s u_r y_{ro}) \quad (3)$$

subject to

$$\begin{aligned} \sum_{i=1}^m v_i x_{io} &= 1 \\ \sum_{r=1}^s u_r y_{rj} - \sum_{i=1}^m v_i x_{ij} &\leq 0, \quad j = 1, 2, \dots, n \\ u_r &\geq 0, \quad r = 1, 2, \dots, s \\ v_i &\geq 0, \quad i = 1, 2, \dots, m \end{aligned}$$

A dual problem for above linear programming is formulated as,

$$\text{Min } \omega = \theta - \varepsilon (\sum_{r=1}^s s^+ + \sum_{i=1}^m s^-) \quad (4)$$

subject to

$$\begin{aligned} \theta x_{io} - \sum_{j=1}^n x_{ij} \lambda_j &= s^- \\ \sum_{j=1}^n y_{rj} \lambda_j - \theta y_{ro} &= s^+ \end{aligned}$$

$$\begin{aligned} y_{ro} - \sum_{j=1}^n y_{rj} \lambda_j + s^+ &= 0 \\ \lambda_j &\geq 0, \quad s_r^+ \geq 0 \quad (r = 1, 2, \dots, s), \quad s_i^- \geq 0 \quad (i = 1, 2, \dots, m) \end{aligned}$$

where θ is a non-Archimedean that is defined to be smaller than real positive number while s^- and s^+ are the input and output slacks, respectively.

Window Analysis

A DEA window analysis works on the principle of moving averages (Charnes et al.,1994; Yue,1992). And is useful to detect performance trends of a unit over time. Each unit in a different period is treated as if it was a different unit [34-48]. In doing so, the performance of a unit in a particular period is contrasted with its own performance in the other periods in addition to the performance of other units [49-58].

In this method, consider N DMU's ($n=1,...,N$) which are observed in T periods ($t=1,...,T$) and which all use r inputs to produce s outputs. The sample thus has $N \times T$ observations. The whole set of time periods, T , is divided into 'windows' or sub periods. DMUs whereby the width of each window, p , is always equal [59-73]. In the first assessment, the window consists of n DMUs within the time period of $(1,...,p)$. The second window then has periods of $(2,...,p+1)$ and this goes on to the last period $(T-p+1,...,T)$.

III. PERFORMANCE MEASUREMENT OF OEE USING DEA

Author [74] proposed a general model of DEA to measure maintenance activity performance by identified the general input and output based on typical input for production system and TPM measurement indices. This model could measure maintenance performance in aggregate because the model includes all the considerable resources (input) used in maintenance activities against all the considerable outcomes (output) but requires many data and takes real effort and time and cost for small and medium enterprises. Therefore, in this paper, we use a simplest model for maintenance; A model with number of maintenance personnel, maintenance cost and number of machines as the input data and quality rate (QR), availability (A), and performance rate (PR) as the output. Assumed that there are no changes for input, we used 1 as the dummy input and the values for the output is shown in Table 1.

Table 1: Input and output data

i/o dataPeriod	(I)resources	(O)QR	(O) A	(O)PR
t_1	1	89.79	90.52	91.37
t_2	1	90.63	88.73	90.47
t_3	1	91.48	89.63	91.78
t_4	1	94.85	88.53	97.94
t_5	1	95.61	89.17	98.83
t_6	1	96.82	93.09	96.21

We calculated the data in Table 1 using Windows analysis with the length of window is 2 and the result is shown in Table 2. Next, we measure the efficiency of the same data in Table 1 to determine the best-performing period using CCR model, the most basic form of the DEA. We treated data for each period as an independent DMU, for example, t_1 as DMU1, t_2 as DMU2 and so on. The measured result is illustrated in graphs as shown in Figure 3.

Table 2: Results

	t_1	t_2	t_3	t_4	t_5	t_6	Average through window
	1	1					1
		0.9907	1				0.9954
			1	1			1
				0.9928	1		0.9964
					1	1	1
Average by term	1	0.9954	1	0.9964	1	1	

Variation through Window




Figure 1: Variation through Window

Variation by Term




Figure 2: Variation by term Table 3. Score and rank for each DMUs

DMU	Score	Rank
t_1	0.9724	4
t_2	0.9532	6
t_3	0.9628	5
t_4	0.9917	3
t_5	1	1




Figure 3: Score for each DMUs

IV. CONCLUSIONS AND DISCUSSION

Figure 1 and Figure 2 show the trends of performance where the efficiency of the activity was not constant. Figure 3 indicates that t_5 and t_6 are the best-performing periods while the efficiency of the activity in t_2 was decreased from t_1 but keeps increasing from t_3 . The management could use this information to investigate why t_2 was less efficient in comparing with the others. We have presented how enterprises can use DEA method to measure or evaluate their maintenance activities as an additional measurement method to OEE. In this assessment, the inputs and outputs are the most important parameters in assessing the organization though the identification of the inputs and outputs is as difficult as it is crucial. Without proper data, this method could not be applied and it will take a certain period to manage and identify the necessary data if our data are not well managed.

The efficiency of the entire organization can be assessed easily by certain indices such as yearly profit but quite difficult for the efficiency of part of organization. However, the efficiency of certain parts or functions of organization such as maintenance will also contribute to the efficiency of an entire organization. Therefore, the efficiency of certain parts or functions of an organization is something that we cannot ignore. DEA is said to be comparative or relative efficiency measurement because it requires reference to some other set of units to compare against. Selection of reference sets is another important decision that managers should be aware of and taken into account. This might be the first thing that should be decided before proceeding with the rest of the tasks. Results obtained from this assessment may be used to understand the tendency of process and derive useful information that may help the organization to make further improvements in efficiency. We believed that the reasons why DEA is not popular in the maintenance area are because of the difficulty to identify the input and output and lack of data to compare with.

REFERENCES

- [1] Ballesteroa, E., Maldonado, J.A, (2004), "Objective measurement of efficiency: applying single price model to rank hospital activities", *Computers & Operations Research*, 31, pp. 515-532.
- [2] Barros, C.P., (2005), "Measuring efficiency in the hotel sector", *Annals of Tourism Research*, vol.32, no.2, pp 456-477.
- [3] Charnes, A., Cooper, W. W., Lewin, A. Y., and Seiford, L. M., (1994), *Data Envelopment Analysis: Theory*,

Methodology, and Application, Kluwer Academic Publishers, Boston.

- [4] Cooka, W.D., Green, R.H., (2005), "Evaluating power plant efficiency: a hierarchical model", Computers & Operations Research 32, pp. 813-823.
- [5] Gnanaraj, S. J. P., & Velmurugan, V. (2019). An experimental study on the efficacy of modifications in enhancing the performance of single basin double slope solar still. Desalination, 467, 12-28.
- [6] Gnanaraj, S. J. P., Ramachandran, S., & Christopher, D. S. (2017). Enhancing the design to optimize the performance of double basin solar still. Desalination, 411, 112-123.
- [7] Maheswari, K. S., Mayandi, K., Gnanaraj, S. J. P., & Appadurai, M. (2022). Effect of transparent glass cover material on double slope solar still productivity. Materials Today: Proceedings, 62, 5415-5419.
- [8] Devi, R. C., Girimurugan, R., Nanthakumar, S., Rajasekaran, P., Ahammad, S. H., & Gnanaraj, S. J. P. (2022). Experimental study of mechanical properties of Sisal/banana fiber hybrid sandwich composite. Materials Today: Proceedings, 68, 1793-1799.
- [9] Subharaj, C., Leno, I. J., Vivek, S., Gnanaraj, S. J. P., & Appadurai, M. (2022). Sustainable manufacturing system applying on eco-design products. Materials Today: Proceedings, 68, 1528-1535.
- [10] Thangam, J. A., Jeshurun, S. B., Thangapoo, A., Gnanaraj, S. J. P., & Appadurai, M. (2022). Industrial hazards and safety measures—An empirical study. Materials Today: Proceedings, 60, 834-838.
- [11] Gnanaraj, S. J. P., Kavitha, R., & Kumar, M. K. (2023, November). IoT-Powered Flood Warning and Alert System: Innovations in Flood Detection and Notification. In 2023 International Conference on Sustainable Communication Networks and Application (ICSCNA) (pp. 487-490). IEEE.
- [12] Pushparaj, T. L., Raj, E. F. I., Rani, E. F. I., & Appadurai, M. (2023). Synthesis of biogenic cerium oxide-supported osmium oxide nanoalloy from Oldenlandia umbellata L. plant extract for pharmacological applications. Biomass Conversion and Biorefinery, 1-15.
- [13] Karthick, M., Gnanaraj, S. J. P., Appadurai, M., & Jeshurun, S. B. (2022). Productivity enhancement of a single slope solar still with energy storage medium. Materials Today: Proceedings, 60, 889-893.
- [14] Gnanaraj, S. J. P., Arulraj, I., & Appadurai, M. (2022). Computational analysis of fine droplet in swirl injector for desalination. Materials Today: Proceedings, 62, 703-709.
- [15] Paulsyah, D. E., Gnanaraj, S. J. P., Myrtle, R. S., Grace, C. J. C., & Samuel, J. J. J. (2023, November). Green Methods of Larvae Control in Aquatic Environments: Using Solar Energy to Agitate Water. In 2023 International Conference on Sustainable Communication Networks and Application (ICSCNA) (pp. 799-804). IEEE.
- [16] Gnanaraj, S., Patrick, J., Ramachandran, S., & Logesh, K. (2016). A Review on Solar Water Distillation Using Thermal Energy Storage. RESEARCH JOURNAL OF PHARMACEUTICAL BIOLOGICAL AND CHEMICAL SCIENCES, 7(6), 2471-2477.
- [17] Gnanaraj, S., Patrick, J., & Annaamalai, M. G. L. (2022). Enhancing solar still productivity by optimizing operational parameters. DESALINATION AND WATER. TREATMENT, 254, 1-14.
- [18] Kolappan, S., Manickam, I. N., Swikker, K. R. J., Gnanaraj, S. J. P., & Appadurai, M. (2022). Performance analysis of aircraft composite winglet. Materials Today: Proceedings, 62, 889-895.
- [19] Sulaiman, S. S., Jancy, P. L., Muthiah, A., Janakiraman, V., & Gnanaraj, S. J. P. (2021). An evolutionary optimal green layout design for a production facility by simulated annealing algorithm. Materials Today: Proceedings, 47, 4423-4430.
- [20] Kumara, M. M., Rajesha, S., & Gnanaraj, S. J. P. (2023). Experimental investigation of double basin solar still integrated with solar flat plate collector and solar pond with modified design. Desalination and water treatment, 290, 26-35.
- [21] Gnanaraj, S. J. P., & Velmurugan, V. (2020). An experimental investigation to optimize the production of single and stepped basin solar stills-a Taguchi approach. Energy Sources, Part A: Recovery, Utilization, and Environmental Effects, 1-24.
- [22] Appadurai, M., Fantin Irudaya Raj, E., & Chithambara Thanu, M. (2023). Application of Nanofluids in Heat Exchanger and its Computational Fluid Dynamics. Mathematics and Computer Science Volume 1, 505-524.
- [23] Raj, E. F. I., Manimala, K., & Appadurai, M. (2023). Differential Protection Scheme along with Backup Blockchain System. In Smart and Power Grid Systems—Design Challenges and Paradigms (pp. 135-156). River Publishers.
- [24] Gnanaraj, S. J. P., Ramasamy, S., Karthick, M., Klinton, A. G., & Appadurai, M. (2022). Enhancing the concentric tube properties by optimizing operational parameters. Materials Today: Proceedings, 49, 3726-3730.
- [25] Gnanaraj, S. J. P., & Ramachandran, S. (2016). Design and Fabrication of Modified Single Slope Solar Still with Solar Pond. Int. J. Chem. Sci, 14, 615-624.

- [26] Hansen, R. S., Mary, M. B. Q., Subramanian, S. S., Raj, J. A., Gnanaraj, S. J. P., & Appadurai, M. (2022). Utilization of PCM in inclined and single basin solar stills to improve the daily productivity. *Materials Today: Proceedings*, 62, 967-972.
- [27] Gnanaraj, S. J. P., Ramachandran, S., & Mageshwaran, G. (2016). Experimental analysis of single basin solar still with internal reflector and sensible heat storage medium. *International Journal of ChemTech Research*, 9(8), 328-337.
- [28] Chithambara Thanu, M., Appadurai, M., Fantin Irudaya Raj, E., & Lurthu Pushparaj, T. (2023). Experimental analysis of localized hybridization by means of adding woven polyester strip. *International Polymer Processing*, 38(4), 505-517.
- [29] Ravindran, P., Mohamed, M. J. S., Gnanaraj, S. J. P., & Appadurai, M. (2022). Effect of graphite addition on dry sliding wear behavior of Self-lubricating Al-SiC-Gr hybrid composites by PM process. *Materials Today: Proceedings*, 60, 783-787.
- [30] Gnanaraj, S. J. P., Ramachandran, S., & Anbazhagan, R. (2017). Performance of double slope solar still with external modifications. *Desalination and water treatment*, 67, 16-27.
- [31] Joe Patrick Gnanaraj, S., & Ramachandran, S. (2022). Identification of operational parameter levels that optimize the production in solar stills with plain, corrugated, and compartmental basin. *Environmental Science and Pollution Research*, 29(5), 7096-7116.
- [32] Ramaswamy, S., Gnanaraj, S. J. P., Sekar, K. C., & Muthukumar, N. (2023, November). Analysis of Distribution Line in Link with Substation using GSM Technology. In *2023 International Conference on Sustainable Communication Networks and Application (ICSCNA)* (pp. 526-528). IEEE.
- [33] Appadurai, M., Irudaya Raj, E. F., Thanu, M. C., & Pushparaj, T. L. (2023). Finite element analysis and computational fluid dynamic study of hybrid composite-based offshore wind turbines. *Materialwissenschaft und Werkstofftechnik*, 54(11), 1362-1377.
- [34] Gnanaraj, S., Patrick, J., Ramachandran, S., & Logesh, K. (2017). A Review of Various Techniques used for the Improvement of Solar Still. *RESEARCH JOURNAL OF PHARMACEUTICAL BIOLOGICAL AND CHEMICAL SCIENCES*, 8(3), 1971-1979.
- [35] Gnanaraj, S. J. P., Ramachandran, S., & Logesh, K. (2017). Enhancing the performance of solar still with solar pond. *Journal of Chemical and Pharmaceutical Science*, 10(1), 267-269.
- [36] Augustine, M., Raj, E. F. I., Appadurai, M., & Balaji, M. (2023). Impact of silicon steel laminating materials in modified segmented rotor switched reluctance motor: electromagnetic and vibrational analysis. *Journal of Vibration Engineering & Technologies*, 1-16.
- [37] Raj, E. F. I., Appadurai, M., Ram, V., Gnaniah, A. M., & Salkuti, S. R. (2023). Natural-Fibre-Reinforced Composite-Based Micro-Size Wind Turbines: Numerical Analysis and Feasibility Study. *Journal of Composites Science*, 7(5), 197.
- [38] Munaf, R. N. A., Karthikeyan, K., Gnanaraj, S. J. P., Sivakumar, T. A., & Muthukumar, N. (2022, April). An ML Approach for Household Power Consumption. In *2022 International Conference on Sustainable Computing and Data Communication Systems (ICSCDS)* (pp. 784-791). IEEE.
- [39] Subharaj, C., Logesh, M., Munaf, A. A., Srinivas, J., & Gnanaraj, S. J. P. (2022). Sustainable approach on cement mortar incorporating silica fume, LLDPE and sisal fiber. *Materials Today: Proceedings*, 68, 1342-1348.
- [40] Ramaswamy, S., Shariff, Z. A., Munaf, A. A., Leno, I. J., Gnanaraj, S. J. P., & Jeshurun, S. B. (2022). Study on application of higher order lamination plate theory over various applications of natural fiber cross-ply composites. *Materials Today: Proceedings*, 60, 822-826.
- [41] Nirmala, A. R., Bhalaji, R. K. A., Kumar, S. B., Gnanaraj, S. J. P., & Appadurai, M. (2022). Study on the effect of COVID-19 pandemic on the savings and investment pattern of the manufacturing sector. *Materials Today: Proceedings*, 68, 1319-1323.
- [42] Samuel, J. J. J., Ramadoss, R., Gunasekaran, K. N., Logesh, K., Gnanaraj, S. J. P., & Munaf, A. A. (2021). Studies on mechanical properties and characterization of carbon fiber reinforced hybrid composite for aero space application. *Materials Today: Proceedings*, 47, 4438-4443.
- [43] Thangam, C., Ramaswamy, S., Karthikeyan, C., & Muthukumar, N. (2022, April). Implementation of Barrel Shifter in Vedic Multiplier. In *2022 International Conference on Sustainable Computing and Data Communication Systems (ICSCDS)* (pp. 774-777). IEEE.
- [44] Gnanaraj, S. J. P., Balasubramanian, V., Munaf, A. A., Stalany, V. M., Chandrasekar, K., & Kumar, M. S. (2021). Investigation on drilling parameters of jute and cotton fiber strengthened epoxy composites. *Materials Today: Proceedings*, 45, 7107-7112.
- [45] Kumar, J. R., Mayandi, K., Gnanaraj, S. J. P., Chandrasekar, K., & Ramalingam, P. S. (2022). A critical review

- of an additive manufacturing role in Covid-19 epidemic. *Materials Today: Proceedings*, 68, 1521-1527.
- [46] Subharaj, C., Logesh, K., Gnanaraj, S. J. P., Appadurai, M., & Vimalan, P. M. A. S. (2022). Design and development of Palmyra fruit pulp production equipment through sustainable approach. *Materials Today: Proceedings*, 68, 1762-1768.
- [47] Selvan, S. T., Mohandass, M., Ramalingam, P. S., Mayandi, K., Gnanaraj, S. J. P., & Appadurai, M. (2022). An exclusive hand protection device made of fused deposition modelling process using poly (lactic acid) polymer. *Materials Today: Proceedings*, 68, 1381-1386.
- [48] Fantin Irudaya Raj, E., Appadurai, M., Chithamabara Thanu, M., & Francy Irudaya Rani, E. (2023). IoT-Based Smart Parking System for Indian Smart Cities. *Machine Intelligence, Big Data Analytics, and IoT in Image Processing: Practical Applications*, 369-398.
- [49] Sivakumar, C. K., Robinson, Y., Prema, P., Gnanaraj, S. J. P., & Appadurai, M. (2022). Mechanical characteristics of aluminium alloy joints produced by friction stir welding. *Materials Today: Proceedings*, 62, 5620-5624.
- [50] Swikker, K., Sankaramoorthy, T., Girisha, L., Gopinath, P., Suresh, P., & Gnanaraj, S. (2022, April). Experimental investigation on the properties of glass fiber-reinforced polymer composites containing graphene. In *AIP Conference Proceedings* (Vol. 2405, No. 1). AIP Publishing.
- [51] Thanu, C., Raj, F. I., Appadurai, & Pushparaj, L. (2023). Mechanical strength enhancement of natural fibre composites via localized hybridization with stitch reinforcement. *International Polymer Processing*, 38(5), 539-550.
- [52] Darwin, S., Raj, E. F. I., Appadurai, M., & Thanu, M. C. (2023). A Detailed Study on Single Electron Transistors in Nano Device Technologies. In *Energy Systems Design for Low-Power Computing* (pp. 67-99). IGI Global.
- [53] Raj, F. I., Appadurai, Pushparaj, L., & Thanu, C. (2023). Mechanical characterization of randomly oriented short *Sansevieria Trifasciata* natural fibre composites. *International Polymer Processing*, 38(5), 564-581.
- [54] Jeshurun, S. B., Thangam, J. A., Gnanaraj, S. J. P., & Klinton, A. G. (2022). An empirical study on career gratification among college bibliognosts. *Materials Today: Proceedings*, 60, 806-810.
- [55] Appadurai, M., Fantin Irudaya Raj, E., Darwin, S., & Jenish, I. (2020, December). Finite Element Analysis of Silicon Heat Sink with CNT Nanofluids for Microelectronics Applications. In *International Conference on Future technologies in Manufacturing, Automation, Design and Energy* (pp. 489-497). Singapore: Springer Nature Singapore.
- [56] Karthick, M., Kumar, S. R., Athiappan, K., & Gnanaraj, S. (2022, April). Thermal analysis of counter flow concentric tube heat exchanger using Runge-Kutta method. In *AIP Conference Proceedings* (Vol. 2405, No. 1). AIP Publishing.
- [57] Sivakumar, C. K., Robinson, Y., & Gnanaraj, S. J. P. (2023). Enhancing the productivity of v-type and roof type single basin solar still with internal modification-a Taguchi method, 20-35.
- [58] Gnanaraj, S. J. P., Ramachandran, S., & Logesh, K. (2021). Optimization of production in single basin solar still using Taguchi method-Experimental and theoretical approach. *Materials Today: Proceedings*, 47, 4468-4474.
- [59] Raj, E. F. I., Appadurai, M., Thiyaharajan, D., & Pushparaj, T. L. (2024). State-Of-The-Art Technologies for Crop Health Monitoring in the Modern Precision Agriculture. In *Precision Agriculture for Sustainability* (pp. 21-39). Apple Academic Press.
- [60] Prabhakar, M. M., Gnanaraj, S. J. P., Allasi, H. L., Leno, I. J., Endro, S., & Kanna, S. R. (2021). Mechanical property analysis on bamboo-glass fiber reinforced montmorillonite nano composite. *Materials Today: Proceedings*, 45, 6936-6940.
- [61] Gnanaraj, S. J. P., & Ramachandran, S. (2017). Optimization on performance of single-slope solar still linked solar pond via Taguchi method. *Desalination and Water Treatment*, 80, 27-40.
- [62] Raja, M. A., Manikandan, V., Kumar, S. S., Amuthakkannan, P., Balasubramanian, I., Gnanaraj, S. J. P., & Jeshurun, S. B. (2022). Parametric investigation and optimization of AWJM process on stir cast al7075/basalt composite materials using Taguchi based grey relational analysis. *Materials Today: Proceedings*, 60, 815-821.
- [63] Nirmala, D. A. R., Kannan, V., Thanalakshmi, M., Gnanaraj, S. J. P., & Appadurai, M. (2022). Inventory management and control system using ABC and VED analysis. *Materials Today: Proceedings*, 60, 922-925.
- [64] Infantraj, A., Augustine, M., Raj, E. F. I., & Appadurai, M. (2023). Investigation of Various Laminating Materials for Interior Permanent Magnet Brushless DC Motor for Cooling Fan Application. *CES Transactions on Electrical Machines and Systems*, 7(4), 422-429.
- [65] Logesh, K., Gnanaraj, S. J. P., Jeshurun, S. B., & Klinton, G. (2022). Experimental analysis of solar still with thermal storage medium. *Materials Today: Proceedings*, 60, 791-794.

- [66] Gani, Z. F. A., Mohamed, J. S., Gnanaraj, J. P. S., Muthusaravanan, N., & Ariyanayagam, K. (2022). Experimental study on the stability and flame characteristics of LPG flames in O₂/N₂ and O₂/CO₂ environment. *Materials Today: Proceedings*, 49, 2019-2024.
- [67] Nirmala, D. A. R., Ramaswamy, S., Logesh, K., & Gnanaraj, S. J. P. (2022). Empirical study on risk mitigation for dairy supply chain management of Aavin Co-operative Milk Producers' Union Ltd. *Materials Today: Proceedings*, 49, 3657-3660.
- [68] Gnanaraj, S. J. P., & Velmurugan, V. (2022). Experimental investigation on the performance of modified single basin double slope solar stills. *International Journal of Ambient Energy*, 43(1), 206-215.
- [69] Perumal, P., Gnanaraj, S. J. P., Pandian, G. S., Livingston, T., & Muthukumaran, N. (2023, November). Revolutionizing E-Cycle Charging with a Novel Regenerative Battery System. In *2023 International Conference on Sustainable Communication Networks and Application (ICSCNA)* (pp. 762-767). IEEE.
- [70] Kumar, M. M., Rajesh, S., Appadurai, M., & Gnanaraj, S. J. P. (2022). Performance enhancement of solar distillation system with internal modification. *Materials Today: Proceedings*, 62, 5452-5455.
- [71] Manickam, I. N., Logesh, K., Gnanaraj, S. J. P., & Appadurai, M. (2022). Effect of compression on coir industry waste material. *Materials Today: Proceedings*, 62, 710-713.
- [72] Gnanaraj, S. J. P., Ramachandran, S., & Christopher, D. S. (2018). Enhancing the productivity of double-slope single-basin solar still with internal and external modifications. *International Journal of Ambient Energy*, 39(8), 777-782.
- [73] Balamurugan, A., Karthikeyan, K., Gnanaraj, S. J. P., & Muthukumaran, N. (2022, April). Stability Analysis of Voltage in IEEE 145 Bus System by CPF using Dragonfly Algorithm. In *2022 International Conference on Sustainable Computing and Data Communication Systems (ICSCDS)* (pp. 778-783). IEEE.
- [74] Mangalraj, A. (2023). Smart Water Management System Powered by the Internet of Things (IoT) for Real-World Applications. In *Internet of Things* (pp. 129-142). Chapman and Hall/CRC.



INTERNATIONAL
STANDARD
SERIAL
NUMBER
INDIA



INTERNATIONAL JOURNAL OF INNOVATIVE RESEARCH

IN SCIENCE | ENGINEERING | TECHNOLOGY

 9940 572 462  6381 907 438  ijirset@gmail.com



www.ijirset.com

Scan to save the contact details