



e-ISSN: 2319-8753 | p-ISSN: 2347-6710

IJRSET

International Journal of Innovative Research in
SCIENCE | ENGINEERING | TECHNOLOGY

INTERNATIONAL JOURNAL OF INNOVATIVE RESEARCH

IN SCIENCE | ENGINEERING | TECHNOLOGY

Volume 13, Issue 5, May 2024

ISSN INTERNATIONAL
STANDARD
SERIAL
NUMBER
INDIA

Impact Factor: 8.423

9940 572 462

6381 907 438

ijirset@gmail.com

www.ijirset.com

Nanotechnology Used in Infrared Plastic Solar Cells

Yash Raghunath Salunkhe, Saurav Sanjay Mali, Shreyas Santaji Dhage, Dr. Sunita.S.Shinde

Student, Department of Electrical Engineering, NMCOE, Peth, India

Student, Department of Electrical Engineering, NMCOE, Peth, India

Student, Department of Electrical Engineering, NMCOE, Peth, India

Assistant Professor, Department of Electrical Engineering, NMCOE, Peth, India

ABSTRACT: "Nanotechnology plays a pivotal role in enhancing the efficiency and functionality of infrared plastic solar cells. These cells utilize organic materials, often in the form of polymers, which can absorb light in the infrared spectrum. By integrating nanoscale structures and materials into these solar cells, researchers aim to overcome limitations such as low efficiency and narrow spectral absorption range.

One of the key applications of nanotechnology in infrared plastic solar cells is the utilization of nanostructured materials as active layers. These materials, such as quantum dots or nanowires, offer unique properties such as tunable bandgaps and enhanced charge transport, enabling more efficient harvesting of infrared light. Additionally, nanomaterials can be engineered to have high surface areas, facilitating increased interface contact with organic absorber materials and improving charge extraction efficiency.

Furthermore, nanotechnology enables precise control over the morphology and composition of the active layers in plastic solar cells. Techniques such as nanoimprint lithography, self-assembly, and solution processing allow for the fabrication of nanostructured films with tailored properties. This level of control enhances light trapping within the solar cell, prolonging the optical path length of infrared photons and thus increasing the probability of absorption.

I. INTRODUCTION

The integration of nanotechnology has revolutionized the field of solar energy, particularly in the development of infrared plastic solar cells. Traditional solar cells predominantly utilize silicon-based materials, which are efficient at capturing visible light but inefficient at harvesting infrared radiation, a substantial portion of sunlight. Infrared plastic solar cells, on the other hand, leverage organic materials, typically polymers, to extend the spectral absorption range into the infrared region. However, achieving high efficiency and performance in these cells requires innovative approaches, and nanotechnology offers precisely that.

At the forefront of this technological revolution is the utilization of nanomaterials in the active layers of infrared plastic solar cells. Nanoscale materials such as quantum dots, nanowires, and nanocrystals exhibit unique optoelectronic properties, including tunable bandgaps and high charge carrier mobilities, making them ideal candidates for enhancing infrared light absorption and charge generation. By incorporating these nanomaterials into the active layers, researchers can significantly improve the efficiency of solar energy conversion, thereby unlocking the potential for widespread adoption of plastic solar technologies.

Furthermore, nanotechnology enables precise control over the morphology and composition of the active layers, essential for optimizing device performance. Techniques such as nanoimprint lithography, self-assembly, and solution processing allow for the fabrication of nanostructured films with tailored properties, including enhanced light trapping and improved charge transport. These advancements facilitate the creation of infrared plastic solar cells with higher power conversion efficiencies and superior stability, paving the way for their integration into various applications ranging from portable electronics to building-integrated photovoltaics.

Moreover, the application of nanotechnology extends beyond the active layers of infrared plastic solar cells to encompass encapsulation and protective coatings. Nanostructured materials can be employed to create barriers against environmental factors such as moisture, oxygen, and UV radiation, thereby enhancing the durability and longevity of

the solar cells. This enhanced stability ensures sustained performance over extended periods, addressing one of the key challenges facing the widespread adoption of plastic solar technologies.

In summary, nanotechnology offers unparalleled opportunities for advancing the efficiency, performance, and stability of infrared plastic solar cells, positioning them as a viable and sustainable solution for harnessing solar energy. Continued research and development in this interdisciplinary field hold the promise of further improving the capabilities and scalability of plastic solar technologies, driving the transition towards a more sustainable energy future.

II. WHAT IS NANOTECHNOLOGY

Numerous academic fields are involved in the study of nanotechnology, including computer science, materials science, chemistry, physics, mechanical engineering, and molecular biology.

It is likely that new designs for devices that take advantage of the quantum mechanical effects that predominate on the much smaller, nanometer scale will replace current nano-scale or nanoelectronic device designs in order to continue the miniaturization of integrated circuits well into the twenty-first century.




Fig.2.1 Nanotechnology

General purpose technology is a common term used to describe nanotechnology. This is due to the fact that as it matures, it will significantly affect practically every industry and aspect of society. For ages, it has provided companies, munitions manufacturers, and homeowners with better-built, more durable, safer, cleaner, and more intelligent items. These characteristics of nanotechnology.

Nanotechnology use in infrared plastic solar cell

In particular, nanotechnology has great promise for improving the absorption of infrared light in plastic solar cells. The absorption spectrum can be expanded into the infrared range by adding nonmaterial like quantum dots or nanowires to the cell's structure. This will increase the amount of sunlight that is absorbed and boost the efficiency of energy conversion overall. Furthermore, precise control over the active layers' shape and interface characteristics is made possible by nanotechnology, which improves charge transport and lowers recombination losses to further improve device performance.

III. INFRARED PLASTIC SOLAR CELL

Scientists have invented a plastic solar cell that can turn the sun's power into electric energy even on a cloudy day. The plastic material uses nanotechnology and contains the 1st generation solar cells that can harness the sun's invisible infrared rays. This breakthrough made us to believe that plastic solar cells could one day become more efficient than the current solar cell.




Fig.1.2 IR Plastic Solar Cell

Plastic solar cells aren't new. However, present materials can only harness the sun's visible light. Half of the sun's output is in the visible spectrum, and the other half is in the infrared. The novel substance is the first plastic combination that can collect infrared energy. Every warm body releases heat. Even when it's dark outside, humans and animals radiate heat. The plastic substance incorporates nanotechnology and has first-generation solar cells capable of harnessing the sun's invisible infrared rays. This accomplishment led us to anticipate that plastic solar cells could one day be more efficient than conventional solar cells. The researchers blended specially engineered nano particles known as quantum dots with a polymer to create a plastic that can sense energy in the infrared. With additional advancements, the revolutionary PLASTIC SOLAR CELL could allow up to 30% of the sun's radiant energy to be fully harnessed, as opposed to only 6% in today's finest plastic solar cells. Solar farms might harness a significant amount of the sun's energy and power all of our energy demands. This might potentially displace other sources of electricity production that emit greenhouse gases, such as coal.

Construction and Working




Fig.1.3 Block Diagram of IR Plastic Solar Cells

The solar cell created is actually a hybrid, comprised of tiny nanorods dispersed in an organic polymer or plastic. A layer only 200 nanometers thick is sandwiched between electrodes and can produce at present about 7 volts. The electrode layers and nanorod / polymer layers could be applied in separate coats, making production fairly easy. The technology takes advantage of recent advances in nanotechnology specifically the production of nanocrystals and nanorods. The length of the nanorods may be approximately 60 nanometers. Then the nanorods are mixed with a plastic semiconductor called p3ht-poly-(3-hexylthiophene) a transparent electrode is coated with the mixture. The nanorods act like wires. When they absorb light of a specific wavelength, they generate an electron plus an electron hole-a vacancy in the crystal that moves around just like an electron. The electron travels the length of the rod until it is collected by aluminum electrode. The hole is transferred to the plastic, which is known as a hole-carrier, and conveyed to the electrode, creating a current.




Fig.1.4 Basic Structure of Plastic Solar Cell

IV. APPLICATIONS

1. The plastic formulations also open the possibility of printing solar cells onto various surfaces, such as ink printed on news paper .
2. Light weight and flexible plastic solar cell painted on back of it could power portable electronics equipments like PDA's laptops and pocket calculator, etc. anywhere we can access solar energy.
3. The new cells also open the possibility of wearable computing devices.
4. Any chip coated in the material could power cell phone or other wireless devices.
5. A hydrogen powered car painted with the film could potentially convert energy into electricity to continually recharge the car's battery.

IV. FUTURE SCOPE

- 1. Enhanced Infrared Absorption:** Nanomaterials such as quantum dots or nanowires can be tailored to absorb specific wavelengths in the infrared spectrum, thus extending the range of light absorbed by the solar cell.
- 2. Improved Charge Separation and Transport :** Nanotechnology allows for the precise engineering of interfaces and morphologies within the solar cell structure, facilitating efficient charge separation and transport, which are crucial for maximizing energy conversion efficiency.
- 3. Flexible Substrates:** Nanomaterials can be integrated into flexible substrates, enabling the development of lightweight and flexible solar cells suitable for various applications, including curved surfaces and wearable electronics.
- 4. Reduced Material Consumption:** Nanomaterials often allow for the reduction of material consumption while maintaining or even improving device performance, leading to more cost-effective and environmentally sustainable solar cell technologies.
- 5. Compatibility with Large-scale Manufacturing:** Many nanomaterial synthesis and processing techniques are scalable, making them compatible with large-scale manufacturing processes for mass production of infrared plastic solar cells.

V. CONCLUSION

In conclusion, there is a strong chance to improve the flexibility, cost, and efficiency of solar energy technology by the incorporation of nanotechnology into infrared plastic solar cells. Infrared plastic solar cells can achieve enhanced light absorption in the infrared spectrum, resulting in greater energy conversion efficiencies, by utilizing nanomaterials like quantum dots and nanowires. Moreover, nanotechnology offers improved stability and durability through materials engineering and allows the creation of flexible, lightweight solar cells appropriate for a wide range of applications. Large-scale, cost-effective manufacturing is promised by scalable production processes, while nanomaterials' adjustable characteristics enable device performance optimization. All things considered, the use of nanotechnology to infrared plastic solar cells has a lot of potential to advance the field of renewable energy and hasten the shift to sustainable energy sources.

REFERENCES

- [1] Nanomaterials: Synthesis, Properties and Applications : Edelstein, A. S., Cammarata, R. C., Eds.; Institute of Physics Publishing: Bristol and Philadelphia, 1996.
- [2] The Coming Era of Nanotechnology; 1987. Drexler, K. Eric, Doubleday; New York
- [3] Conjugated Polymer-Based Organic Solar Cells: Serap Gunes, Helmut Neugebauer, and Niyazi Serdar Sariciftci, Chem. Rev. 2007, 107, 1324-1338
- [4] Modeling the optical absorption within conjugated polymer/fullerene-based bulk-heterojunction organic solar cells: H. Hoppea, N. Arnoldb, N.S. Sariciftcia, D. Meissner, Solar Energy Materials & Solar Cells 80 (2003) 105–113.
- [5] Active Layer Materials for Organic Solar Cells, Jianhui Hou and Xia Guo W. C. H. Choy (ed.), Organic Solar Cells, Green Energy and Technology, DOI: 10.1007/978-1-4471-4823-4_2, _ Springer-Verlag London 2013.
- [6] Organic solar cells with carbon nanotube network electrodes, Michael W. Rowell, Mark A. Topinka, and Michael D. McGehee, applied physics letters 88, 233506 _2006.
- [7] Polymer-based solar Cells: Alex C. Mayer, Shawn R. Scully, Brian E. Hardin, Michael W. Rowell, and Michael D. McGehee, NOVEMBER 2007 | VOLUME 10 | NUMBER 11, ISSN:1369 7021 © Elsevier Ltd
- [8] Nanomaterials and Energy, Volume 1 Issue NME1, 2011, Controlling nanomorphology in plastic solar cells, Carr, Chen, Elshobaki, Mahadevapuram and Chaudhary
- [9] A gentle introduction to the next big idea-Mark A. Ratner, Daniel Ratner.
- [10] 'plastic solar cells' By Christoph J. Brabec, N. Serdar Sariciftci, and Jan C. Hummelen, Adv. Funct. Mater. 2001, 11, No. 1, February
- [11] Visibly Transparent Polymer Solar Cells Produced by Solution Processing, Chun-Chao Chen, Letian Dou, Rui Zhu, Choong-Heui Chung, Tze-Bin Song, Yue Bing Zheng, Steve Hawks, Gang Li, Paul S. Weiss, and Yang Yang, Published online 10.1021/nn3029327, 3 July 2012 [12] Polymer solar cells, Gang Li, Rui Zhu and Yang Yang*, Published online: 29 February 2012 | doi: 10.1038/nphoton.2012.11 [13] 2.5% efficient organic plastic solar cells, Sean E. Shaheen, Christoph J. Brabec, a and N. Serdar Sariciftci, applied letters to physics, volume 78, number 6, 5 February 2001/0003-6951/



INTERNATIONAL
STANDARD
SERIAL
NUMBER
INDIA



INTERNATIONAL JOURNAL OF INNOVATIVE RESEARCH

IN SCIENCE | ENGINEERING | TECHNOLOGY

 9940 572 462  6381 907 438  ijirset@gmail.com



www.ijirset.com

Scan to save the contact details