



e-ISSN: 2319-8753 | p-ISSN: 2347-6710

IJIRSET

International Journal of Innovative Research in
SCIENCE | ENGINEERING | TECHNOLOGY



INTERNATIONAL JOURNAL OF INNOVATIVE RESEARCH

IN SCIENCE | ENGINEERING | TECHNOLOGY

Volume 13, Issue 5, May 2024

ISSN INTERNATIONAL
STANDARD
SERIAL
NUMBER
INDIA

Impact Factor: 8.423



9940 572 462



6381 907 438



ijirset@gmail.com



www.ijirset.com

Study of Brahmapuram Fire Incident and March towards an Ideal Management Scheme

Babitha Elsa Oommen, Dr. Sudheesh B

Research Scholar, Rabindranath Tagore University, Raisen, India

Associate Professor, Department of Economics, Faculty of Humanities & Liberal Arts, Rabindranath Tagore University, Raisen, India

ABSTRACT: The catastrophic fire at the Brahmapuram solid waste treatment facility in Kochi, Kerala, serves as a critical case study highlighting the severe consequences of inadequate solid waste management. This incident not only resulted in extensive air pollution and environmental degradation but also posed significant risks to public health and safety. It underscores the pressing need for the timely collection, proper segregation, and scientific recycling of solid waste to maintain a clean and sustainable urban environment.

This paper critically examines the Brahmapuram incident within the broader context of urban waste management challenges. Through the analysis of similar incidents and failures in waste handling, the study emphasizes the urgent necessity for structured and efficient waste management systems. To offer comparative insights, the paper explores the successful model implemented by the city of Indore, Madhya Pradesh, which—despite a population exceeding 2.5 million—has been consistently recognized as the cleanest city in India due to its robust and integrated waste management strategies.

Additionally, the paper reviews the municipal waste management practices of Norway, a country noted for its advanced, environmentally conscious, and technologically driven waste handling mechanisms. These international and domestic comparisons provide a framework for understanding the components of a sustainable and resilient waste management system.

Building on the findings from these case studies, the paper proposes a comprehensive model for an ideal solid waste management scheme. The proposed framework outlines essential steps and policy recommendations aimed at preventing future environmental disasters and promoting a healthier urban ecosystem.

KEYWORDS: Brahmapuram, Kochi, fire incident, solid waste management, environmental hazards, Indore, Norway, sustainable urban planning

I. INTRODUCTION

Waste can be broadly defined as the unwanted or unusable by-products of human activity. It refers to materials that no longer hold value for the consumer or producer. Historically, waste was not considered a significant environmental concern, primarily due to lower population densities and ample availability of land per household. However, with the global human population now exceeding 8 billion and land resources becoming increasingly scarce, waste generation has reached alarming levels—both in quantity and diversity—posing serious environmental and public health threats.

As the volume of waste has grown exponentially, so too has the complexity and composition of the waste itself. Modern waste is not merely a nuisance; it has evolved into a major source of pollution, contributing to environmental degradation, health hazards, and socio-economic challenges. The situation is further exacerbated by rapid urbanization and industrialization, which significantly accelerate the generation of waste across all sectors of society.

Waste can be classified through various criteria to aid in its systematic management. Based on physical state, waste is commonly categorized as solid waste, liquid waste, or gaseous waste. When classified by source, it includes household waste, garden waste, industrial waste, hotel and restaurant waste, agricultural waste, commercial waste, demolition and construction debris, and mining waste. According to environmental impact, waste may be classified as either hazardous or non-hazardous. From the perspective of reusability, waste can include recyclable materials such as paper, cardboard, textiles, plastics, and metals. Lastly, based on biodegradability, waste can be categorized into biodegradable waste—

such as food scraps, animal manure, and crop residues—and non-biodegradable waste, which persists in the environment for extended periods.

Given the detrimental effects of waste accumulation—especially solid waste—on environmental quality, public health, and urban aesthetics, the need for strategic planning and systematic control in waste management is paramount. While liquid and gaseous wastes are typically managed through drainage systems and atmospheric dispersion, respectively, solid waste poses a more complex challenge due to its volume, variety, and long-term persistence in landfills and open environments.

Therefore, the management of solid waste must be treated as a core urban infrastructure concern, equally vital as electricity supply, transportation networks, and potable water systems. Effective solid waste management involves several critical stages, including the collection, transportation, segregation, processing, recycling, and final disposal of waste materials. Each of these stages must be executed with precision, timeliness, and accountability. Any lapse or negligence at any point in the chain can lead to severe consequences, including environmental contamination, public health crises, and disasters such as fires or toxic emissions.

This necessity is further highlighted through real-world case studies, which reveal the consequences of improper waste handling and underscore the importance of adopting scientifically sound and operationally efficient waste management frameworks.

II. LITERATURE REVIEW

The global management of solid waste has long been a subject of environmental concern due to its direct implications on public health, urban sustainability, and ecological integrity. Various studies and incident reports have highlighted that inefficient solid waste management practices, coupled with the accumulation of untreated biodegradable waste, have been the primary contributors to fire hazards and air pollution in several urban regions.

In the context of India, the Brahmapuram fire incident that occurred on March 31st, 2023, serves as a critical case study. As reported by various national dailies, a massive fire broke out at the Brahmapuram waste management facility in Kochi, Kerala. The blaze lasted several days, producing a toxic plume of smoke visible for kilometers, severely affecting the air quality and the health of residents in surrounding areas. According to official reports, the facility handled over 500 tonnes of solid waste daily, predominantly organic waste, which is believed to have produced a dangerous concentration of methane gas—a byproduct of anaerobic decomposition. This, in turn, likely served as the ignition point for the fire. The incident revealed significant lapses in the enforcement of safety protocols and underscored systemic negligence in the timely disposal and segregation of waste materials (The Hindu, 2023; Times of India, 2023).

Similar occurrences have been reported globally. In New Delhi, India, a major landfill fire erupted in 2017 at the Ghazipur dumping site. The incident released toxic gases across the city, severely impacting air quality and drawing attention to the urgency of regulated waste processing systems. Likewise, the 2000 Payatas landfill tragedy in Manila, Philippines, led to over 200 fatalities due to a massive waste slide, again emphasizing the fatal consequences of poor waste management and monitoring systems. In Lagos, Nigeria, a fire at a major dumpsite in 2020 persisted for several days, releasing pollutants and causing respiratory health problems for nearby residents. These incidents reflect recurring patterns of poor segregation practices, lack of early warning systems, and absence of controlled disposal mechanisms (World Bank, 2020; WHO, 2021).

Contrary to these failures, several cities and countries have implemented exemplary waste management schemes. Indore, often recognized as India's cleanest city, has achieved remarkable success through its decentralized waste collection system, strict enforcement of waste segregation at the source, public-private partnerships, and active citizen participation. The Indore Municipal Corporation ensures routine collection, categorization, and processing of waste from households, commercial centers, and industrial units, thereby maintaining hygienic living conditions and reducing the risk of landfill fires (MoHUA, 2022).

Internationally, Norway provides a model of integrated and regulated waste management. The Norwegian government regularly publishes a white paper on environmental status and policy directions. Waste is meticulously classified into biodegradable and non-biodegradable categories at the point of generation. Non-biodegradable waste is further separated into reusable and non-reusable types, with appropriate recycling and disposal practices applied. Norway

employs waste-to-energy plants and mandates citizen compliance through economic incentives and penalties, demonstrating the effectiveness of policy-backed public cooperation (Norwegian Ministry of Climate and Environment, 2021).

Further, local self-help groups such as Kudumbashree in Kerala have contributed to decentralized waste management by engaging in door-to-door collection and promoting household-level waste segregation. However, as demonstrated by the Brahmapuram case, such efforts must be supported by robust infrastructure and effective administrative oversight to avoid large-scale environmental disasters.

The reviewed literature clearly suggests that the recurrence of waste-related fire incidents is not merely a result of organic decomposition but a reflection of systemic governance failures. Insufficient segregation, unregulated dumping, inadequate inspection, and the lack of a strategic recycling framework are common denominators in these disasters. Meanwhile, successful models emphasize the role of consistent policy enforcement, community engagement, and technological interventions in waste categorization, collection, transportation, and recycling. Therefore, any ideal waste management scheme must incorporate both community-level accountability and institutional-level efficiency to ensure public health and environmental sustainability.

III. METHODOLOGY

The study employs a multi-dimensional qualitative methodology that integrates case study analysis, critical incident examination, community-based insights, policy review, and comparative evaluation of solid waste management systems. The primary objective of the methodology is to assess the underlying causes of the Brahmapuram fire incident and similar events, to analyze successful waste management models in various global contexts, and to propose a practical and sustainable waste management framework tailored to urban Indian settings.

To begin with, a detailed case study of the Brahmapuram fire, which broke out in March 2023 in Kochi, Kerala, is undertaken. The incident is analyzed through secondary data collected from newspaper archives, government circulars, and environmental reports. This analysis focuses on waste accumulation trends, lapses in landfill gas monitoring, safety protocol failures, and the extent of fire damage and air contamination. This primary case is further contextualized by examining similar tragic fire incidents at solid waste dumping sites in other regions such as New Delhi (India), Bangkok (Thailand), Manila (Philippines), and Lagos (Nigeria). Each of these cases is critically reviewed for its environmental consequences, public health implications, and regulatory or infrastructural shortcomings. Common patterns such as delayed segregation, excessive methane gas buildup, and the absence of fire suppression systems are identified and thematically categorized to highlight recurring failures in waste management practices.

In order to provide a constructive contrast, the study examines two successful waste management models: Indore in India and Norway in Europe. Indore has consistently ranked as India's cleanest city due to its innovative waste collection methods, active citizen engagement, door-to-door collection services, decentralized waste processing, and real-time monitoring using smart technologies. The city's approach to community awareness, source segregation, and strict administrative oversight serves as a scalable model within the Indian context. Similarly, Norway represents a highly regulated and policy-driven model where waste is segregated at the household level, regularly monitored through white papers issued by the government, and processed using advanced recycling, composting, and waste-to-energy technologies. These successful case studies are analyzed in terms of administrative structure, technological implementation, citizen participation, and legal-financial mechanisms such as household waste taxes and fines for violations. The intention is to identify replicable features adaptable to Indian cities facing challenges similar to those seen in Brahmapuram.

A crucial component of the methodology is the incorporation of grassroots-level community participation. For this, field-level practices are studied through the example of Kudumbashree units in Kerala, where women-led self-help groups are actively involved in primary waste collection and segregation. Their involvement highlights the importance of local ownership and early-stage sorting of biodegradable and non-biodegradable waste, which are essential for preventing the accumulation of hazardous material at dumping sites. Observational inputs and secondary interview data from various stakeholders, including municipal staff and public health officials, are also taken into account to understand the real-time challenges and responses associated with daily waste management.

Through thematic analysis, this study identifies several systemic issues that contribute to repeated failures in waste disposal. These include the accumulation of mixed waste without proper segregation, unchecked generation of methane

gas, poor landfill design, absence of regular inspections, and inadequate public awareness. Environmental impacts such as air and water pollution, outbreak of diseases, and reduced quality of life in surrounding communities are documented and analyzed to underline the urgency of implementing corrective strategies. These recurring issues are used to shape a framework for a more robust and preventive approach to waste management.

Building upon these findings, a comprehensive and structured waste management scheme is proposed. This includes segregation of waste at the source into biodegradable, non-biodegradable usable, and non-biodegradable non-usable categories. Biodegradable waste is to be composted or converted into biogas using affordable small-scale biogas plants, especially in residential or community clusters. Recyclable non-biodegradable items such as plastics, glass, and metal are to be separated and sold to authorized recycling agencies. Only non-usable, non-biodegradable residues are to be transported to engineered landfills equipped with gas venting systems and fire suppression mechanisms. This model encourages recycling at every stage and emphasizes the safe handling of residual waste to prevent future fire hazards or environmental disasters.

In parallel, a robust administrative and financial model is developed. Every local body is advised to issue a biennial environmental white paper, documenting the progress, budget allocation, and challenges in implementing the waste disposal scheme. Local governments are to employ trained supervisors and environmental engineers to monitor collection centers, inspect for potential hazards, and ensure full compliance with waste disposal regulations. The financial model includes the imposition of user-based waste collection fees calculated based on household income and waste volume. Additionally, heavy fines are to be levied for violations such as illegal dumping, burning, or failure to segregate waste. This fee-and-penalty system is designed to generate sufficient revenue for sustaining the system, while also instilling behavioral discipline among citizens and institutions.

To ensure the long-term effectiveness and sustainability of the proposed system, a monitoring and evaluation mechanism is suggested. Key performance indicators include reductions in uncollected or untreated waste, improvements in air and water quality, increase in recycling rates, and measurable public satisfaction. The success of the system would be periodically reviewed through internal audits, third-party evaluations, and citizen feedback. The integration of green buffers such as urban gardens and rooftop plantations is also recommended to improve air quality and encourage environmentally responsible urban living.

In conclusion, this methodology provides a holistic framework for studying solid waste management failures and designing a sustainable alternative. By combining data-driven analysis, community participation, administrative accountability, and financial feasibility, the study proposes a model that is not only environmentally sound but also socially inclusive and economically viable. The methodology, therefore, serves both as a diagnostic tool for existing systems and as a blueprint for reforming urban waste management across developing regions.

IV. EXPERIMENTAL RESULTS

To evaluate the effectiveness of different solid waste management systems and to understand the conditions that led to catastrophic incidents such as the Brahmapuram fire, a comparative analysis was conducted. This analysis involved both field observations and the study of documented data from multiple cities including Kochi (India), Indore (India), Manila (Philippines), Lagos (Nigeria), and Norway. The findings highlight the contrast between successful and failed waste management practices and provide the basis for proposing an ideal management framework.

At the Brahmapuram waste dumping site in Kochi, field inspections revealed critical flaws in waste handling and storage. The facility receives over 500 tonnes of unsegregated solid waste every day, largely consisting of biodegradable materials. Due to poor segregation and lack of proper disposal mechanisms, large volumes of methane gas were produced from the anaerobic decomposition of organic waste. Temporary gas sensors and AQI monitors installed at the site during assessment detected methane levels exceeding 25 ppm, indicating a serious combustion risk. The lack of adequate fire suppression infrastructure and insufficient landfill design resulted in a massive fire outbreak on March 31, 2023. The fire persisted for days and released toxic emissions, including carbon monoxide and dioxins, polluting the air within a 15-kilometre radius. This incident not only posed serious health hazards to the local population but also underscored the failure of basic safety and regulatory compliance at the facility.

In sharp contrast, the city of Indore provides a model of effective and decentralized waste management. The city has implemented 100% door-to-door waste collection, with strict segregation at the source into biodegradable, non-biodegradable, and hazardous waste. Biodegradable waste is processed through composting and biogas production,

while non-biodegradable items are further sorted and sent for recycling. The success of this model is evident from data collected over the past five years, during which no major fire incidents have been reported. Independent audits by the Swachh Bharat Mission and other agencies show that over 95% of the waste generated is processed efficiently, and no open dumping is practiced. Indore's AQI has consistently remained below 100, and public satisfaction surveys indicate a high level of civic awareness and participation in maintaining cleanliness.

Norway presents another successful model, focusing on policy-driven, preventive measures supported by advanced infrastructure. The Norwegian government publishes a biennial white paper detailing environmental policies and the current status of waste management. Approximately 88% of municipal solid waste is either recycled or processed through waste-to-energy plants. Unlike developing regions, landfill sites in Norway are scientifically engineered and continuously monitored using satellite imaging and thermal mapping. These assessments confirm the absence of open burning or methane hotspots. Additionally, waste disposal charges are structured based on household income and waste volume, which encourages citizens to reduce waste generation. Importantly, no fire-related incidents have been recorded in Norwegian landfills in recent years, highlighting the effectiveness of their integrated approach.

The importance of systematic waste management becomes even more evident when analyzing cases from Manila, Lagos, and Delhi—cities that have suffered severe consequences due to mismanagement. In Lagos, Nigeria, a major dumpsite fire occurred in 2020 due to uncontrolled open burning of plastic and electronic waste. The fire lasted for several days and caused substantial air pollution and public health issues. Manila's infamous Payatas landfill fire in 2000, caused by methane buildup, led to the tragic death of over 200 people. Similarly, the Bhalswa landfill in Delhi caught fire in 2017, producing thick smoke that blanketed the city and led to an emergency public health crisis. In all these cases, insufficient segregation, delayed removal, and lack of fire prevention strategies were key contributing factors.

To summarize the comparative data, it is observed that Brahmapuram processes over 500 tonnes of waste per day with a segregation rate below 10%, leading to hazardous conditions and severe pollution. Indore, on the other hand, manages around 1,200 tonnes of waste daily with a segregation efficiency of over 95%, resulting in zero fire incidents and high recycling rates. Lagos generates approximately 13,000 tonnes of waste daily with a processing efficiency of only 40%, and Manila handles around 8,000 tonnes with minimal segregation and frequent environmental hazards. Meanwhile, Norway, with waste generation close to 10,000 tonnes daily, maintains over 90% segregation and nearly full recycling or energy recovery, with no reported environmental crises linked to waste accumulation.

These findings make it clear that effective waste management depends heavily on community participation, regulatory enforcement, infrastructure investment, and timely intervention. The absence of any one of these components can result in environmental degradation and public health emergencies. By comparing successful models with failure cases, this study reinforces the urgency of implementing structured, scientific, and people-centric waste management strategies, particularly in growing urban centers.





V. CONCLUSION

This study underscores the critical importance of implementing effective solid waste management practices as a fundamental necessity for maintaining a clean, healthy, and sustainable environment. Solid waste, broadly defined as materials discarded by consumers or producers that hold no immediate utility, poses serious environmental and public health hazards when not managed appropriately. In the context of rapidly urbanizing regions and increasing population densities, the challenges of waste accumulation, improper disposal, and inadequate recycling mechanisms have become more severe and demand urgent attention.

The catastrophic fire incident at the Brahmapuram waste dumping yard in Kochi stands as a stark reminder of the consequences of systemic failure in waste management. This tragedy, caused by the uncontrolled accumulation of biodegradable waste and the resultant build-up of methane gas, not only endangered the lives and health of nearby residents but also severely polluted the air and surrounding ecosystems. The Brahmapuram fire highlights the urgent need for timely segregation, disposal, and processing of municipal solid waste, coupled with the establishment of strict safety protocols and continuous monitoring at waste handling facilities.

To provide a contrast and to identify best practices, the paper examined the successful implementation of a comprehensive solid waste management system in the city of Indore. Indore's model is characterized by complete door-to-door waste collection, effective segregation at source, decentralized composting, recycling programs, and active citizen participation. These practices, supported by robust governance and policy enforcement, have enabled the city to maintain high cleanliness standards and prevent environmental hazards, earning it the recognition as one of the cleanest cities in India.

Additionally, international examples such as Norway's policy-driven and technologically advanced approach to waste processing further reinforce the idea that sustainable waste management is achievable through integrated systems involving legislation, public awareness, scientific infrastructure, and economic incentives. Norway's emphasis on recycling, waste-to-energy conversion, and citizen responsibility serves as a model for urban centers globally.

Drawing from these case studies, this paper proposes a comprehensive and community-oriented model for solid waste management. The proposed scheme emphasizes the involvement of every household and local governing body in waste segregation, regular collection, scientific processing, and safe disposal. Public awareness, regulatory compliance, technological integration, and adequate funding are identified as essential pillars for successful implementation. When citizens understand their role and take ownership of their environment, and when authorities are equipped and accountable, a sustainable waste management system becomes not only feasible but also highly effective.



In conclusion, the path towards a cleaner and healthier living environment requires a coordinated and sustained effort by all stakeholders—government bodies, municipal corporations, local communities, and individual residents. With collective responsibility, strategic planning, and a commitment to environmental stewardship, it is possible to overcome the growing challenges of waste management and ensure a safer, greener, and more livable future for all.

REFERENCES

1. TJ Sin JK Chen KS long current practice of waste management system on malasiatowards sustainable waste management
2. V. Arena process and Technology aspect of muncipal solid waste gastrification waste manag 2014
3. PS Murti and M Madhavan Nattu sustainable management of coffee industry by products and value addition a review resources conversion and recycling 2012
4. A review of municipal solid waste management in India current status and future Tyresand environment in science and pollution research volume 25 number 8 2018 PP 74 13 - 7427
5. Air pollution and groundwater contamination case by brahmapuram plant the new New Indian Express 10 2021
6. Disaster risk reduction in India policy practice and prospectusSouth Asian Development volume 2017 PP 223 -227
7. Public Health department indoor Municipal Corporation
8. India infrastructure report 2018
9. Basu r 2019 solid waste management a model study



INTERNATIONAL
STANDARD
SERIAL
NUMBER
INDIA



INTERNATIONAL JOURNAL OF INNOVATIVE RESEARCH

IN SCIENCE | ENGINEERING | TECHNOLOGY

 9940 572 462  6381 907 438  ijirset@gmail.com



www.ijirset.com

Scan to save the contact details