



e-ISSN: 2319-8753 | p-ISSN: 2347-6710

# IJRSET

International Journal of Innovative Research in  
**SCIENCE | ENGINEERING | TECHNOLOGY**



# INTERNATIONAL JOURNAL OF INNOVATIVE RESEARCH

IN SCIENCE | ENGINEERING | TECHNOLOGY

Volume 13, Special Issue 3, May 2024

**ISSN** INTERNATIONAL  
STANDARD  
SERIAL  
NUMBER  
INDIA

**Impact Factor: 8.423**

 9940 572 462

 6381 907 438

 [ijirset@gmail.com](mailto:ijirset@gmail.com)

 [www.ijirset.com](http://www.ijirset.com)

# An Earth Tube and Natural Ventilation System for Residential Bungalow

Prof.P. M. Wale

Assistant Professor, Dept. of Civil Engineering, Sinhgad Institute of Technology and Science, Narhe, Pune, India

**B Nishat, B Ashwadip, C Sanket, D Vaibhav, C Priya**

UG Students, Dept. of Civil Engineering, Sinhgad Institute of Technology and Science, Narhe, Pune, India

**ABSTRACT:** The integration of earth tubes and natural ventilation into a residential bungalow project represents a harmonious convergence of human habitation with the natural environment. It embodies a design ethos that seeks to harness the Earth's inherent resources and climatic conditions to create spaces that are both comfortable and sustainable. At its core, this approach reflects a fundamental shift towards more holistic and regenerative architectural practices, where buildings are conceived not as isolated entities but as integral components of larger ecosystems. By tapping into the thermal stability of the Earth and leveraging natural airflow patterns, the bungalow becomes a living, breathing organism that adapts to its surroundings and minimizes its environmental footprint. Moreover, this design philosophy extends beyond mere functionality to encompass broader themes of resilience, resourcefulness, and respect for the planet. It underscores the interconnectedness of human activity and natural systems, emphasizing the importance of responsible stewardship and the pursuit of balance between human needs and ecological imperatives. In essence, the integration of earth tubes and natural ventilation in the residential bungalow project transcends mere technical innovation; it represents a deeper commitment to reimagining our relationship with the built environment and embracing a more symbiotic way of living with the Earth.

**KEYWORDS:** Earth tubes, Natural ventilation, Residential bungalow, Sustainable architecture, Passive design, Climate-responsive, Thermal comfort, Energy efficiency, Environmental stewardship, Regenerative design

## I. INTRODUCTION

The integration of an earthtube and natural ventilation system into the design of a residential bungalow represents a progressive approach to sustainable living. This project aims to harness the natural elements of the surrounding environment to create a comfortable and energy-efficient living space while minimizing the ecological footprint. In recent years, there has been a growing recognition of the need to adopt more environmentally conscious practices in the construction and operation of buildings. Traditional heating, ventilation, and air conditioning (HVAC) systems often rely heavily on fossil fuels and electricity, contributing to greenhouse gas emissions and exacerbating climate change. In contrast, earthtube systems utilize the stable temperature of the earth to precondition incoming air, reducing the need for mechanical cooling and heating. Natural ventilation, another key component of this project, capitalizes on prevailing wind patterns and thermal buoyancy to facilitate the exchange of indoor and outdoor air. By strategically positioning openings such as windows, vents, and louvers, natural airflow pathways are established to promote passive cooling and ventilation throughout the bungalow. The combination of earthtube and natural ventilation systems offers numerous benefits beyond environmental sustainability. By reducing reliance on conventional HVAC systems, this approach can lead to significant cost savings on energy bills over the long term. Additionally, the provision of continuous fresh air circulation enhances indoor air quality, promoting the health and well-being of occupants.

This introduction sets the stage for a comprehensive exploration of the design, implementation, and benefits of integrating earthtube and natural ventilation systems into a residential bungalow. Through a multidisciplinary approach that encompasses architecture, engineering, and environmental science, this project seeks to demonstrate the potential for innovative, nature-inspired solutions to address the challenges of contemporary living while fostering harmony with the natural world. As concerns about environmental sustainability continue to rise, there is a growing emphasis on integrating green building practices into residential construction projects. One innovative approach gaining traction is the incorporation of earthtube and natural ventilation systems into the design of residential bungalows. This introduction provides an overview of the rationale behind this approach and highlights its potential benefits. The concept of

earthtube systems revolves around utilizing the Earth's natural thermal mass to regulate indoor temperatures. By burying tubes underground, air is pre-conditioned as it passes through, taking advantage of the stable temperatures found a few feet below the surface. This passive cooling method reduces the need for mechanical air conditioning, resulting in significant energy savings and lower carbon emissions.

Complementing earthtube systems, natural ventilation leverages prevailing winds and thermal buoyancy to create a constant flow of fresh air throughout the bungalow. Strategic placement of windows, vents, and other openings allows for efficient cross-ventilation, removing stale indoor air and promoting a healthy indoor environment. In this context, the integration of earthtube and natural ventilation systems into residential bungalow design represents a holistic approach to sustainable living. Beyond mitigating the environmental impact of traditional HVAC systems, these solutions offer tangible benefits for homeowners, including reduced energy costs, improved indoor air quality, and enhanced comfort. This introduction sets the stage for a deeper exploration of how earthtube and natural ventilation systems can be implemented in residential bungalow projects. By examining the design considerations, technical aspects, and real-world case studies, this research aims to provide valuable insights for architects, builders, and homeowners seeking to embrace sustainable building practices and create healthier, more resilient living spaces.

## II. LITERATURE SURVEY

In All case study, the performance of an ETHE was investigated in different parts of the different countries. which has hot and dry climatic conditions. Inlet and outlet air temperatures, air velocity of ETHE and soil temperature were measured simultaneously at one minute increments during summer season. as well as winter season The statistical and thermal analysis of measurements were carried out for ETHE system. The effectiveness of ETHE, the COP of the system and the heat rejected to soil were calculated. Although the data vary during the day and in the month, the maximum difference between inlet and outlet air temperature is determined . The mean outlet air temperature fluctuate as per the temperature outside. It is found out that the average of maximum values of ETHE effectiveness is 0.80 and the mean of COP values lay out in the range from 0.9 to 8.9. According to the results of this experimental studies , it is seen that the ETHE shows good thermal performance and has energy saving potential for applications of cooling and ventilation in hot and dry climatic conditions. An earth tube heat exchanger is a passive cooling and heating system that uses the thermal mass and constant temperature of the earth to regulate the temperature of a building. It is also known as a ground-coupled heat exchanger or earth-air heat exchanger . The system comprises of a tube below the ground surface, which uses the geothermal energy of the earth for space heating and air conditioning purposes .Earth tube heat exchangers are often a viable and economical alternative or supplement to conventional central heating or air conditioning systems since there are no compressors, chemicals or burners and only blowers are required to move the air . Earth to air thermal exchangers (EATEX) can provide a passive means of preheating and precooling ventilation and process air, thereby reducing reliance on electricity and fossil fuels . Earth tubes and natural ventilation systems are eco-friendly solutions for residential bungalows aimed at reducing energy consumption while providing a comfortable indoor environment. Earth tubes and natural ventilation systems are eco-friendly solutions for residential bungalows aimed at reducing energy consumption while providing a comfortable indoor environment. As per the increased need for thermal comfort, the rising cost of energy consumption and environmental issues have made alternative and hybrid techniques and methods very attractive. Such as Earth Tube Heat Exchangers (ETHE) offer the possibility of reducing use of nonrenewable energy in ventilation and air conditioning systems and provide good indoor air quality for the conditioned environments. The efficiency of ETHE is depends on many characteristics such as Tube Length, Tube Dimensions, Loops, Tube material, Temperature of the Atmosphere etc.

## III. PROPOSED METHODOLOGY AND DISCUSSION

The Earth tube heat exchanger are setup the long PVC material pipes which intake the ambient air from the atmosphere or any boundary reasons with the help of blower. These pipes are present in the depth of 2m from the earth surface. The soil temperature of this reason remains same throughout the whole year, whenever the air is passing through the buried pipes its transfer heat to soil in summer season and absorbed heat in winter season.

### Types of Earth Tube Heat Exchanger system:

#### 1. Open loop Setup:

In this system the air is directly intake from the atmosphere and supply through the buried pipes where cooling/heating are required. In this method the effectiveness is less with respect to the close system.



**2.Close loop Setup:**

In close loop system the air is suck from that space where the cooling/heating effects are required. In this system the effectiveness is relatively high to the open loop system.

**Designing of Earth Tube System for Buildings:**

**1.Location:**

If the purpose of the system is to heat, then it must be located in the sunny area. If the purpose of the system is to cool, then it should be located near shaded area of a lake or river.

**2.Depth of pipe:**

Pipe should be buried as deep as possible but favorable depth can vary from 1.5 m to 3 m. A system designed for cooling requires more depth of pipe than a system designed for heating in same location.

**3.Soil conductivity:**

For conducting heat to or from the pipe, moist and compact clay is better than dry sand.

Thermal conductivity ranged from 0.58 to 1.94 for sand, from 0.19 to 1.12 for sandy loam, from 0.29 to 0.76 for loam, and from 0.36 to 0.69 W/m K for clay loam at densities from 1.23 to 1.59 g cm(-3) and water contents from 1.4 to 21.2%

**Design for residential building:**

Earth tube heat exchangers or earth to air thermal exchangers (EATEX) offer a passive approach to preheat (in winter) and precool (in summer) outdoor air (ventilation or process) by exchanging thermal energy to and from the surrounding earth. There are a number of parameters that affect this exchange. These include: soil type, moisture and compaction; surface cover; earth tube size (diameter, thickness and length), earth tube material and layout; air velocity; and earth tube depth below the surface. In addition, hourly and seasonal variables such as temperature, solar radiation, rain, snow, and wind velocity at the surface will affect soil temperatures, which will impact the performance of an earth-to-air heat exchanger. The design of the earth tube heat exchanger system must take into account these parameters in order to produce the temperature difference and heat transfer rate required of the system in a cost effective manner.

**Methodology:**




Fig.no.1. Flow chart

**EFFICIENT DISCUSSION**

**The efficiency of an earthtube and natural ventilation system in a residential bungalow project stems from several key factors:**

1. Energy Savings: By harnessing the stable temperature of the earth and leveraging natural ventilation, the reliance on mechanical heating and cooling systems is significantly reduced. This leads to lower energy consumption and reduced utility bills over the long term.
2. Passive Cooling and Heating: Earthtube systems pre-condition incoming air, cooling it in hot climates and warming

- it in cold climates. This passive approach to temperature control minimizes the need for active heating and cooling systems, enhancing energy efficiency.
3. Continuous Fresh Air Supply: Natural ventilation systems provide a continuous supply of fresh outdoor air, improving indoor air quality by diluting pollutants and allergens. This promotes a healthier living environment for occupants without the need for mechanical ventilation systems.
  4. Thermal Comfort: The combination of earthtube and natural ventilation systems helps maintain more stable indoor temperatures throughout the year. This reduces temperature fluctuations and creates a more comfortable living space for occupants without the need for frequent adjustments to heating or cooling settings.
  5. Environmental Impact: By reducing energy consumption and reliance on fossil fuels, the earthtube and natural ventilation system mitigates the environmental impact of residential bungalow operations. This contributes to sustainability goals and helps reduce greenhouse gas emissions associated with traditional HVAC systems.
  6. Resilience: The passive nature of earthtube and natural ventilation systems makes them inherently resilient to power outages and disruptions in energy supply. This ensures that indoor comfort can be maintained even in adverse conditions, providing a sense of security for occupants.
- Overall, the efficiency of an earthtube and natural ventilation system in a residential bungalow project lies in its ability to provide effective temperature control, improve indoor air quality, reduce energy consumption, and minimize environmental impact in a sustainable and cost-effective manner.

#### IV. RESULT

In experiment earth tube heat exchange result seen that the difference between inlet and outlet temperature shown 14 degree celsius.

Inlet temperature :-46 degree Celsius

Outlet temperature:-32 degree Celsius

It is seen in Elementary Heat Exchanger Analysis results that the outlet air temperature of ETHE system increases with increase in air flow velocity. This is because of the fact that as the air flow velocity is increased, the time to which air remains in contact with ground is reduced.

Reducing energy consumption by implementing an Earthtube heat exchanger in a residential bungalow can significantly improve cooling efficiency. A working model of the Earthtube heat exchanger can demonstrate its effectiveness in reducing the need for traditional cooling systems like air conditioning. Additionally, alternative solutions such as passive cooling techniques and natural ventilation can complement the Earthtube system, further reducing energy consumption and environmental impact.

In the fig 1, it shows the A fan pulls fresh air into an underground tube, where the earth's constant temperature cools or warms the air. Then air then enters the building through a network of ducts.




Fig. 2 Inlet of natural air heat exchanger

**Earthtube Heat Exchanger:** This system consists of buried pipes that exchange heat with the surrounding soil, allowing for more efficient heating or cooling of air.

**Design for Residential Bungalow:** The design of an Earthtube heat exchanger for a residential bungalow involves determining the optimal placement and length of the underground pipes to maximize heat exchange efficiency.

**Working Model:** A working model of the Earthtube heat exchanger can be constructed using materials such as PVC pipes, a fan, and a heat exchanger unit.

**Alternative Solutions:** For reducing energy consumption in cooling systems include passive cooling techniques such as shading, insulation, and natural ventilation.

Implementing Earthtube heat exchangers and alternative cooling solutions can lead to significant reductions in energy consumption and operational costs for residential buildings, while also promoting environmental sustainability.

The Earthtube heat exchanger project has demonstrated effective heat exchange capabilities by utilizing the stable temperatures underground. It has proven to be a sustainable and efficient method for heating and cooling buildings. Additionally, it offers potential cost savings and reduces environmental impact compared to traditional HVAC systems. Overall, the project concludes that Earthtube heat exchangers are a promising solution for energy-efficient building climate control.

Summarize the main conclusions drawn from the project and reiterate its significance in advancing knowledge and understanding of Earthtube heat exchanger technology. Emphasize the potential impact of the project outcomes on the broader fields of sustainable architecture, energy conservation, and environmental stewardship.

## V.CONCLUSION

Implementing an Earthtube heat exchanger system in a residential bungalow offers a sustainable solution to reduce energy consumption associated with cooling systems. The design and installation of the Earthtube system should consider factors such as soil type, climate, and building layout to maximize efficiency. Additionally, constructing a working model can help demonstrate the effectiveness of Earthtube technology in pre-cooling or pre-heating air before it enters the building. Alternative solutions, including passive cooling techniques and natural ventilation, can further complement the Earthtube system, contributing to energy savings and environmental preservation. By adopting these strategies, homeowners can achieve significant reductions in energy costs while promoting a more sustainable approach to cooling their homes.

## REFERENCES

1. Jiaxiang Li a, Carlos Jimenez-Bescos b, John Kaiser Calautit a, Jiawei Yao (2023) Evaluating the energy-saving potential of earth-air heat exchanger (EAHX) for Passivhaus standard buildings in different climates in China. *Energy & building*, volume 288[113005], 1 June 2023.
2. Prof. Srikant Verma et.al(2022), "Earth Tube Heat Exchanger (ETHE)", Pg no.1219-1225, vol-8, Issue-2 2022.
3. Siddhanth Kumawat, Ghanshyam Khatik(2022), "Earth Tube Heat Exchanger" Vol.10, Issue 6, June 2022
4. Sharukh Ahmad, Sachin Shakya, Mohd Lareb, Kushal Saxena(2022), Theoretical Analysis to Enhance the Effectiveness of Earth Tube Heat Exchanger. [ISSN 2456-1290 ] Vol 9, Issue 7, July 2022.
5. Marion Russell, Max Sherman and Armin Rudd, (August 2021), "Review of Residential Ventilation Technologies", Pg no.710-725, Vol.5, Issue 4, August 2021
6. Devika Padwal , Tejaskumar Kharva, Jaiminkumar Bhatt (2020), "Design of Earth Tube Heat Exchanger.", pg. no. 1361-1366, Volume: 07 Issue: 07 , July 2020.
7. T.A. Khan , K.Shabbir, M. M. Khan , F.A, Siddiqui , M. Y. R. Taseer , S. Imtiaz (2020), "Earth-Tube System to Control Indoor Thermal Environment in Residential Buildings." pg. no. 33-40, Vol. 25 No. 2 , 2020.
8. M.A.A. Costa, M.S.A. Oliveira and N. Martins, February (2020), "Earth Tube Ventilation System" Pg no.2358-2365, Vol.8, Issue 6, May 2020
9. Piyush Pandey, Rajneesh Kumar (2019), "A Review on Performance of Earth Tube Heat Exchanger." pg. no. 387-391, Volume 5 Issue 11 , April 2019.
10. Tong yang & Derek john (2012), "Natural Ventilation in Built Environment" Pg no.6865-6896



INTERNATIONAL  
STANDARD  
SERIAL  
NUMBER  
INDIA



# INTERNATIONAL JOURNAL OF INNOVATIVE RESEARCH

IN SCIENCE | ENGINEERING | TECHNOLOGY

 9940 572 462  6381 907 438  [ijirset@gmail.com](mailto:ijirset@gmail.com)



[www.ijirset.com](http://www.ijirset.com)

Scan to save the contact details