



International Journal of Innovative Research in Science Engineering and Technology (IJIRSET)

(A Monthly, Peer Reviewed, Refereed, Scholarly Indexed, Open Access Journal)



Impact Factor: 8.699

Volume 14, Issue 4, April 2025

AI-Powered Text Summarization and Question Answering System

N. Kameshwari¹, Ennam Sai Krishna², Donthula Roshan³, Dontu Prabhu Teja⁴,

Assistant Professor, Department of CSE, Bharath Institute of Higher Education and Research, Selaiyur, Chennai, India¹

B. Tech Students, Department of CSE, Bharath Institute of Higher Education and Research, Selaiyur, Chennai,

Tamil Nadu, India²⁻⁴

ABSTRACT: Our project presents the development of an AI-powered Summarization and Question Answering (QA) Bot designed to streamline the process of understanding and interacting with large volumes of textual information. The system allows users to upload various content formats, including text, URLs, and PDF documents. Once uploaded, the bot utilizes advanced Natural Language Processing (NLP) models to comprehend the content, generate concise and coherent summaries, and respond to user-generated questions based on the material. The primary objective of the bot is to enhance information accessibility and comprehension by reducing reading time while maintaining the essence of the source content. Leveraging transformer-based architectures, such as BERT or GPT, the bot performs extractive and abstractive summarization techniques, followed by context-aware question answering. The system is designed with a user-friendly interface and can be integrated into educational, research, and professional settings where rapid understanding and information retrieval are critical. This tool not only demonstrates the capabilities of modern NLP but also highlights its practical application in content digestion and personalized knowledge extraction.

KEYWORDS: AI chatbot, summarization, question answering, natural language processing, text analysis, document understanding, information retrieval, context-aware responses, user interaction, knowledge extraction, accessibility, automation.

I. INTRODUCTION

1.1 Significance and Implications

In today's digital age, the volume of textual information available across various platforms is growing exponentially. Extracting key insights from extensive documents is a time-consuming and labour-intensive task, making automated solutions essential for efficient information retrieval. AI-driven text summarization and question-answering (Q&A) systems provide a viable solution to this problem by leveraging Natural Language Processing (NLP) and machine learning techniques to process and analyze large volumes of text.

Traditional methods of summarization require manual intervention, which is inefficient and prone to human error. Additionally, conventional Q&A systems often rely on keyword-based searches that fail to capture the full context of a query, leading to inaccurate or incomplete answers. Recent advancements in AI have enabled the development of sophisticated models that can generate summaries and provide meaningful responses with high accuracy.

1.2 Complexity and Challenges

Despite their advantages, existing mental health support chatbots face limitations such as a lack of personalization and inadequate emotion recognition. This project aims to overcome these challenges by incorporating advanced features such as voice-based interactions, emotion detection, and multilingual support, ensuring a more inclusive and empathetic user experience. Traditional chatbots are the predecessors of modern AI-driven conversational systems. They were primarily rule-based systems designed to mimic simple human interactions by following predefined scripts and workflows. While their capabilities were limited compared to today's advanced AI chatbots, they laid the foundation for conversational AI technology and are still widely used in certain applications due to their simplicity and cost-effectiveness.

1.3 Role of Machine Learning and Deep Learning

Driven by the rapid evolution of Natural Language Processing (NLP) and deep learning techniques. Early summarization methods primarily relied on statistical and linguistic approaches, such as Latent Semantic Analysis (LSA) and Term Frequency-Inverse Document Frequency (TF-IDF), which focused on extracting important sentences based on word importance. However, these methods often lacked contextual understanding and failed to generate coherent summaries. With the advent of machine learning, supervised and unsupervised models were introduced, improving the accuracy of extractive summarization.

1.4 Technological Advancements and Innovation

This project introduces an AI-powered chatbot that automates document summarization and Q&A tasks. It utilizes Facebook's BART model, a transformer-based deep learning model optimized for text generation and summarization. The chatbot processes various input formats, including plain text, PDFs, and web URLs, to extract relevant content, generate concise summaries, and respond to user queries in a context-aware manner.

To enhance accessibility and usability, the system is integrated into a Django-based web application. This interface allows users to seamlessly upload documents or provide URLs, making the interaction with the AI model smooth and intuitive. The chatbot employs advanced deep learning techniques to improve comprehension and ensure precise information retrieval.

By bridging the gap between large-scale text processing and user-friendly AI interaction, this project aims to assist researchers, business professionals, and legal practitioners in extracting key insights from complex documents efficiently. The system's ability to summarize and provide intelligent answers significantly reduces the time required to analyse extensive textual data, making it a valuable tool for automated document analysis.

1.4.1 Objective

1. **Extract Text:** Retrieve content from multiple sources, including files, URLs, and direct text input.
2. **Summarization:** Convert lengthy content into concise and meaningful summaries.
3. **Question Answering:** Provide accurate answers to user queries based on extracted text.
4. **User Interaction:** Develop an intuitive web-based interface for seamless user experience.
5. **Scalability & Efficiency:** Deploy the solution using **Fast API and Django** for optimized performance

1.4.2. Future Enhancement

The AI-powered document analysis system has demonstrated significant potential in automating text summarization and question-answering tasks. However, there are several areas for further improvement and expansion. Future advancements in natural language processing (NLP) and deep learning can enhance the system's efficiency, accuracy, and adaptability to various domains.

One major area of expansion is multilingual support. Currently, the system primarily processes English text, but integrating multilingual NLP models will allow it to handle documents in multiple languages. This would benefit global users, especially researchers, legal professionals, and businesses operating in different linguistic environments.

Another key improvement is domain-specific customization. While the existing model performs well for general texts, fine-tuning it for specialized fields like medicine, law, finance, and technical research would enhance accuracy. Implementing custom-trained transformers or hybrid models can improve the chatbot's ability to process complex and industry-specific queries.

Another promising enhancement is real-time learning and adaptive response generation. Implementing reinforcement learning and user feedback-based model adjustments can improve answer relevance and refine response accuracy over time. Adaptive learning mechanisms would allow the system to self-improve based on real-world user interactions.

II. LITERATURE REVIEW**Title 1: Performance Evaluation on Text Summarization, Data Analysis, and Question Answering****Authors:** Srinivasa Rao Bogi Reddy, Nagaraju Dasari

comprehensive comparative analysis of two prominent NLP models—ChatGPT-4 and Llama—focusing on their effectiveness in three critical tasks: text summarization, data analysis, and question answering. The authors utilize standard benchmark datasets such as CNN/Daily Mail for summarization and Squad for question answering. The study is motivated by the need to assess the capabilities and limitations of these large language models (LLMs) in real-world applications, particularly in generating coherent and relevant outputs. The analysis spans several dimensions, including accuracy, coherence, relevance, and computational efficiency.

The results of the study highlight that ChatGPT-4 consistently outperforms Llama across all evaluation metrics, especially in terms of output quality and logical consistency. ChatGPT-4 generates more human-like, contextually accurate responses, which makes it preferable for tasks requiring nuanced language understanding. However, the paper also acknowledges a trade-off—ChatGPT-4's enhanced performance comes at the cost of higher computational requirements, making it less suitable for deployment in resource-constrained environments. On the other hand, Llama proves to be more lightweight and resource-efficient, though slightly less accurate.

The paper contributes to the ongoing discourse on optimizing NLP workflows by offering insights into model selection based on task-specific needs. It serves as a valuable resource for developers and researchers looking to balance performance and resource usage in AI-powered applications.

Title 2: Unleashing AI for Accelerated Scientific Research**Authors:** Feng Jiang, Kuang Wang, Haizhou Li

Open Researcher, an AI-driven system designed to accelerate scientific research using Retrieval-Augmented Generation (RAG) and large language models. It retrieves relevant content and generates insightful responses to research queries.

The system enhances literature reviews, hypothesis generation, and citation suggestions. By combining document retrieval with intelligent generation, Open Researcher streamlines the research process and improves output quality. It enables multi-turn interactions, providing researchers with deeper insights, and highlights the role of AI in transforming knowledge discovery.

Title 3: A Break-Down Prompting Approach for Multi-Hop Table-Text Question Answering with Reasoning and Summarization**Authors:** Jayetri Bardhan, Bushi Xiao, Daisy Zhe Wang

TTQA-RS introduces a breakdown prompting method for multi-hop question answering across tables and texts. It uses datasets like HybridQA and OTT-QA, breaking complex questions into sub-questions and summarizing information for accurate answers.

Experiments reveal that TTQA-RS significantly outperforms baseline models in terms of multi-hop reasoning and answer precision. It is particularly effective in academic and analytical domains where questions often span multiple data formats. The paper provides strong evidence that prompt engineering, when strategically implemented, can enhance the reasoning capabilities of LLMs.

Overall, TTQA-RS paves the way for more intelligent QA systems capable of handling real-world tasks that involve complex reasoning chains. Its success demonstrates the potential of modular, prompt-based AI models in overcoming the limitations of traditional QA systems.

Title 4: A Systematic Literature Review of Tasks, Evaluation, and Challenges**Authors:** Jonas Becker, Jan Philip Wahle, Bela Gipp, Terry Ruas

This paper provides a comprehensive, systematic literature review on text generation using NLP-based techniques. The

authors analyze a wide range of research contributions related to automated text generation, focusing on tasks such as summarization, translation, and question answering. The review methodically categorizes existing work based on task complexity, models used, evaluation metrics, and identified challenges.

One of the main highlights is the discussion of various state-of-the-art language models and their strengths and limitations in generating coherent, contextually accurate text. The paper also investigates how well these models perform across languages and domains, pointing out inconsistencies and biases in output quality.

Importantly, the authors discuss evaluation metrics, both automated and human-in-the-loop, for judging text quality. They emphasize that many current approaches lack a unified benchmarking framework, making cross-study comparisons difficult.

The paper identifies multiple key challenges still facing NLP researchers, such as handling factual consistency, bias, hallucination in text generation, and the interpretability of large models. It provides valuable insights for future research and development in improving the reliability and transparency of text generation systems.

Title 5: Comparative Analysis of Open-Source Language Models in Summarizing Medical Text Data

Authors: Yuhao Chen, Zhimu Wang, Bo Wen, Farhana Zulkarnaen

This study investigates how different open-source language models perform in the context of medical text summarization. The models evaluated include Llama, Mistral, and GPT-4 (used as a benchmark assessor). These models are tested on medical datasets to measure their ability to condense clinical records, research findings, and patient information into accurate summaries.

The paper aims to understand the efficiency, accuracy, and feasibility of deploying open-source models in real-world medical applications. It evaluates the models based on fluency, factual correctness, and domain-specific relevance. Findings reveal that while Llama and Mistral provide cost-effective alternatives to proprietary models, they sometimes lag in handling complex medical jargon and producing highly accurate summaries. GPT-4, used as a comparative benchmark, consistently delivers the most coherent and contextually accurate outputs, although at a higher computational cost.

The study provides practical recommendations for healthcare professionals and AI developers looking to integrate summarization tools into clinical workflows. It encourages further development of domain-tuned open-source LLMs to improve healthcare automation while maintaining data security and reducing dependency on commercial APIs.

III. METHODOLOGY

3.1 Introduction

The proposed system is designed to automate text summarization and interactive question-answering using state-of-the-art NLP models. The methodology involves several key stages, including data preprocessing, text extraction, summarization, Q&A implementation, and web integration. By leveraging Facebook's BART model and Django as the web framework, the system ensures efficient document analysis and user interaction.

3.1.1 Data Collection and Preprocessing

The system supports multiple input formats, including plain text, PDFs, and URLs. For text input, preprocessing steps such as tokenization, stop word removal, and lemmatization are applied to clean the data. When dealing with PDFs, Optical Character Recognition (OCR) techniques are used to extract text from scanned documents. For web-based content, the system retrieves and processes data from URLs, removing unnecessary HTML tags and irrelevant content.

3.1.2 Summarization Model

To generate concise summaries, the system employs Facebook's BART model, a transformer-based NLP model designed for abstractive summarization. The BART model is fine-tuned on large text corpora to improve coherence and fluency in summary generation. The summarization process involves encoding the input text, applying attention

mechanisms to extract essential information, and decoding it into a human-readable summary. The system supports both extractive and abstractive summarization, allowing flexibility based on user requirements.

3.1.3 Question-Answering System

The interactive Q&A module enables users to query the system regarding the summarized content. A pre-trained BERT-based model is integrated to understand user intent and retrieve relevant answers. The model processes the input query, identifies key entities and relationships within the document, and generates an appropriate response. Advanced NLP techniques, such as contextual embeddings and attention mechanisms, enhance the accuracy of the answers.

3.1.4 Web Interface Development

A Django-based web application is developed to provide users with a seamless interface for document upload and interaction. The interface consists of input fields for text, PDF, and URL submissions, along with buttons for generating summaries and querying the chatbot. The backend handles document processing, interacts with the AI models, and returns the results in real time. The system is optimized for user-friendliness, ensuring accessibility across different devices.

3.1.5 System Architecture

The system follows a modular architecture, with separate components handling data ingestion, preprocessing, model inference, and user interaction. The architecture ensures scalability, allowing future enhancements such as multilingual support and integration with additional AI models. The backend is implemented using Django REST framework, facilitating API-based communication between the web interface and AI models.

3.1.6 Performance Optimization

To enhance the efficiency of the system, optimization techniques such as model quantization, caching mechanisms, and parallel processing are employed. Caching frequently accessed content reduces response time, while model quantization minimizes computational overhead. Load balancing techniques ensure smooth operation, even under high user demand.

3.1.7 Security and Ethical Considerations

The system incorporates security measures to prevent unauthorized access and data breaches. Secure authentication protocols, data encryption, and access control mechanisms are implemented to protect user information. Ethical AI principles are adhered to, ensuring fairness, transparency, and bias reduction in AI-generated summaries and responses.

3.1.8 Future Enhancements

Potential improvements include expanding language support, improving contextual understanding in Q&A responses, and integrating domain-specific AI models. Enhancements in natural language generation can further refine summary coherence, making the system more versatile for various applications, such as legal document analysis, academic research, and business intelligence.

This methodology outlines the step-by-step approach to developing an AI-powered chatbot for document summarization and Q&A, ensuring efficiency, scalability, and accuracy in information retrieval.

3.2 Existing System

1. **Manual Summarization** – Users read lengthy documents to extract key points, which is time-consuming and error-prone.
2. **Traditional Search & Retrieval** – Requires scanning large text content manually, making it inefficient.
3. **Limited Automation** – No AI-powered summarization or context-aware question-answering.
4. **Time-Consuming & Inaccurate** – Slow for large documents and often misses key insights.
5. **Lack of Multi-Format Support** – Struggles with processing PDFs, web content, and other formats efficiently.

3.3. Proposed System

The proposed system is designed to automate text summarization and interactive question-answering using state-of-the-art NLP models. The methodology involves several key stages, including data preprocessing, text extraction, summarization, Q&A implementation, and web integration. By leveraging Facebook's BART model and Django as the

web framework, the system ensures efficient document analysis and user interaction. The system supports multiple input formats, including plain text, PDFs, and URLs. For text input, preprocessing steps such as tokenization, stop word removal, and lemmatization are applied to clean the data. When dealing with PDFs, Optical Character Recognition (OCR) techniques are used to extract text from scanned documents. For web-based content, the system retrieves and processes data from URLs, removing unnecessary HTML tags and irrelevant content.

3.3.1. Advantages of Proposed System

1. **AI-Powered Summarization** – Uses NLP models to generate concise and accurate summaries.
2. **Automated Question-Answering** – Extracts precise answers from input text using advanced AI.
3. **Multi-Format Support** – Processes PDFs, DOCX, TXT files, and web content efficiently.
4. **FastAPI Backend** – Ensures quick processing and seamless integration with applications.
5. **User-Friendly Interface** – Designed with a Django web app for easy interaction.

IV. IMPLEMENTATION

The implementation of this AI-driven document analysis system involves multiple stages, ensuring seamless integration of text summarization and question-answering functionalities. The development is carried out using a structured pipeline that includes data processing, model integration, backend development, and a user-friendly interface.

The first step in implementation involves data acquisition and preprocessing. Users can upload documents in different formats, such as plain text, PDFs, and URLs. If a PDF contains scanned images, Optical Character Recognition (OCR) is applied to extract text. The retrieved content is then cleaned, removing unnecessary symbols, special characters, and irrelevant metadata. Tokenization and Named Entity Recognition (NER) are used to enhance text structure.

Once the text is pre-processed, it is fed into the summarization module, which utilizes Facebook's BART model. This transformer-based model generates concise and coherent summaries, preserving essential information while discarding redundant details. The summarization process ensures that users can quickly grasp key insights without reading the entire document.


The question-answering (Q&A) module is built using a pre-trained transformer-based model such as BERT or T5. When a user submits a query, the system retrieves relevant passages from the document using context-aware NLP techniques. The AI then processes the question and generates a precise answer, ensuring high accuracy and contextual relevance.

For real-time interaction, a Django-based web application is developed. The frontend interface is designed using HTML, CSS, and JavaScript, providing an intuitive user experience. The backend, powered by Django, connects with the AI models, processes user inputs, and returns responses efficiently. The system ensures smooth communication between the frontend and backend via RESTful APIs.

The final deployment is carried out on a cloud-based infrastructure, making the system accessible from any device. The AI models are hosted using TensorFlow Serving or Fast API, ensuring efficient inference. The web application is deployed on a production server, and database management is handled using PostgreSQL or MongoDB for scalability. Extensive testing and validation are performed to evaluate the accuracy of summaries and Q&A responses. The system undergoes rigorous testing, including unit testing, integration testing, and user acceptance testing (UAT), ensuring a reliable and error-free implementation.


By integrating cutting-edge NLP techniques with an efficient backend and a user-friendly web interface, the implementation successfully provides an automated document analysis solution, enhancing text summarization and interactive question-answering capabilities.

System Architecture



web interface

Modules importing



output

V. RESULTS AND CONCLUSION

The results indicate that the AI-powered document analysis system is highly effective in improving knowledge retrieval efficiency. By combining automated summarization, intelligent Q&A capabilities, and an intuitive web interface, this solution provides a valuable tool for research, business intelligence, and legal document analysis.

This study presents an AI-driven chatbot designed for intelligent document analysis using Facebook's BART model and Django. The system effectively extracts text from various input formats, generates concise summaries, and provides accurate, context-aware responses to user queries. By integrating state-of-the-art NLP techniques, it significantly enhances document processing efficiency and knowledge retrieval.

With the growing demand for automated text analysis, this system addresses key challenges such as information overload, time-consuming manual review, and the need for accurate insights. Through text preprocessing, OCR-based extraction, transformer-based summarization, and real-time Q&A functionalities, it streamlines the process of analyzing large volumes of text. The Django-based web interface ensures a seamless user experience, allowing easy document uploads and interactions with the AI model.

The experimental results demonstrate that the chatbot effectively understands user queries and retrieves relevant information. The system's performance can be further improved by fine-tuning the model on domain-specific datasets, enhancing multilingual support, and integrating advanced deep learning techniques. Additionally, incorporating voice-based interactions, real-time adaptive learning, and cloud-based scalability will expand its applicability across various industries.

In conclusion, this AI-powered document analysis system provides an innovative and practical solution for researchers, businesses, legal professionals, and students seeking efficient text summarization and interactive knowledge retrieval. With continuous improvements and advancements in NLP, the system has the potential to become a robust tool for automated document processing and intelligent information extraction in the future.

VI. LIMITATIONS AND FUTURE WORK

The AI-powered document analysis system has demonstrated significant potential in automating text summarization and question-answering tasks. However, there are several areas for further improvement and expansion. Future advancements in natural language processing (NLP) and deep learning can enhance the system's efficiency, accuracy, and adaptability to various domains.

One major area of expansion is multilingual support. Currently, the system primarily processes English text, but integrating multilingual NLP models will allow it to handle documents in multiple languages. This would benefit global users, especially researchers, legal professionals, and businesses operating in different linguistic environments. Another key improvement is domain-specific customization. While the existing model performs well for general texts, fine-tuning it for specialized fields like medicine, law, finance, and technical research would enhance accuracy. Implementing custom-trained transformers or hybrid models can improve the chatbot's ability to process complex and industry-specific queries.

To further enhance document processing efficiency, optimizing OCR capabilities for better accuracy in scanned documents and handwritten texts is crucial. Enhancing noise reduction techniques and integrating state-of-the-art OCR models like Tesseract with deep learning enhancements can improve text extraction from low-quality images. The integration of voice-based interactions could make the system more accessible, allowing users to interact with the chatbot through speech instead of text. This would be particularly beneficial for users with disabilities or those preferring voice-based document exploration.

Another promising enhancement is real-time learning and adaptive response generation. Implementing reinforcement learning and user feedback-based model adjustments can improve answer relevance and refine response accuracy over time. Adaptive learning mechanisms would allow the system to self-improve based on real-world user interactions. In conclusion, by incorporating multilingual support, domain-specific optimizations, real-time adaptive learning, improved OCR, voice-based interactions, scalability enhancements, blockchain integration, and better UI/UX, the AI-powered document analysis system can evolve into a highly intelligent, efficient, and universally applicable solution.

REFERENCES

- [1] Hinton, G. E., Osindero, S., & Teh, Y. W. (2006). A fast-learning algorithm for deep belief nets. *Neural Computation*, 18(7), 1527–1554.
- [2] Michael Gomez Selvaraj et al. (2021). Deep learning for medical image diagnosis: An overview of applications and future directions. *Journal of AI in Medicine*.
- [3] LeCun, Y., Bengio, Y., & Hinton, G. (2015). Deep learning. *Nature*, 521(7553), 436–444.
- [4] Vaswani, A., Shazeer, N., Parmar, N., Uszkoreit, J., Jones, L., Gomez, A. N., & Polosukhin, I. (2017). Attention is all you need. *Advances in Neural Information Processing Systems (NeurIPS)*.
- [5] Devlin, J., Chang, M. W., Lee, K., & Toutanova, K. (2019). BERT: Pre-training of deep bidirectional transformers for language understanding. *Proceedings of NAACL-HLT*, 4171–4186.
- [6] Radford, A., Narasimhan, K., Salimans, T., & Sutskever, I. (2018). Improving language understanding by generative pre-training. *OpenAI Research Paper*.
- [7] Brown, T., Mann, B., Ryder, N., Subbiah, M., Kaplan, J., Dhariwal, P., & Amodei, D. (2020). Language models are few-shot learners. *Advances in Neural Information Processing Systems (NeurIPS)*.
- [8] Zhang, X., Zhao, J., & LeCun, Y. (2015). Character-level convolutional networks for text classification. *Advances in Neural Information Processing Systems (NeurIPS)*, 649–657.
- [9] Ren, S., He, K., Girshick, R., & Sun, J. (2015). Faster R-CNN: Towards real-time object detection with region proposal networks. *Advances in Neural Information Processing Systems (NeurIPS)*.
- [10] Ren, S., He, K., Girshick, R., & Sun, J. (2015). Faster R-CNN: Towards real-time object detection with region proposal networks. *Advances in Neural Information Processing Systems (NeurIPS)*.
- [11] Lin, C. Y. (2004). ROUGE: A package for automatic evaluation of summaries. *Proceedings of the Workshop on Text Summarization Branches Out*, 74–81.
- [12] Papineni, K., Roukos, S., Ward, T., & Zhu, W. J. (2002). BLEU: A method for automatic evaluation of machine translation. *Proceedings of ACL*, 311–318.
- [13] Zhang, T., Kishore, V., Wu, F., Weinberger, K. Q., & Artzi, Y. (2019). BERTScore: Evaluating text generation with BERT. *Proceedings of ICLR*.
- [14] Raffel, C., Shazeer, N., Roberts, A., Lee, K., Narang, S., Matena, M., & Liu, P. J. (2020). Exploring the limits of transfer learning with a unified text-to-text transformer. *Journal of Machine Learning Research (JMLR)*, 21, 1–67.
- [15] Lewis, M., Liu, Y., Goyal, N., Ghazvininejad, M., Mohamed, A., Levy, O., & Stoyanov, V. (2020). BART: Denoising sequence-to-sequence pre-training for natural language generation, translation, and comprehension. *Proceedings of ACL*, 7871–7880.
- [16] Kingma, D. P., & Ba, J. (2015). Adam: A method for stochastic optimization. *International Conference on Learning Representations (ICLR)*.
- [17] Hochreiter, S., & Schmidhuber, J. (1997). Long short-term memory. *Neural Computation*, 9(8), 1735–1780.
- [18] Cho, K., Van Merriënboer, B., Gulcehre, C., Bahdanau, D., Bougares, F., Schwenk, H., & Bengio, Y. (2014). Learning phrase representations using RNN encoder-decoder for statistical machine translation. *Proceedings of EMNLP*, 1724–1734.
- [19] Goodfellow, I., Pouget-Abadie, J., Mirza, M., Xu, B., Warde-Farley, D., Ozair, S., & Bengio, Y. (2014). Generative adversarial nets. *Advances in Neural Information Processing Systems (NeurIPS)*, 2672–2680.
- [20] He, K., Zhang, X., Ren, S., & Sun, J. (2016). Deep residual learning for image recognition. *Proceedings of CVPR*, 770–778.



INTERNATIONAL
STANDARD
SERIAL
NUMBER
INDIA



INTERNATIONAL JOURNAL OF INNOVATIVE RESEARCH

IN SCIENCE | ENGINEERING | TECHNOLOGY

 9940 572 462  6381 907 438  ijirset@gmail.com



www.ijirset.com

Scan to save the contact details